FRÍANT

MATERIALS REFERENCE GUIDE









TABLE OF CONTENTS

INTRODUCTION

Pattern Direction 3
Fabric Direction Guide pg 4 - 57

JOURNEY

Memo Samples 4
System 2 5
Novo 7
Interra 9
Dash 10
Verity 11
My-Hite & Beam 13

PASSAGE

Memo Samples 15
System 2 16
Novo 17
Interra 18

TERRAIN

Memo Samples 19
System 2 20
Novo 21
Interra 22

SLIDE

Memo Samples 23
System 2 25
Novo 27
Interra 29
Dash 30
Verity 31
My-Hite & Beam 33

SILKY

Memo Samples 35
System 2 36
Novo 38
Interra 40
Dash 41
Verity 42
My-Hite & Beam 44

SKY

Memo Samples 46
System 2 47
Novo 49
Interra 51
Dash 52
Verity 53
My-Hite & Beam 55



STICKS

Memo Samples 57
System 2 58
Novo 60
Interra 62
Dash 63
Verity 64
My-Hite & Beam 66

COM Form

Pattern Direction


- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.

Non - Directional Application Shown	Directional Application Shown
	


Journey - PF801

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.


Memo Sample
Non-Directional Application Shown




PF801-1 Quest




PF801-2 Voyage




PF801-3 Transit



PF801-4 Amble




PF801-5 Odyssey




PF801-6 Caravan



PF801-7 Expedition









PF801-8 Wayfare






Journey - PF801

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Tackboards 8 or 16H	24 - 60 W	 Non-Directional	 Directional
Fabric Covered Flipper Doors 16H	24 - 60 W	 Non-Directional	 Directional







Journey - PF801

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Journey - PF801

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Segmented Panels	All Sizes	 Non-Directional	 Directional
Tackboards 8 or 16H	24 - 48W	 Non-Directional	 Directional





Journey - PF801

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional







Journey - PF801

Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 Directional	NA
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional








Journey - PF801

Dash, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Wall Mounted Tackboards 12 - 28H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Journey - PF801

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Track Mounted Tackboards 14 - 18H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Worksurface Mounted Tackboards 14 - 18H	22 - 28 W	 Non-Directional	 Directional
Supporting Cabinet Tackboards 15H	24 -30 W	 Non-Directional	 Directional







Journey - PF801

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Journey - PF801

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Worksurface Mounted Tackboards 14H	66 - 72 W	 Non-Directional	NA
	24 - 60 W	 Non-Directional	 Directional
Beam Mounted Screens 24H	66 - 72 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional

Journey - PF801


My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional

Passage - PF601

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.

Memo Sample
Non-Directional Application Shown



PF601-5 Leaf




PF601-8 Amber







Passage - PF601

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional

Passage - PF601

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Segmented Panels	All Sizes	 Non-Directional	 Directional

Passage - PF601


Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 Directional	NA

Terrain - PF701

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.

Memo Sample
Non-Directional Application Shown



PF701-1 Cloud



PF701-2 Dusk



PF701-3 Wave




PF701-4 Earth







Terrain - PF701

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional

Terrain - PF701

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Segmented Panels	All Sizes	 Non-Directional	 Directional

Terrain - PF701


Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 Directional	NA

Slide - PF101

- Although Slide pattern does not have a large repeat/pattern, appearance may vary especially in different lighting
- Appearance may also vary when applied directionally versus non-directionally.

Memo Sample
Non-Directional Application Shown



PF 101-1 Caramel



PF101-2 Slate



PF101-3 Pewter




PF101-4 Verde




PF101-6 Vintage




PF101-7 Java




PF 101-9 Sterling



PF101-10 Crema




PF101-13 Mustard



PF101-14 Avocado



PF101-15 Pumpkin



PF101-16 Ocean



PF101-17 Blueberry



PF101-18 Cardinal



PF101-19 Flamingo



PF101-20 Serenity



PF101-21 Azure



PF101-22 Orchid



PF101-23 Plum










PF101-24 Raven






Slide - PF101

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Tackboards 8 or 16H	24 - 60 W	 Non-Directional	 Directional
Fabric Covered Flipper Doors 16H	24 - 60 W	 Non-Directional	 Directional








Slide - PF101

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Slide - PF101

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Segmented Panels	All Sizes	 Non-Directional	 Directional
Tackboards 8 or 16H	24 - 48W	 Non-Directional	 Directional





Slide - PF101

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional







Slide - PF101

Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 Directional	NA
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional








Slide - PF101

Dash, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Wall Mounted Tackboards 12 - 28H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Slide - PF101

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Track Mounted Tackboards 14 - 18H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Worksurface Mounted Tackboards 14 - 18H	22 - 28 W	 Non-Directional	 Directional
Supporting Cabinet Tackboards 15H	24 -30 W	 Non-Directional	 Directional







Slide - PF101

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Slide - PF101

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Worksurface Mounted Tackboards 14H	66 - 72 W	 Non-Directional	NA
	24 - 60 W	 Non-Directional	 Directional
Beam Mounted Screens 24H	66 - 72 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional

Slide - PF101


My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional


Silky - PF401

- Although Silky pattern does not have a large repeat/pattern, appearance may vary especially in different lighting.
- Appearance may also vary when applied directionally versus non-directionally.


Memo Sample
Non-Directional Application Shown



PF401-1 Natural




PF401-2 Parids



PF401-3 Overcast










PF401-5 Graphite






Silky - PF401

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Tackboards 8 or 16H	24 - 60 W	 Non-Directional	 Directional
Fabric Covered Flipper Doors 16H	24 - 60 W	 Non-Directional	 Directional








Silky - PF401

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Silky - PF401

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Segmented Panels	All Sizes	 Non-Directional	 Directional
Tackboards 8 or 16H	24 - 48W	 Non-Directional	 Directional





Silky - PF401

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional







Silky - PF401

Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 Directional	NA
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional








Silky - PF401

Dash, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Wall Mounted Tackboards 12 - 28H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Silky - PF401

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Track Mounted Tackboards 14 - 18H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Worksurface Mounted Tackboards 14 - 18H	22 - 28 W	 Non-Directional	 Directional
Supporting Cabinet Tackboards 15H	24 -30 W	 Non-Directional	 Directional







Silky - PF401

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Silky - PF401

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Worksurface Mounted Tackboards 14H	66 - 72 W	 Non-Directional	NA
	24 - 60 W	 Non-Directional	 Directional
Beam Mounted Screens 24H	66 - 72 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional

Silky - PF401

My-Hite & Beam, Fabric Direction Guide


		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional

Sky - PF301


- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.

Memo Sample

Non - Directional Application Shown




PF301-1 Terra



PF301-2 Birch








PF301-3 Moss






Sky - PF301

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Tackboards 8 or 16H	24 - 60 W	 Non-Directional	 Directional
Fabric Covered Flipper Doors 16H	24 - 60 W	 Non-Directional	 Directional







Sky - PF301

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Sky - PF301

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Segmented Panels	All Sizes	 Non-Directional	 Directional
Tackboards 8 or 16H	24 - 48W	 Non-Directional	 Directional





Sky - PF301

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional







Sky - PF301

Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 Non - Directional	NA
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional








Sky - PF301

Dash, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Wall Mounted Tackboards 12 - 28H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Sky - PF301

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Track Mounted Tackboards 14 - 18H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Worksurface Mounted Tackboards 14 - 18H	22 - 28 W	 Non-Directional	 Directional
Supporting Cabinet Tackboards 15H	24 -30 W	 Non-Directional	 Directional







Sky - PF301

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Sky - PF301

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Worksurface Mounted Tackboards 14H	66 - 72 W	 Non-Directional	NA
	24 - 60 W	 Non-Directional	 Directional
Beam Mounted Screens 24H	66 - 72 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional

Sky - PF301

My-Hite & Beam, Fabric Direction Guide


		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional

Sticks - PF501

- Although Sticks pattern does not have a large repeat/pattern, appearance may vary especially in different lighting.
- Appearance may also vary when applied directionally versus non-directionally.

Memo Sample







Non-Directional Application Shown







Sticks - PF501

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Tackboards 8 or 16H	24 - 60 W	 Non-Directional	 Directional
Fabric Covered Flipper Doors 16H	24 - 60 W	 Non-Directional	 Directional








Sticks - PF501

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Sticks - PF501

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional
Segmented Panels	All Sizes	 Non-Directional	 Directional
Tackboards 8 or 16H	24 - 48W	 Non-Directional	 Directional




Sticks - PF501

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional





Sticks - PF501

Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 Directional	NA
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional



Sticks - PF501

Dash, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Wall Mounted Tackboards 12 - 28H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional



Sticks-501

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Track Mounted Tackboards 14 - 18H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Worksurface Mounted Tackboards 14 - 18H	22 - 28 W	 Non-Directional	 Directional
Supporting Cabinet Tackboards 15H	24 -30 W	 Non-Directional	 Directional




Sticks - PF501

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional

Sticks-501

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Worksurface Mounted Tackboards 14H	66 - 72 W	 Non-Directional	NA
	24 - 60 W	 Non-Directional	 Directional
Beam Mounted Screens 24H	66 - 72 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional

COM Form

FRIANT | ALL WORKSTYLES WELCOME

Date: _____

Customer's Own Material (COM) Form

For testing of new COM fabrics and application directions on previously approved fabrics
ONLY ONE FABRIC PER FORM

☐ Testing (Must be submitted prior to order submission)
☐ To indicate direction for order application (Must be submitted along with PO to orders@friant.com)

Directions for COM Testing

1. Attach 2.5 yards of the fabric to this form. (If testing on more than one product, attach 2.5 yards of fabric per product.)
2. Forward the completed test form and test fabric to the address below:
   Friant & Associates
   Attn Fabric Department
   1980 West Ave 140th, San Leandro, CA 94577
3. Provide Customer Service Representative with tracking for test fabric.
4. Please allow 5 business days (from receipt of Sample by Friant) for testing and notification of written approval by your Customer Service Representative.

Additional Notes for COM Order Application

1. Leadtime does not begin until the COM fabric is approved and the COM form / tracking number are provided to Customer Service Representative.
2. Contact Customer Service Representative for yardage required.
3. **Contact Customer Service Representative to confirm the Friant Plant the actual order fabric should be sent to.**

DEALER INFORMATION

PO NUMBER (not reqd for testing) _____

DEALER CONTACT	DEALERSHIP		
ADDRESS	CITY	STATE	ZIP
PHONE #	EMAIL	FRIANT CUSTOMER SERVICE REP	

FABRIC INFORMATION

FABRIC MANUFACTURER	MANUFACTURER PHONE #
PATTERN NAME	PATTERN #
COLOR NAME	COLOR #
YARDAGE SENT FOR TESTING (RECOMMENDED 2.5 YDS PER PRODUCT TEST)	

FABRIC TO BE APPLIED TO

☐ SYSTEM 2 & NOVO ☐ SEAT CUSHIONS ☐ FLIPPER DOORS
☐ INTERRA ☐ TACKBOARDS ☐ PRIVACY SCREEN

FABRIC DIRECTION REQUIRED

☐ NON-DIRECTIONAL 

☐ DIRECTIONAL 

Customer's Own Material (COM) Form

recommended but not required

FABRIC DIRECTION SAMPLE

top of panel

Staple fabric sample here to indicate fabric direction

bottom of panel