MY-HITE

COLLECTION



FRÍANT

ALL
WORKSTYLES
WELCOME

TABLE OF CONTENTS

INTRODUCTION

Terms and Conditions 4
Standard Fabrics 7
Pattern Direction 8
Standard Finishes 9

MY-HITE

Grommet Locations 10-15
Power Grommet 16
How to specify 2 piece tops 17
Mobile Pedestals 18
Flyp Screens 19
Freestanding Application 20
Workstation Application 21
Beam Application 22

3 STAGE SPECIFIC

Base Application & Electrical Draw 23
Trough Cover Dimension 24
Recommended Top Application 25
Technical Specifications 26

2 STAGE SPECIFIC

Base Application & Electrical Draw 28
Recommended Top Application 29
Technical Specifications 30

BEAM

How to order Beam 73
Worksurface Planning Guide 75
Beam Elevation Height 76
Beam Creep 77
Data Port Plate 78

SPECIFY 3 STAGE BASE

Straight T-Leg 33
Straight C-Leg 34
Corner T-Leg 35
Corner C-Leg 36
Corner T-Leg Post 37
Corner C-Leg Post 38

SPECIFY 2 STAGE BASE

Straight T-Leg 40
Corner T-Leg 41

WORKSURFACES FOR FREESTANDING APPLICATION

Rectangular 43
Corner 44
90° Extended Curved Corner 45
Rectangular Extension 48
D-Shaped 50
Wedge 51
120° Corner / 90° Ends 52
120° Corner / 120° Ends 53

PRIVACY SCREENS

Modesty Panel, Laminate 54
Privacy Screen, Fabric 55
Privacy Screen, Marker Board 56
Privacy Screen, Laminate 57
Worksurface Mounted Screens, Clear 58
Worksurface Mounted Screens, Frosted 59
Worksurface Mounted Screens, Fabric 60
Flyp Screens 61

MOBILE PEDESTAL

Mobile Pedestal 62
Keyed Alike 63

MONITOR ARMS

Monitor Arms 64

TABLE POWER COMPONENTS

Power Grommet 65
Power Distribution 66

ACCESSORIES

Wire Manager 67
Mesh Wire Manager 67
Casters 67
Conversion Kit 67
Desk Mounted Power Unit 67

SHIELD FREESTANDING PANELS

Freestanding Laminate Panel, Feet 68
Freestanding Laminate Panel, Casters 69
Freestanding Markerboard Panel, Feet 70
Freestanding Markerboard Panel, Casters 71

SPECIFY BEAM

Beam Package with power & data cutouts 79
Beam Package without cutouts 80
Supporting Post - Inline & End of Run 81
Supporting Post - 2, 3, 4 Way 82
Laminate Insert Package 83
Base Cover, non-powered 85
Beam Package Top Caps 86
Electrical Distribution 87
Beam Mounted Screens 89

WORKSURFACES FOR USE WITH BEAM

Rectangular 91
Corner 92
90° Extended Curved Corner 93
Rectangular Extension 95
D-Shaped 96
Wedge 97
120° Corner / 90° Ends 98
120° Corner / 120° Ends 98

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Terms and Conditions

PRICES
Pricing is delivered, freight included to 48 contiguous states. Specific requirements apply, minimum order required, see freight policy for details. See complete freight rules and policy on www.friant.com.

ORDERING
Purchase Orders should be sent to orders@friant.com or faxed to (510) 535-6895. If your specifications were created with CAP, GIZA or Project Matrix, please send the worksheet (.SP4, or .SIF) with your Purchase Order.

TERMS
Net 30 days from date of invoice. Invoices are delinquent if not paid 30 days from date of invoice. In the event timely payment is not made, interest will be charged at the rate of 1.5% per month on delinquent accounts. Buyers will also be liable for normal collection costs and attorney's fee. 50% deposit is required with every order, unless prior arrangements have been made.

ORDERS
Orders are only accepted by issuance of our formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the responsibility of the buyer to review our acknowledgment for accuracy.

LEAD TIME
Lead times are subject to availability, see www.Friant.com for details.

SHIPPING
Friant generally palletizes, boxes and/or shrink-wraps its products. If buyer requests additional packaging or special shipping, then it is responsible for any extra costs that result. Buyer obtains title to products and assumes the risk of loss for them upon shipment from Friant's plant.

CLAIMS
We are not responsible for damage suffered in transit. Merchandise should be inspected for possible freight damage upon delivery. The consignee should file for damage or shortages with the carrier within 5 days of delivery. You are also protected for "concealed damage" if you file claim with the carrier within 5 days of delivery. Buyer must make all claims against Friant for defects, errors or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

RETURNS
No merchandise may be returned without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect.

PARTIAL SHIPMENTS
We will make every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

ORDER CHANGE/CANCELLATIONS
Our order confirmation is final and binding. Any order change or cancellation is subject to our ability to conform. For the most up to date information, always review the order change/cancellation policy online. Allowable changes within the posted policy must be made in writing.

SHIPMENT AND PREPAID FREIGHT
Unless otherwise instructed, we reserve the option to ship by what is, in our opinion, the best possible way. Upon request, we will prepay and add freight for accounts with established credit.

DELIVERY
We are not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

STORAGE
If buyer cannot accept delivery when merchandise is ready, we reserve the right to transfer goods to storage. Costs of transfer and storage will be charged to the buyer's account, and we will deem such transfer as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

Terms and Conditions

CONSTRUCTION — SPECIFICATIONS

All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. Manufacturer reserves the right to make modifications and/or improvements without prior notice.

FABRIC APPLICATION

Standard fabric application is non-directional. Friant & Associates is not responsible for charges associated with replacement of products due to incorrect specifications. Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally. See individual pricebook specifications for details.

CUSTOMER'S OWN MATERIAL

Yardage requirement is based on 66" wide plain covering material, and must be increased if less than 66" wide. Special instructions for handling material (pattern, directional fabric, right side of reversible fabric, etc.) must be submitted in writing before fabric is delivered. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering, which in our opinion, is unsuitable for our upholstery purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of covering unsuitable for our upholstery methods.

We will not be responsible for errors caused by buyers not supplying us with sample cuttings attached to their order giving full identification of covering material, (name of supplier, covering name, number and color) for identification purposes and advising us of model number and quantity to which each cover is to be applied.

Customer's own material that is shipped freight collect will be refused. A service charge will be applied for the return of unusable C.O.M. Contact factory.

RIGHTS AND WARRANTIES — 5 YEARS

This warranty is given to the initial purchaser and is valid from the date of purchase, for as long as the initial purchaser owns the product. This warranty covers defects in material and craftsmanship found during normal usage of the product during the warranty period. Normal usage is defined by 8 hour shifts in the product's intended application and in an indoor environment that conforms to the ANSI/ASHRAE Standard 55: Thermal Environmental Conditions for Human Occupancy (relating to air temperature, mean radiant temperature, air velocity, clothing insulation, metabolic rate, and humidity). Friant's warranty does not cover usage other than normal usage as defined in the previous sentence. If the product is defective, and if written notice of the defect is given to Friant & Associates within the applicable warranty period, Friant & Associates, at its option, will either repair or replace the defective product with a comparable component or product. This warranty applies to all products except as noted below.

The following exceptions to the limited 5 year warranty apply: All Motors and electrical components are warranted for 5 years.

High wear parts, such as wood veneer, fabrics, laminates and other covering material/finishes, foam. glides, etc. are warranted for one (1) year. This warranty does not apply to damage caused by a carrier, alteration to the product not expressly authorized by Friant & Associates, nor to product considered to be of a consumable nature such as bulbs, light ballasts, etc. It also does not apply to "Customer's Own Material" (i.e. material specified by the customer that is not a standard Friant & Associates offering) used in the manufacture of Friant & Associates products.

Our warranty for LED lights is 2 years.

Friant & Associates does not warrant the matching of colors, grain or texture, except to within commercially acceptable standards. This includes normal variations between dye lots (fabrics).

A product will not be considered defective, and Friant & Associates will not be obligated to replace it, if it is not installed in a proper manner (i.e. product not leveled, not secured properly, etc.) or if it is not used in a manner and/or in an environment that constitutes normal usage, as defined above.

Except as noted above, Friant & Associates makes no express or implied warranties to any product, and in particular makes no warranty of fitness for any particular use. At Friant & Associates' option, product repair and replacement is the customer's exclusive remedy for any and all product defects.

Friant & Associates shall not be liable for consequential, economic, or incidental damages arising from any product defect.

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Terms and Conditions

CALIFORNIA PROP 65 WARNING
Products in this catalog can expose you to chemicals including wood dust, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to https://www.p65warnings.ca.gov/products/furniture-products."

CARB
Friant products are CARB 93120 compliant for formaldehyde (phase 2)

TSCA TITLE VI
Friant products are TSCA Title VI Compliant

MAS
Accredited Compliance Designation - ANSI/BIFMA x7.1 & e3-2014 7.6.1, 7.6.2, 7.6.3
California Dept. Of Public Health Standard Method v1.2
Conforms With: LEED v4
Criteria of MAS Certified Green ® Program

Standard Fabrics

JOURNEY		TERRAIN		SLIDE		SILKY		SKY	
PF801-1	Quest	PF701-1	Cloud	PF101-1	Caramel	PF401-1	Natural	PF301-1	Terra
PF801-2	Voyage	PF701-2	Dusk	PF101-2	Slate	PF401-2	Parids	PF301-2	Birch
PF801-3	Transit	PF701-3	Wave	PF101-3	Pewter	PF401-3	Overcast	PF301-3	Moss
PF801-4	Amble	PF701-4	Earth	PF101-7	Java	PF401-5	Graphite		
PF801-5	Odyssey			PF101-9	Sterling				
PF801-6	Caravan			PF101-10	Crema				
PF801-7	Expedition			PF101-13	Mustard				
PF801-8	Wayfare			PF101-14	Avocado				
				PF101-15	Pumpkin				
				PF101-16	Ocean				
				PF101-17	Blueberry				
				PF101-18	Cardinal				
				PF101-19	Flamingo				
				PF101-20	Serenity				
				PF101-21	Azure				
				PF101-22	Orchid				
				PF101-23	Plum				
				PF101-24	Raven				

LIMITED AVAILABILITY

SLIDE		SILKY		STICKS		PASSAGE	
PF101-4	Verde	PF401-4	Field	PF501-3	Sage	PF601-5	Leaf
PF101-6	Vintage					PF601-7	Trail
PF101-8	Latte					PF601-8	Amber
PF101-12	Stem						

Fabric is scheduled for discontinuation when inventory is exhausted. Please contact Customer Service for current stock levels. After discontinuation fabric will be available with extended lead time, subject to minimum yardage requirements.



NOTES:

- Passage and Terrain are not available on acoustical panels, pedestal cushions, tackboards or fabric screens.
- Please refer to the Fabric Direction Section in the Materials Reference Guide on the Dealer Resource Center for more details: http://dealers.friant.com/dealers/product-literature/
- Order fabric / finish sample online at www.friant.com
- Colors may vary slightly between dye lots.

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Pattern Direction

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to our Materials Reference Guide on the Dealer Resource Center for specific pattern application defaults on all of our products : http://dealers.friant.com/dealers/product-literature/
- Our Customer Service Team is happy to answer any questions regarding fabric direction.

Non - Directional Application Shown	Directional Application Shown
	

Standard Finishes

For matching edge PVC, please read across matrix.

WORKSURFACE LAMINATES		EDGE LAMINATES (3MM PVC)	
M1	Light Maple	E1	Light Maple
M2	Light Cherry	E2	Light Cherry
M3	Medium Cherry	E3	Medium Cherry
M4	Dark Mahogany	E4	Dark Mahogany
M5	Light Mahogany	E5	Light Mahogany
M6	Light Gray	E6	Light Gray
M7	Off White	E7	Off White
M8	Gray Specks	†See complimentary edge finishes below	
M9	Cloud White	E9	Cloud White
M10	Espresso	E10	Espresso
M11	Light Walnut	E14	Light Walnut
M12	Medium Walnut	E15	Medium Walnut
M13	Licorice	E13	Licorice
M14	Carob	E17	Carob
M15	Mousse	E18	Mousse
M16	Tundra	E19	Tundra
M18	Capitan	E21	Capitan
M19	Fog	E22	Fog
M20	Sandstone	E23	Sandstone
M21	Medium Oak	E24	Medium Oak
M23	Bark	E26	Bark
M24	Tarmac	E27	Tarmac
M25	Winter	E28	Winter
M26	Storm	E29	Storm
M27	Medium Ash	E30	Medium Ash
M28	Arctic	E31	Arctic
M29	Raven	E32	Raven
		E11	Medium Tone

Note: For other worksurface finish, please contact our Customs team

†Complimentary Edge Finishes	
E8	Black Umber
E12	Dark Tone

Complimentary edge finishes have no exact laminate match available

Order samples at
www.friant.com/samples

Please Note: Images are printed simulations and are not exact matches of finished product. Please request an actual sample from Friant or your sales consultant before specifying finishes.

PAINT TRIM

CW Cloud White

BU Black Umber

SV Silver

STANDARD GROMMET FINISHES

CW Cloud White

BU Black Umber

SV Silver

POWER GROMMET FINISHES

BA Brushed Aluminum

BC Brushed Charcoal

CW Cloud White

FOAM CUSHION

Green

Blue

Red

Charcoal

Café

Grey

COLOR PEDESTAL TOP

Green

Blue


Red

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Grommet Locations, My-Hite Tops


1 Select a My-Hite worksurface

My-Hite tops (see page 43) offer optional grommets. (Please use the codes shown when specifying location of grommets).An upcharge of $75 applies for cutouts.

Choose	Specify Part #	Specify worksurface and edge
	FCCAHS-24366024R	M15 Mousse E18 Mousse


2a Select a grommet location (Straight & extended corner 90° tops)

Specify location by using the two letter code.




Extended corner, right handed


CODE	POSITION
GL	4" from left side - 4" from rear
GR	4" from right side - 4" from rear
GC	Centered from side to side - 4" from rear



straight



D-shaped



Extended corner, left handed

Dimensions are measured from grommet center

For other grommet locations, please call Friant customer service.


Grommets are 3" round with cover standard

Please Note: Only the GC location is available on the D-Shaped worksurface.

Base position will vary with 72", 78" and 84" worksurface length.

Grommet Locations cont'd

2b Select a grommet location, 120° Tops




CODE	POSITION
120GL	4" from left side - 4" from rear
120GR	4" from right side - 4" from rear
120GC	Centered from side to side - 4" from rear

Dimensions are measured from grommet center

For other grommet locations, please call Friant customer service.

Grommets are 3" round with cover standard

2c Select a grommet location, 90° Equal Corners



CODE	POSITION
GL or GR	4" from from corner

Dimensions are measured from grommet center

For other grommet locations, please call Friant customer service.

Grommets are 3" round with cover standard

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Power Grommet Locations - Notch Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet notch cutouts are required when specifying a Power Grommet on a worksurface supported by a My-Hite C-Leg adjustable height table base. Choose the size of power grommet (5x8 only) and cutout location (left, center or right). Specify Power Grommets on page 14. An upcharge of $75 applies for cutouts.

NOTE: Notch cutouts only available with 5x8 Power grommets and C-leg bases.

1 Select a My-Hite worksurface

My-Hite worksurfaces (starting on page 43)

2 Select a power grommet notch cutout location


Less than 72”

CODE	POSITION (Specific to worksurfaces 72” and below)
PG5L-C	4.5” from left side
PG5C-C	Centered
PG5R-C	4.5” from right side


Over 72”


CODE	POSITION (Specific to 78” and 84”)
PG5L-C	11” from left side
PG5C-C	Centered
PG5R-C	11” from right side


Less than 72”




Over 72”










Less than 72”




Over 72”








Positions for 120° worksurfaces:



Positions for 90° equal corner worksurfaces:



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Power Grommet Locations - Interior Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet interior cutouts are used when specifying a Power Grommet on a worksurface supported by a My-Hite T-Leg adjustable height table base. Choose the size of power grommet (5x8 or 6x8) and cutout location (left, center or right). Specify Power Grommets on page 16. An upcharge of $75 applies for cutouts.

NOTE: Standard position Interior cutouts are not compatible with C-leg bases.

1 Select a My-Hite worksurface

My-Hite worksurfaces (starting on page 43)

2 Select a power grommet interior cutout location

Less than 72”

CODE	POSITION (Specific to worksurfaces 72” and below)
PG6L	4.5” from left side, 1.5” from back
PG6C	Centered, 1.5” from back
PG6R	4.5” from right side, 1.5” from back
PG5L	4.5” from left side, 1.5” from back
PG5C	Centered, 1.5” from back
PG5R	4.5” from right side, 1.5” from back


Over 72”

CODE	POSITION (Specific to 78” and 84”)
PG6L	11” from left side, 1.5” from back
PG6C	Centered, 1.5” from back
PG6R	11” from right side, 1.5” from back
PG5L	11” from left side, 1.5” from back
PG5C	Centered, 1.5” from back
PG5R	11” from right side, 1.5” from back


120° and 90° worksurfaces

CODE	POSITION (Specific to 120° and 90°)
PG6L	4.5” from left side, 1.5” from back
PG6C	Centered, 1.5” from back
PG6R	4.5” from right side, 1.5” from back
PG5L	4.5” from left side, 1.5” from back
PG5C	Centered, 1.5” from back
PG5R	4.5” from right side, 1.5” from back


Less than 72”





Over 72”




Less than 72”










Over 72”








Positions for 120° worksurfaces:



Positions for 90° equal corner worksurfaces:



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Power Grommet

FRIANT power grommets are available to meet different worksurface power and data needs. Choose the color of the power grommet (brushed aluminum, brushed charcoal, or cloud white). Specify power grommets on page 65 .

POWER GROMMETS

6x8

(2) CAT6 Data Ports

(4) Power Outlets

(2) USB Ports


5x8


(2) CAT6 Data Ports

(3) Power Outlets

(2) USB Ports

3 FINISHES AVAILABLE
Brushed aluminum, brushed charcoal and cloud white






INCLUDES SPRING CORD
(Not shown) For connection to power source


How To Specify My-Hite 2-Piece Extended Corner or Rectangular Tops

Use a FVFB.08 Flat Bracket pair to attach the two surfaces, making sure the seam is oriented so that it is supported by the continuous part of the My-Hite Corner Base. Maximum width combined: 84x84" (All My-Hite bases) or 72x96" (3 Stage base only).


Specify the Rectangular Extension on page 95.


To create an extended corner My-Hite station, specify an Extended Curved Corner with a Rectangular Extension.





To create a two piece rectangular corner top, specify two rectangular tops, or a rectangular top and one rectangular extension.






The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Mobile Pedestals

FRIANT pedestals are available in a variety of options to meet different storage needs. Choose the color of the pedestal (cloud white, black umber, and silver), and, as options, the color of the optional foam cushion (green. café and charcoal) and the color of the top cap (red, green and blue). Pedestals include pencil tray, mail slot and keyed alike options for locks. Front to back file bars are included.




BOX/FILE MOBILE PEDESTAL
Top of pedestal is finished

MAIL SLOT

PENCIL TRAY

LOCKING
Keyed alike option is available. (page 62)

BOX/FILE PEDESTAL
Ships standard with (2) locking and (2) non-locking casters.



OPTIONAL FOAM CUSHION
Mobile pedestals can be topped with a foam cushion.


LOCKING
Keyed alike option is available.

FRONT TO BACK FILE BAR
ship standard.

MY-HITE COLLECTION


Flyp Screens

Flyp screens are PET screens that mount to the underside of any worksurface. Screens are sold individually, and can be combined and configured in several ways.



CHOICE OF ORIENTATION
Screens can be installed with taller dimension either above or below the worksurface

CONFIGURATION OPTIONS
Separate back and side screens can be used individually or combined





FLYP SCREEN DIMENSIONS

Flyp screens are sized to match the width of **REDUCED SIZE TOPS**. When used with full sized tops, there is a gap. Flyp side screens are 23.5" wide, on 23" deep tops, the screen will overhang past the worksurface slightly. Please see below for dimensions.

	FPSFLYP.2246	FPSFLYP.2258	FPSFLYP.2270
A	46"	58"	70"

FPSFLYP.2224






The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Freestanding Application Example of My-Hite

As a Standalone

- Order Base (page 33)
- Order Top (page 43)

Note: Dimensions are actual for standalone tops



Freestanding Workstation Example

- **Base:** FSQAHBT-24-3

3 stage base range 24.5”-50”, page 33

- **Worktop:** FSQAHT-2472

Rectangular worksurface, page 43

- **Privacy Screen:** FPSFLUSH.2472

Fabric covered privacy screen, page 55

- **Credenza:** FCREDSQAP.48L


Freestanding credenza, Novo Pricebook, page 82

Workstation Application Example of My-Hite (Interra)

As part of a Workstation

- Order Base (page 33 or 40)
- Order Top within System Pricebook
  - System 2
  - Dash
  - Verity
  - Novo
  - Interra

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation appplications.



Interra Workstation Example:

- **Base:** FCNAHB-24-3
  3 stage base range 24.5"-50", page 35
- **Worksurface:** FIECCWS.29467029 L/R
  Corner worksurface top only. For use with height adjustable base within workstation application - Interra Pricebook, page 70


The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Beam Application Example of My-Hite

With Beam Application

- Order Base (page 33 or 40)
- Order Top (page 91)

Note: Top size reduced 1" in depth and 2" in width to fit with beam application and prevent pinch points. See page 91. We do not recommend using full size worktops with beam application.




Beam Workstation Example:

- **Base:** Straight Base
  3 stage base range 24.5"- 50", page 33
- **Worksurface:** FBRWS.2370
  Straight worksurface top only. For use with height adjustable base within beam application.- page 91

Base Application — 3 stage

Worksurface depth



Electrical Draw of My-Hite — 3 stage


TABLE	MOTION	WATTS	AMPS
ONE (1) ADJUSTABLE TABLE	START UP DRAW	-	< 5 AMP
ONE (1) LOADED ADJUSTABLE TABLE	RUNNING DRAW	360W	4.16 AMP
ONE (1) EMPTY ADJUSTABLE TABLE	RUNNING DRAW	200W	2.08 AMP
ONE (1) ADJUSTABLE TABLE (NOT IN MOTION)	DRAW	-	0 AMP


The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Trough Cover Dimensions — 3 stage


Fixed trough cover is 2.5” tall and 8” deep

T Style Base
72” width tops shown







24” D top on 24”D base




30” D top on 24”D base

C Style Base
72” width tops shown





24” D top on 24”D base




30” D top on 24”D base

Recommended Top Application — 3 stage


Corner Worksurfaces

1 120° Tops


NOTES: 120° corners - use straight base on 36" and 42" wide worksurfaces.
Use corner base on worksurfaces 48" or larger.



36" Top
(Straight Base)




42" Top
(Straight Base)




48" Top
(Corner Base)

2 90° Tops


NOTES 90° corners - use straight base on 48" worksurfaces only.
Use corner base on 42" or extended corners.



42" Top
(Corner Base)



48" Top
(Straight Base)



72X72" Top
(Corner Base)

Technical Specifications — 3 Stage

Straight Legs

See pages 33-34

Display	Digital display with three programmable presets
Foot Length in inches	22” and 28” available for 24” and 30”, 36” worksurfaces
Legs	3 stage, available as as T or C leg
Leg Post Size	2.75’’ x 2.75’’
Height range (excluding top)	24.5”- 50”
Frame width expansion	Width extendable 38”- 68” in 1 mm increments
Worksurface widths	42” - 84”, See pages 43 to 53
Worksurface depths	24”, 30” and 36”, See pages 43 to 53
Power Cord Length	9’
Max lifting capacity	220 lbs
Base weight without top	62 lbs
Gauge of Steel	Inner/Middle tubes: 2mm / Outer tube 2mm = 12 gauge
Speed	40 mm/s
Table Not In Motion, Electrical Draw	0 W
Loaded Running Table, Electrical Draw	200/360 W
UL	UL962

Technical Specifications — 3 Stage

Corner


See pages 35 to 38

Display	Digital display with three programmable presets
Foot Length in inches	22” and 28” available for 24” and 30”, 36” worksurfaces
Legs	3 stage, available as as T or C leg
Leg Post Size	2.75’’ x 2.75’’
Height range (excluding top)	24.5”- 50”
Frame width expansion	Width extendable 38”- 68” in 1 mm increments
Worksurface widths	42” - 84”, See pages 43 to 53
Worksurface depths	24”, 30” and 36”, See pages 43 to 53
Power Cord Length	9’
Max lifting capacity	330 lbs
Base weight without top	90 lbs
Gauge of Steel	Inner/Middle tubes: 2mm / Outer tube 2mm = 12 gauge
Speed	40 mm/s
Table Not In Motion, Electrical Draw	0 W
Loaded Running Table, Electrical Draw	200/360 W
UL	UL962

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Base Application — 2 stage

Worksurface depth




Electrical Draw of My-Hite — 2 stage

TABLE	MOTION	WATTS	AMPS
ONE (1) ADJUSTABLE TABLE	START UP DRAW	400W	< 5 AMP
ONE (1) LOADED ADJUSTABLE TABLE	RUNNING DRAW	400W	3 AMP
ONE (1) EMPTY ADJUSTABLE TABLE	RUNNING DRAW	200W	1.5 AMP
ONE (1) ADJUSTABLE TABLE (NOT IN MOTION)	DRAW	.3W	0 AMP

Recommended Top Application — 2 stage


Certain sizes of My-Hite tops can be used with 2 stage bases. See below for additional information.

Rectangular (Straight Base)




Depth: 23”/24”, 29”/30”
Width: Min - 42” (no 40”)
Max - 84”

120° Corner (Straight Base)




Width: Min - 36” (no 34”)
Max - 40”/42”

90° Corner (Straight Base)




Depth: 23”/24”, 29”/30”
Width: Min - 46”/48” only

Two Piece Rectangular (Corner Base)



Depth: 23”/24”, 29”/30”
Width: Min - 48”x48”
Max - 84”x84”

Two Piece Extended Curved Corner (Corner Base)



Depth: 23”/24”, 29”/30”
Width: Min - 48”x48”
Max - 84”x84”

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Technical Specifications — 2 stage

Straight Legs

See page 40

Display	Digital display with four programmable presets
Foot Options	24″ ONLY
Legs	T LEG
Leg Post Size	2.72″ x 2.72″
Height range(excluding top)	27″- 45.5″
Frame width expansion	Width extendable 41″- 74″ in 1mm increments
Worksurface widths	42″- 84″
Worksurface depths	24” - 30″
Max lifting capacity	260 lbs
Base weight without top	66 lbs
Gauge of Steel	Inner/Middle tubes:1.5mm/Outer tube 1.5mm
Speed	36mm/s
Table Not in Motion,Electrical Draw	.3 W
Loaded Running Table,Electrical Draw	400W
Decibel Rating	50 db
Power Cord	10′ cord - 3 PRONG PLUG
Finishes	CW, BU, SV
UL	UL962
Warranty	5 YEARS

Technical Specifications for Bases - 2 stage

Corner Legs

See page 41


Display	Digital display with four programmable presets
Foot Options	24″
Legs	T LEG
Leg Post Size	2.72″ x 2.72″
Height range(excluding top)	27″- 45.5″
Frame width expansion	L: 40″- 62″ / R:40″- 62″
Worksurface widths	48” - 84”
Worksurface depths	24” - 30″
Max lifting capacity	330 lbs
Base weight without top	85lbs
Gauge of Steel	Inner/Middle tubes:1.5mm/Outer tube 1.5mm
Speed	36mm/s
Table Not in Motion,Electrical Draw	.3 W
Loaded Running Table,Electrical Draw	400W
Decibel Rating	50 db
Power Cord	10′ cord - 3 PRONG PLUG
Finishes	CW, BU, SV
UL	UL962
Warranty	5 years

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

SPECIFY 3 STAGE

Straight T-Leg Base

3 stage



T Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Order worksurface separately
- Base adjusts 38” to 68” wide
- Maximum recommended top: 84”
- Minimum recommended top: 40”
- Weight load 220 lbs
- Fixed trough cover - see page 24
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 9

ORDER EXAMPLE

product #: FSQAHBT-24-3
base finish: SV Silver

STRAIGHT BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FSQAHBT-24-3	24.5” - 50”	40”-68”	24”	$1,763
FSQAHBT-30-3	24.5” - 50”	40”-68”	30”	$1,763


RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- Minimum worksurface width: 40”
- Maximum recommended worksurface width: 84”
- 120° corners - use straight base on 36” and 42” wide worksurfaces
- 90° corners, equal or extended - use corner base, page 25 (exception: 90° 48” top uses straight base, see images)

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Straight C-Leg Base

3 stage



C-Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Order worksurface separately
- Base adjusts 38” to 68” wide
- Maximum recommended top: 84”
- Minimum recommended top: 40”
- Weight load 220 lbs
- Fixed trough cover - see page 24
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 9

ORDER EXAMPLE

product #: FSQAHBC-24-3
base finish: CW Cloud White

STRAIGHT BASE


PART #	HEIGHT	WIDTH	DEPTH	PRICE
FSQAHBC-24-3	24.5” - 50”	40”-68”	24”	$1,763
FSQAHBC-30-3	24.5” - 50”	40”-68”	30”	$1,763

RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- Minimum worksurface width: 40”
- Maximum recommended worksurface width: 84”
- 120° corners - use straight base on 36” and 42” wide worksurfaces
- 90° corners, equal or extended - use corner base, page 25 (exception: 90° 48” top uses straight base, see images)

Corner T-Leg Base

3 stage



T Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Includes (3) T-Leg bases at the ends and middle of the worksurface
- Order worksurface separately
- Base is: **B** - 36”-54”
  A - 38”-68”
- Maximum recommended top: 72x96” or 84x84”
- Minimum recommended top: 36x40”
- Weight load 331 lbs
- Fixed trough cover - see page 24
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 9

ORDER EXAMPLE

product #: FCNAHBT-24-3
base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNAHBT-24-3	24.5” - 50”	40”-68”	24”	$2,421
FCNAHBT-30-3	24.5” - 50”	40”-68”	30”	$2,421


RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- 120° corners - use corner base on 48” wide worksurfaces
- 90° corners - use corner base on 42” corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36”x36” 90° corner worksurfaces
- See page 25 for details

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Corner C-Leg Base

3 stage



C-Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Includes (3) C-Leg bases at the ends and middle of the worksurface
- Order worksurface separately
- Base is: **B** - 36”-54”
  A - 38”-68”
- Maximum recommended top: 72x96” or 84x84”
- Minimum recommended top: 36x40”
- Weight load 331 lbs
- Fixed trough cover - see page 24
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 9

ORDER EXAMPLE

product #: FCNAHBC-24-3
base finish: CW Cloud White

CORNER BASE


PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNAHBC-24-3	24.5” - 50”	40”-68”	24”	$2,421
FCNAHBC-30-3	24.5” - 50”	40”-68”	30”	$2,421

RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- 120° corners - use corner base on 48” wide worksurfaces
- 90° corners - use corner base on 42” corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36”x36” 90° corner worksurfaces
- See page 25 for details

Corner T-Leg Post Base

3 stage



T Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Includes (2) T-Leg bases at the ends and (1) Post Leg in the center
- Order worksurface separately
- Base is: **B** - 36”-54”
  A - 38”-68”
- Maximum recommended top: 72x96” or 84x84”
- Minimum recommended top: 36x40”
- Weight load 331 lbs
- Fixed trough cover - see page 24
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: page 9

ORDER EXAMPLE

product #: FCNPAHBT-24-3
base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNPAHBT-24-3	24.5” - 50”	40”-68”	24”	$2,421
FCNPAHBT-30-3	24.5” - 50”	40”-68”	30”	$2,421


RECOMMENDED APPLICATION

- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- 120° corners - use corner base on 48” wide worksurfaces
- 90° corners - use corner base on 42” corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36”x36” 90° corner worksurfaces
- See page 25 for details

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Corner C-Leg Post Base

3 stage



C-Leg Base

DESCRIPTION

Electric height 3 stage adjustable base range 24.5”-50”

NOTES

- Includes (2) C-Leg bases at the ends and (1) Post Leg in the center
- Order worksurface separately
- Base is: **B** - 36”-54”
  A - 38”-68”
- Maximum recommended top: 72x96” or 84x84”
- Minimum recommended top: 36x40”
- Weight load 331 lbs
- Fixed trough cover - see page 24
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see charts below
base finish: see page 9

ORDER EXAMPLE

product #: FCNPAHB-24-3
base finish: CW Cloud White

CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNPAHBC-24-3	24.5” - 50”	40”-68”	24”	$2,421
FCNPAHBC-30-3	24.5” - 50”	40”-68”	30”	$2,421

RECOMMENDED APPLICATION


- Order 24” base for use with 30” deep worksurfaces
- Order 30” base for use with 36” deep worksurfaces
- 120° corners - use corner base on 48” wide worksurfaces
- 90° corners - use corner base on 42” corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36”x36” 90° corner worksurfaces
- See page 25 for details

SPECIFY 2 STAGE

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Straight T-Leg Base

2 stage



DESCRIPTION

Electric 2-stage height adjustable base range 27”- 45.5”

NOTES

- Order worksurface separately
- Base adjusts 41” to 74” wide
- Maximum recommended top: 84”
- Minimum recommended top: 42”
- Weight load - 260 lbs
- Maximum recommended overhang of 12”

SPECIFICATION OPTIONS

product #: see below
base finish: page 9

ORDER EXAMPLE

product #: FSQAHBT-24-2
base finish: SV Silver

STRAIGHT BASE


PART #	HEIGHT	WIDTH	DEPTH	PRICE
FSQAHBT-24-2	27”- 45.5”	41”-74”	24”	$1,228

RECOMMENDED APPLICATION

- Supports 24” to 30” deep tops
- For use with rectangular worksurfaces, certain sizes of 120° corners or 90° corners
- See recommended top application on pg 29

Corner T-Leg Base

2 stage



DESCRIPTION

Electric 2-stage height adjustable base range 27”- 45.5”

NOTES

- Order Worksurface separately
- Base is:
  A - 40” to 62”
  B - 40” to 62”
- Maximum recommended top: 84”x84”
- Minimum recommended top: 48”x48”
- See page 29 for recommended top applications
- Weight load 330 lbs
- Maximum recommended overhang of 12”
- Supports 90, 120 or 180 degree applications

SPECIFICATION OPTIONS

product #: see below
base finish: page 9

ORDER EXAMPLE

product #: FCNAHBT-24-2
base finish: SV Silver


CORNER BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNAHBT-24-2	27”- 45.5”	40”-62”	24”	$1,809	• For use with two piece curved corner or two piece rectangular worksurfaces • See recommended top application on pg 29

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

WORKSURFACES FOR FREESTANDING APPLICATION

Rectangular Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement GL, GC, GR

ORDER EXAMPLE

product #: FSQAHT.3054
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet location: GL
grommet color: Cloud White

RECTANGULAR WORKSURFACE


PART #	WIDTH	DEPTH	LIST
FSQAHT.2442	42”	24”	$260
FSQAHT.2448	48”	24”	$265
FSQAHT.2454	54”	24”	$304
FSQAHT.2460	60”	24”	$332
FSQAHT.2466	66”	24”	$369
FSQAHT.2472	72”	24”	$379
FSQAHT.2478	78”	24”	$467
FSQAHT.2484	84”	24”	$573
FSQAHT.3042	42”	30”	$334
FSQAHT.3048	48”	30”	$342
FSQAHT.3054	54”	30”	$387
FSQAHT.3060	60”	30”	$415
FSQAHT.3066	66”	30”	$463
FSQAHT.3072	72”	30”	$473
FSQAHT.3078	78”	30”	$581
FSQAHT.3084	84”	30”	$686
FSQAHT.3642	42”	36”	$402
FSQAHT.3648	48”	36”	$409
FSQAHT.3654	54”	36”	$717
FSQAHT.3660	60”	36”	$725
FSQAHT.3666	66”	36”	$733
FSQAHT.3672	72”	36”	$741
FSQAHT.3678	78”	36”	$748
FSQAHT.3684	84”	36”	$854

NOTES

- Sizes are actual . for example: FSQAHT.2448 is 23 7/8” x 47 7/8”
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Corner Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See System pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement GL or GR

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

ORDER EXAMPLE

product #: FCCAHS.2448
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet location: GL
grommet color: Cloud White


CORNER WORKSURFACE

PART #	WIDTH	DEPTH	LIST
FCCAHS.2442	42”	24”	$383
FCCAHS.2448	48”	24”	$404
FCCAHS.3042	42”	30”	$416
FCCAHS.3048	48”	30”	$438


NOTES

- Sizes are actual . for example: FCCAHS.2448 is 23 7/8” x 47 7/8”
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

90° Extended Curved Corner Freestanding Application



Right Extended shown



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement GL, GC, GR

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9
left or right extended: L for Left, R for Right

ORDER EXAMPLE

product #: FCCAHS.24366024L
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: PG5L-C
grommet color: Cloud White

24” D CONNECTING SIDE
24” D EXTENSION
36” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.24366024L	1.25″	24″	36″	60″	24″	76	$500
FCCAHS.24366024R	1.25″	24″	36″	60″	24″	76	$500
FCCAHS.24366624L	1.25″	24″	36″	66″	24″	76	$557
FCCAHS.24366624R	1.25″	24″	36″	66″	24″	76	$557
FCCAHS.24367224L	1.25″	24″	36″	72″	24″	82	$566
FCCAHS.24367224R	1.25″	24″	36″	72″	24″	82	$566
FCCAHS.24367824L	1.25″	24″	36″	78″	24″	82	$679
FCCAHS.24367824R	1.25″	24″	36″	78″	24″	82	$679
FCCAHS.24368424L	1.25″	24	36″	84	24	104	$815
FCCAHS.24368424R	1.25″	24	36″	84	24	104	$815

30” D CONNECTING SIDE
30” D EXTENSION
36” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.30366030L	1.25″	30″	36″	60″	30″	87	$547
FCCAHS.30366030R	1.25″	30″	36″	60″	30″	87	$547
FCCAHS.30366630L	1.25″	30″	36″	66″	30″	87	$603
FCCAHS.30366630R	1.25″	30″	36″	66″	30″	87	$603
FCCAHS.30367230L	1.25″	30″	36″	72″	30″	95	$613
FCCAHS.30367230R	1.25″	30″	36″	72″	30″	95	$613
FCCAHS.30367830L	1.25″	30″	36″	78″	30″	95	$725
FCCAHS.30367830R	1.25″	30″	36″	78″	30″	95	$725
FCCAHS.30368430L	1.25″	30″	36″	84	30″	112	$869
FCCAHS.330368430R	1.25″	30″	36″	84	30″	112	$869

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

24” D CONNECTING SIDE
24” D EXTENSION
42” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.24426024L	1.25″	24″	42″	60″	24″	83	$601
FCCAHS.24426024R	1.25″	24″	42″	60″	24″	83	$601
FCCAHS.24426624L	1.25″	24″	42″	66″	24″	83	$677
FCCAHS.24426624R	1.25″	24″	42″	66″	24″	83	$677
FCCAHS.24427224L	1.25″	24″	42″	72″	24″	89	$686
FCCAHS.24427224R	1.25″	24″	42″	72″	24″	89	$686
FCCAHS.24427824L	1.25″	24″	42″	78″	24″	89	$833
FCCAHS.24427824R	1.25″	24″	42″	78″	24″	89	$833
FCCAHS.24428424L	1.25″	24	42″	84	24	104	$999
FCCAHS.24428424R	1.25″	24	42″	84	24	104	$999

30” D CONNECTING SIDE
30” D EXTENSION
42” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.30426030L	1.25″	30″	42″	60″	30″	95	$647
FCCAHS.30426030R	1.25″	30″	42″	60″	30″	95	$647
FCCAHS.30426630L	1.25″	30″	42″	66″	30″	95	$723
FCCAHS.30426630R	1.25″	30″	42″	66″	30″	95	$723
FCCAHS.30427230L	1.25″	30″	42″	72″	30″	103	$733
FCCAHS.30427230R	1.25″	30″	42″	72″	30″	103	$733
FCCAHS.30427830L	1.25″	30″	42″	78″	30″	103	$879
FCCAHS.30427830R	1.25″	30″	42″	78″	30″	103	$879
FCCAHS.30428430L	1.25″	30″	42″	84	30″	112	$1,055
FCCAHS.30428430R	1.25”	30″	42″	84	30″	112	$1,055

24” D CONNECTING SIDE
24” D EXTENSION
48” D


PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.24486024L	1.25″	24″	48″	60″	24″	89	$610
FCCAHS.24486024R	1.25″	24″	48″	60″	24″	89	$610
FCCAHS.24486624L	1.25″	24″	48″	66″	24″	89	$686
FCCAHS.24486624R	1.25″	24″	48″	66″	24″	89	$686
FCCAHS.24487224L	1.25″	24″	48″	72″	24″	95	$702
FCCAHS.24487224R	1.25″	24″	48″	72″	24″	95	$702
FCCAHS.24487824L	1.25″	24″	48″	78″	24″	95	$856
FCCAHS.24487824R	1.25″	24″	48″	78″	24″	95	$856
FCCAHS.24488424L	1.25″	24	48″	84	24	112	$1,026
FCCAHS.24488424R	1.25″	24	48″	84	24	112	$1,026

30” D CONNECTING SIDE
30” D EXTENSION
48” D

PART #	HEIGHT	A	B	C	D	WT. (LBS)	PRICE
FCCAHS.30486030L	1.25″	30″	48″	60″	30″	104	$658
FCCAHS.30486030R	1.25″	30″	48″	60″	30″	104	$658
FCCAHS.30486630L	1.25″	30″	48″	66″	30″	104	$733
FCCAHS.30486630R	1.25″	30″	48″	66″	30″	104	$733
FCCAHS.30487230L	1.25″	30″	48″	72″	30″	112	$749
FCCAHS.30487230R	1.25″	30″	48″	72″	30″	112	$749
FCCAHS.30487830L	1.25″	30″	48″	78″	30″	112	$902
FCCAHS.30487830R	1.25″	30″	48″	78″	30″	112	$902
FCCAHS.30488430L	1.25”	30″	48″	84	30″	112	$1082
FCCAHS.30488430R	1.25”	30″	48″	84	30″	112	$1082

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Rectangular Extension Freestanding Application



With Flat Brackets installed

DESCRIPTION

Laminate worksurface with 3mm PVC edge

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 9
edge finish: see page 9


NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight bases
- Maximum width combined: 84x84" (for all bases) or 72x96" (3 stage base only)

ORDER EXAMPLE

product #: FSQAHT.2424
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12

STANDARD GRAIN




PART #	DEPTH "A"	WIDTH "E"	LIST
FSQAHT.2424	24"	24"	$178
FSQAHT.2430	24"	30"	$204
FSQAHT.2436	24"	36"	$211
FSQAHT.2442	24"	42"	$260
FSQAHT.2448	24"	48"	$265
FSQAHT.2454	24"	54"	$304
FSQAHT.2460	24"	60"	$332
FSQAHT.3024	30"	24"	$237
FSQAHT.3030	30"	30"	$270
FSQAHT.3036	30"	36"	$277
FSQAHT.3042	30"	42"	$334
FSQAHT.3048	30"	48"	$342
FSQAHT.3054	30"	54"	$387
FSQAHT.3060	30"	60"	$415

NOTES

- Sizes are actual . for example: FSQAHT.2424 is 23 7/8" x 23 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points
- Standard default grain direction is left to right (See left)

CROSS GRAIN




PART #	DEPTH "A"	WIDTH "E"	LIST
FSQAHT.2430-CG	24"	30"	$245
FSQAHT.2436-CG	24"	36"	$253
FSQAHT.2442-CG	24"	42"	$312
FSQAHT.2448-CG	24"	48"	$318
FSQAHT.2454-CG	24"	54"	$365
FSQAHT.2460-CG	24"	60"	$398
FSQAHT.3024-CG	30"	24"	$284
FSQAHT.3036-CG	30"	36"	$333
FSQAHT.3042-CG	30"	42"	$400
FSQAHT.3048-CG	30"	48"	$410
FSQAHT.3054-CG	30"	54"	$465
FSQAHT.3060-CG	30"	60"	$498

NOTES

- Sizes are actual . for example: FSQAHT.2424 is 23 7/8" x 23 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points
- Cross grain direction is front to back (See left)

FLAT BRACKET



PART #	WIDTH	DEPTH	LIST	NOTES
FVFB.08	8”	2”	$32	• Used to unite two worksurfaces supported by one base. See page 17. • Use a Flat Bracket pair to attach an Extended Curved Corner with a Rectangular Extension. • Sold in pairs • Black finish


ANTI-SAG BARS




PART #	WIDTH	LIST	NOTES
FWASB.42	42”	$100	• Anti-Sag bar, 42” wide with (8) screws. For use with 48 & 54” worktops
FWASB.54	54”	$127	• Anti-Sag bar, 54” wide with (10) screws. For use with 60 & 66” worktops
FWASB.66	66”	$154	• Anti-Sag bar, 66” wide with (12) screws. For use with 72 & 78” worktops

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

D-Shaped Freestanding Application





DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement GC

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

ORDER EXAMPLE

product #: FDAHT.2448
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: GC
grommet color: Cloud White


D-SHAPED

PART #	HEIGHT	A	B	C	D	PRICE
FDAHT.2448	1.25"	48"	24"	—	—	$388
FDAHT.2460	1.25"	60"	24"	—	—	$435
FDAHT.3048	1.25"	48"	30"	—	—	$426
FDAHT.3060	1.25"	60"	30"	—	—	$472
FDAHT.3072	1.25"	72"	30"	—	—	$517
FDAHT.3672	1.25"	72"	36"	—	—	$570

NOTES

- Sizes are actual - for example: FDAHT.2448 is 23 7/8" x 47 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

Wedge Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list). Specify grommet placement GL, GC, GR

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

ORDER EXAMPLE

product #: FWDAHT.244230
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: PG5L-C
grommet color: Cloud White

24″D LEFT
30″D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FWDAHT.244230	1.25″	24″	42″	30″	—	$345
FWDAHT.244830	1.25″	24″	48″	30″	—	$353
FWDAHT.245430	1.25″	24″	54″	30″	—	$400
FWDAHT.246030	1.25″	24″	60″	30″	—	$428
FWDAHT.246630	1.25″	24″	66″	30″	—	$478
FWDAHT.247230	1.25″	24″	72″	30″	—	$488
FWDAHT.247830	1.25″	24″	78″	30″	—	$568

NOTES


- Sizes are actual - for example: FWDAHT-244230 is 23 7/8″ x 41 7/8″ x 29 7/8″
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

30″D LEFT
24″D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FWDAHT.304224	1.25″	30″	42″	24″	—	$345
FWDAHT.304824	1.25″	30″	48″	24″	—	$353
FWDAHT.305424	1.25″	30″	54″	24″	—	$400
FWDAHT.306024	1.25″	30″	60″	24″	—	$428
FWDAHT.306624	1.25″	30″	66″	24″	—	$478
FWDAHT.307224	1.25″	30″	72″	24″	—	$488
FWDAHT.307824	1.25″	30″	78″	24″	—	$568

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

120° Corner / 90° Ends Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout ((add $75 list).) Specify grommet placement GL, GC, GR

SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: see page 9
worksurface finish: see page 9

ORDER EXAMPLE

product #: F120AHT-90WS.2436
top, edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: GL
grommet color: Cloud White


120° CORNER 90° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
F120AHT-90WS.2436	1.25"	24"	36"	—	—	$595
F120AHT-90WS.2442	1.25"	24"	42"	—	—	$711
F120AHT-90WS.2448	1.25"	24"	48"	—	—	$865

NOTES

- Sizes are actual - for example: F120AHT-90WS.2436 is 23 7/8" x 35 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

120° Corner / 120° Ends Freestanding Application



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add $75 list).Specify grommet placement GL, GC, GR

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

ORDER EXAMPLE

product #: F120AHT-120WS.2436
edge finish: E10 Espresso
worksurface finish: M11 Light Walnut
grommet location: PG5L-C
grommet color: Cloud White

120° CORNER
120° ENDS


PART #	HEIGHT	A	B	C	D	PRICE
F120AHT-120WS.2436	1.25"	24"	36"	—	—	$601
F120AHT-120WS.2442	1.25"	24"	42"	—	—	$720
F120AHT-120WS.2448	1.25"	24"	48"			$875

NOTES

- Sizes are actual - for example: F120AHT-120WS.2436 is 23 7/8" x 35 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Modesty Panel, Laminate



DESCRIPTION

Laminate modesty panel with matching 2mm PVC edge

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV
Laminate (Modesty Panel) see page 9

NOTES

- Actual modesty is shorter than the worktop to clear the My-Hite base.
- Example: FAHLMOD.1648 for use on 46”/48” width table, actual width is 40”

ORDER EXAMPLE

product #: FAHLMOD.0860
paint: CW, Cloud White
laminate: M12, Medium Walnut

Laminate Modesty Panel

PART #	HEIGHT	WIDTH	LIST
FAHLMOD.0842	8”	34”	$189
FAHLMOD.0848	8”	40”	$195
FAHLMOD.0854	8”	46”	$201
FAHLMOD.0860	8”	52”	$298
FAHLMOD.0866	8”	58”	$304
FAHLMOD.0872	8”	64”	$310
FAHLMOD.0878	8”	70”	$316
FAHLMOD.1642	16”	34”	$233
FAHLMOD.1648	16”	40”	$239
FAHLMOD.1654	16”	46”	$245
FAHLMOD.1660	16”	52”	$378
FAHLMOD.1666	16”	58”	$383
FAHLMOD.1672	16”	64”	$389
FAHLMOD.1678	16”	70”	$396


NOTES

- Modesty panel will be shorter than top to clear the My-Hite base.

Example:

1. FSQAHT-2460 order FAHLMOD.1660 (actual width 52”)
2. FIRWS.2370 (Interra pricebook) order FAHLMOD.1672 (actual width 64”)

Privacy Screen, Fabric



DESCRIPTION

Work Surface mounted fabric covered privacy screen

NOTES

- Fabric screen is non-tackable
- To use a wire manager on your My-Hite table with a fabric covered privacy screen, you must order “with gap”.
- Actual screen is shorter than the worktop.
- Example: FPSFLUSH.2448 for use on 46”/48” width table, actual width of screen is 40”.
- **Passage and Terrain fabric not approved for this application**

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV
fabric: see page 7 (Passage and Terrain fabric not approved for this application)

ORDER EXAMPLE

product #: FPSFLUSH.2448
brackets: SV, Silver
fabric: PF-101-2 Slide, Slate

Fabric Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FPSFLUSH.2442	24”	34”	$505
FPSFLUSH.2448	24”	40”	$547
FPSFLUSH.2454	24”	46”	$589
FPSFLUSH.2460	24”	52”	$633
FPSFLUSH.2466	24”	58”	$676
FPSFLUSH.2472	24”	64”	$719

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.
- Example:
- FSQAHT-2460 order FPSFLUSH.2460 (actual width 52”)

Fabric Privacy Screen - with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FPSGAP.2442	24”	34”	$505
FPSGAP.2448	24”	40”	$547
FPSGAP.2454	24”	46”	$589
FPSGAP.2460	24”	52”	$633
FPSGAP.2466	24”	58”	$676
FPSGAP.2472	24”	64”	$719

NOTES

- With 1” gap at back of worksurface for cord/wire management.

Example:

1. FSQAHT-2460 order FPSGAP.2460 (actual width 52”)


- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FPSGAP.2460 (actual width 52”)

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Privacy Screen, Marker Board



DESCRIPTION

Work Surface mounted marker board privacy screen

NOTES

- To use a wire manager on your My-Hite table with a marker board privacy screen, you must order “with gap”.
- Marker board screen is writable on both sides
- Actual screen is shorter than the worktop.
- Example: FMPSFLUSH.2448 for use on 46”/48” width table, actual width of screen is 40”

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV

ORDER EXAMPLE

product #: FMPSFLUSH.2448
brackets: SV, Silver

Marker Board Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FMPSFLUSH.2442	24”	34”	$654
FMPSFLUSH.2448	24”	40”	$748
FMPSFLUSH.2454	24”	46”	$843
FMPSFLUSH.2460	24”	52”	$939
FMPSFLUSH.2466	24”	58”	$1,034
FMPSFLUSH.2472	24”	64”	$1,129

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FMPSFLUSH.2460 (actual width 52”)

Marker Board Privacy Screen- with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FMPSGAP.2442	24”	34”	$654
FMPSGAP.2448	24”	40”	$748
FMPSGAP.2454	24”	46”	$843
FMPSGAP.2460	24”	52”	$939
FMPSGAP.2466	24”	58”	$1,034
FMPSGAP.2472	24”	64”	$1,129

NOTES

- With 1” gap at back of worksurface for cord/wire management.

Example:


1. FSQAHT-2460 order FPSGAP.2460 (actual width 52”)

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FMPSGAP.2460 (actual width 52”)

Privacy Screen, Laminate



DESCRIPTION

Work Surface mounted laminate privacy screen

NOTES

- To use a wire manager on your My-Hite table with a laminate privacy screen, you must order “with gap”.
- Actual screen is shorter than the worktop.

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV
finish: see page 9

ORDER EXAMPLE

product #: FPSFLUSH.2454
brackets: SV, Silver

Laminate Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FLPSFLUSH.2442	24”	34”	$344
FLPSFLUSH.2448	24”	40”	$383
FLPSFLUSH.2454	24”	46”	$421
FLPSFLUSH.2460	24”	52”	$459
FLPSFLUSH.2466	24”	58”	$498
FLPSFLUSH.2472	24”	64”	$536

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FPSFLUSH.2460 (actual width 52”)

Laminate Privacy Screen - with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FLPSGAP.2442	24”	34”	$344
FLPSGAP.2448	24”	40”	$383
FLPSGAP.2454	24”	46”	$421
FLPSGAP.2460	24”	52”	$459
FLPSGAP.2466	24”	58”	$498
FLPSGAP.2472	24”	64”	$536

NOTES

- With 1” gap at back of worksurface for cord/wire management.

Example:

1. FSQAHT-2460 order FPSGAP.2460 (actual width 52”)


- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.

Example:

1. FSQAHT-2460 order FLPSGAP.2460 (actual width 52”)

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Worksurface Mounted Screens, Clear



DESCRIPTION

Surface mounted glass screens, including hardware.

NOTES

- Includes: (2) supporting brackets for screens up to 48”W, (3) supporting brackets for screens 54”W and wider.
- Mounts to any laminate/veneer worksurface top.

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV

ORDER EXAMPLE

product #: FWSMG.0824-CL
paint: SV Silver

Glass Screens, Clear 8” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.0824-CL	8”	24”	$153
FWSMG.0830-CL	8”	30”	$165
FWSMG.0836-CL	8”	36”	$178
FWSMG.0842-CL	8”	42”	$191
FWSMG.0848-CL	8”	48”	$203
FWSMG.0854-CL	8”	54”	$266
FWSMG.0860-CL	8”	60”	$279
FWSMG.0866-CL	8”	66”	$292
FWSMG.0872-CL	8”	72”	$303

NOTES

- Screen mounts to any laminate/ veneer worksurface top

Glass Screens, Clear 14” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1424-CL	14”	24”	$192
FWSMG.1430-CL	14”	30”	$213
FWSMG.1436-CL	14”	36”	$233
FWSMG.1442-CL	14”	42”	$253
FWSMG.1448-CL	14”	48”	$275
FWSMG.1454-CL	14”	54”	$347
FWSMG.1460-CL	14”	60”	$366
FWSMG.1466-CL	14”	66”	$385
FWSMG.1472-CL	14”	72”	$404


NOTES

- Screen mounts to any laminate/ veneer worksurface top

Glass Screens, Clear 15” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1522-CL	15”	22”	$262
FWSMG.1528-CL	15”	28”	$279

Worksurface Mounted Screens, Frosted



DESCRIPTION

Surface mounted glass screens, including hardware

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV

NOTES

- Includes: (2) supporting brackets for screens up to 48"W, (3) supporting brackets for screens 54"W and wider.
- Mounts to any laminate/veneer worksurface top.

ORDER EXAMPLE

product #: FWSMG.0824-FR
paint: SV Silver

Glass Screens, Frosted 8" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.0824-FR	8"	24"	$214
FWSMG.0830-FR	8"	30"	$242
FWSMG.0836-FR	8"	36"	$270
FWSMG.0842-FR	8"	42"	$300
FWSMG.0848-FR	8"	48"	$328
FWSMG.0854-FR	8"	54"	$383
FWSMG.0860-FR	8"	60"	$394
FWSMG.0866-FR	8"	66"	$404
FWSMG.0872-FR	8"	72"	$415

NOTES

- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Frosted 14" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1424-FR	14"	24"	$299
FWSMG.1430-FR	14"	30"	$348
FWSMG.1436-FR	14"	36"	$397
FWSMG.1442-FR	14"	42"	$444
FWSMG.1448-FR	14"	48"	$495
FWSMG.1454-FR	14"	54"	$552
FWSMG.1460-FR	14"	60"	$594
FWSMG.1466-FR	14"	66"	$635
FWSMG.1472-FR	14"	72"	$677

NOTES


- Screen mounts to any laminate/veneer worksurface top

Glass Screens, Frosted 15" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1522-FR	15"	22"	$364
FWSMG.1528-FR	15"	28"	$407

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Worksurface Mounted Screens, Fabric



DESCRIPTION

Surface mounted fabric screens, including hardware

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV
fabric: see page 7 (Passage and Terrain fabric not approved for this application)

NOTES

- Includes: (2) supporting brackets for screens up to 48”W, (3) supporting brackets for screens 54”W and wider.
- Mounts to any laminate/veneer worksurface top.
- **Passage and Terrain fabric not approved for this application**

ORDER EXAMPLE

product #: FWSMTK.1424
paint: SV Silver
fabric: PF-101-2 Slide, Slate

Fabric Screens, 14” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.1424	14”	24”	$255
FWSMTK.1430	14”	30”	$268
FWSMTK.1436	14”	36”	$322
FWSMTK.1442	14”	42”	$322
FWSMTK.1448	14”	48”	$373
FWSMTK.1454	14”	54”	$454
FWSMTK.1460	14”	60”	$479
FWSMTK.1466	14”	66”	$479
FWSMTK.1472	14”	72”	$505

NOTES

- Screen mounts to any laminate/veneer worksurface top


Fabric Screens, 14” HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.1422	14”	22”	$255
FWSMTK.1428	14”	28”	$268

NOTES

- Screen mounts to any laminate/veneer worksurface top

Flyp Screens



(3) Screens shown

DESCRIPTION

Surface mounted PET screens, including hardware

NOTES

- Screens sold individually
- Includes: (2) supporting brackets per screen
- Mounts to the underside of any laminate/veneer worksurface
- Screens can extend above or below worksurface
- Screen color is Sesame Black only
- Mounting hardware is Cool Grey
- Note actual widths of screens below

SPECIFICATION OPTIONS

product #: see charts below

ORDER EXAMPLE

product #: FPSFLYP.2258

Flyp Screen

PART #	HEIGHT	WIDTH	LIST
FPSFLYP.2246	22”	46”	$445
FPSFLYP.2258	22”	58”	$622
FPSFLYP.2270	22”	70”	$682

NOTES

- Screen mounts to the underside of any laminate/veneer worksurface

Flyp Side Screen


PART #	HEIGHT	WIDTH	LIST
FPSFLYP.2224	22”	23.5”	$324

NOTES

- Screen mounts to the underside of any laminate/veneer worksurface

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Mobile Pedestal



DESCRIPTION

Box/File mobile pedestal with lock and matching color top

SPECIFICATION OPTIONS

product #: FBFPED.MOB
finish: CW, BU, SV
foam color (if applicable): Charcoal, Green, Café, Grey, Blue and Red


NOTES

- Optional Foam cushion available
- Optional different color top available
- Foam cushion is available in 6 colors
- Key-alike available
- Changeable colored top available

ORDER EXAMPLE

Pedestal:
product #: FBFPED.MOB
finish: SV Silver
Cushion:
product #: FBFPED.CUSH
finish: Charcoal

MOBILE PEDESTAL




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FBFPED.MOB		15”	19 3/4”		$632

NOTES

- Finish options: SV Silver, CW Cloud White and BU Black Umber

COLOR PEDESTAL TOP




PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBFPED.PT				$79

NOTES

- Color options: Green, Blue, and Red
- Please select color when ordering

FOAM CUSHION



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FBFPED.CUSH					$132

NOTES

- Color options: Charcoal, Green, Café, Grey, Blue and Red
- Please select color when ordering
- Cushion is made of foam and not fabric covered

Keyed Alike

DESCRIPTION

Keys for My-Hite pedestal

SPECIFICATION OPTIONS

product #: see charts below

ORDER EXAMPLE

product #: METAL1 -FMK

PART #	DESCRIPTION	PRICE
METAL1-KEY-ALIKE-4	Lock Core Keyed-Alike (set of 4) - Type 1 Metal Storage	$146
METAL1-KEY-ALIKE-6	Lock Core Keyed-Alike (set of 6) - Type 1 Metal Storage	$220
METAL1-FCK	Lock Core Change Key - Type 1 Metal Storage	$22
METAL1-FMK	Lock Core Master Key - Type 1 Metal Storage	$22
METAL1-KEYBLANK	Key Blank - Type 1 Metal Storage	$3

NOTES

- All Friant Pedestals, Lateral Files, and Overhead Cabinets can be keyed-alike
- Keyed-Alike Lock Cores are sold in sets of 4 or 6).
- Each set includes four Lock Cores, each with two keys, all with the same lock number.
- Lock core removal/change keys will need to be ordered separately.
- Additional Lock Core Removal Keys and Master Keys are available.

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Monitor Arms

SINGLE MONITOR ARM



PART #	LIST
FMA-S	$598

NOTES

- CW, SV, BU Finish
- Includes attachment hardware for clamp, grommet and Verity track mount.

DUAL MONITOR ARM




PART #	LIST
FMA-D	$854

NOTES

- CW, SV, BU Finish
- Includes attachment hardware for clamp, grommet and Verity track mount.

Power Grommet Worksurface Mounted



DESCRIPTION

Worksurface mounted power/data grommet

SPECIFICATION OPTIONS

product #: see charts below
finish: BA Brushed Aluminum, BC Brushed Charcoal or CW Cloud White (contact customer service for lead time)


NOTES

- Includes 10’ coiled power cord to connect to power source, or daisy chain to next power grommet

ORDER EXAMPLE

product #: FPWR.0608
finish: BA Brushed Aluminum

POWER GROMMET, 5x8




PART #	HEIGHT	WIDTH	DEPTH	PRICE
FPWR.0508		8”	5”	$579

NOTES

- Worksurface mounted power/data grommet, 5x8
- Includes 10’ coiled power cord to connect to power source
- Distributes up to 10 amps
- **Above Worksurface**: (2) CAT6 data ports (out), (2) power outlets, (2) USB ports
- **Below Worksurface**: (2) CAT6 data ports (in), (1) power outlet, Daisy Chain ports (in/out)

POWER GROMMET, 6x8



PART #	HEIGHT	WIDTH	DEPTH	PRICE
FPWR.0608		8”	6”	$579

NOTES

- Worksurface mounted power/data grommet, 6x8
- Includes 10’ coiled power cord to connect to power source
- Distributes up to 10 amps
- **Above Worksurface**: (2) CAT6 data ports (out), (2) power outlets, (2) USB ports
- **Below Worksurface**: (2) CAT6 data ports (in), (2) power outlets, Daisy Chain ports (in/out)

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Power Distribution

DESCRIPTION	SPECIFICATION OPTIONS
Workstation accessories.	**product #**: see charts below **finish:** CW Cloud White, DT Dark Tone, MT Medium Tone

ORDER EXAMPLE

product #: FTB.24
finish: CW

SINGLE CIRCUIT INFEED



PART #	PRICE	NOTES
FD-BPI.1CIR	$86	• Plug-in power infeed for use with table power distribition • 8’ cord

TABLE POWER DISTRIBUTION



PART #	NOTES
FD-SFC-306-4A $75	• Use with single circuit infeed (FD-BPI.1CIR) • Power strip to attaches to the underside of tabletops.


DAISY CHAIN POWER CONNECTOR



PART #	PRICE	NOTES
FD-DCI.1CIR	$86	• Connects adjacent table power distribution 8’ cord

Accessories

WIRE MANAGER




PART #	HEIGHT	WIDTH	DEPTH	LIST	NOTES
FMHWM	1 7/8"	32"- 59"	6"	$85	• Wire manager covers user's wiring (i.e.: computer, phone, etc.); adjustable width • To use a wire manager on your My-Hite table with fabric covered privacy screen you must order "with gap". • Wire manager telescopes from 32"- 59" • Includes T-Support post with height of 3 1/4" • Specify finish: CW, BU or SV

MESH WIRE MANAGER



PART #	LENGTH	PRICE	NOTES
FFWM.18	18"	$132	• Wire manager mounts to the bottom of a worksurface to manage cords • Finish: Black with red zipper
FFWM.34	34"	$132	

CASTERS



PART #		LIST	NOTES
FMHCS-3.4	Casters for 3-Stage Straight Bases (4 locking casters included)	$158	• Order 4 casters for rectangle base and 6 casters for corner base • Height of table is increased by 2" and will not be reflected on the display height • Casters are installed in the field • Casters are dark grey
FMHCS-3.6	Casters for 3-Stage Corner Bases (6 locking casters included)	$158	
FMHCS-2.4	Casters for 2-Stage Straight Bases (4 locking casters included)	$158	
FMHCS-2.6	Casters for 2-Stage Corner Bases (6 locking casters included	$158	

CONVERSION KIT

PART #	LIST	NOTES
FCNAH.CONVERSION	$1,250	• Kit of parts to convert an existing 2 leg base to a 3 leg base . 24" T leg only


DESK MOUNTED POWER UNIT



PART #	PRICE	NOTES
FPWR.DM	$395	• Worksurface mounted power unit • Includes 3 plugs and 2 USB ports • Distributes up to 10 amps • finish: available in BU and CW

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

SHIELD Freestanding Laminate Panel Feet



DESCRIPTION

Freestanding laminate panel with feet.

SPECIFICATION OPTIONS

product #: see charts below
surface finish: see page 9

NOTES

- Dimensions are actual
- Laminate is 3/4" thick
- Painted metal feet in Cloud White

ORDER EXAMPLE

product #: FZFS.4853
surface finish: M10 Espresso

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFS.3045	45"	30"	$903
FZFS.3645	45"	36"	$964
FZFS.4245	45"	42"	$1,025
FZFS.4845	45"	48"	$1,085


53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFS.3053	53"	30"	$958
FZFS.3653	53"	36"	$1,029
FZFS.4253	53"	42"	$1,100
FZFS.4853	53"	48"	$1,171

60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFS.3060	60"	30"	$1,006
FZFS.3660	60"	36"	$1,126
FZFS.4260	60"	42"	$1,206
FZFS.4860	60"	48"	$1,286

SHIELD Freestanding Laminate Panel Casters



DESCRIPTION

Freestanding laminate panel with casters.

NOTES

- Dimensions are actual
- Laminate is 3/4" thick
- Legs are cloud white, casters are white
- Includes 4 locking casters

SPECIFICATION OPTIONS

product #: see charts below
surface finish: see page 9

ORDER EXAMPLE

product #: FZFSMOB.4845
surface finish: M10 Espresso

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFSMOB.4245	45"	42"	$1,161
FZFSMOB.4845	45"	48"	$1,222

53" HIGH


PART #	HEIGHT	WIDTH	LIST
FZFSMOB.4253	53"	42"	$1,237
FZFSMOB.4853	53"	48"	$1,307

60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFSMOB.4260	60"	42"	$1,303
FZFSMOB.4860	60"	48"	$1,383

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

SHIELD Freestanding Markerboard Panel Feet



DESCRIPTION

Freestanding markerboard panel with feet.

NOTES

- Dimensions are actual
- Markerboard is 3/4” thick
- Painted metal feet in Cloud White

SPECIFICATION OPTIONS

product #: see charts below

ORDER EXAMPLE

product #: FZFMBS.4853

45” HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3045	45”	30”	$1,425
FZFMBS.3645	45”	36”	$1,589
FZFMBS.4245	45”	42”	$1,755
FZFMBS.4845	45”	48”	$1,919


53” HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3053	53”	30”	$1,572
FZFMBS.3653	53”	36”	$1,766
FZFMBS.4253	53”	42”	$1,960
FZFMBS.4853	53”	48”	$2,153

60” HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3060	60”	30”	$1,701
FZFMBS.3660	60”	36”	$1,960
FZFMBS.4260	60”	42”	$2,180
FZFMBS.4860	60”	48”	$2,399

SHIELD Freestanding Markerboard Panel Casters



DESCRIPTION

Freestanding markerboard panel with casters.

NOTES

- Dimensions are actual
- Markerboard is 3/4" thick
- Legs are cloud white, casters are white
- Includes 4 locking casters

SPECIFICATION OPTIONS

product #: see charts below

ORDER EXAMPLE

product #: FZFMBSMOB.4845

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4245	45"	42"	$1,890
FZFMBSMOB.4845	45"	48"	$2,056

53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4253	53"	42"	$2,096
FZFMBSMOB.4853	53"	48"	$2,290

60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4260	60"	42"	$2,276
FZFMBSMOB.4860	60"	48"	$2,494

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

BEAM


How to Order Beam

1 Select a Beam Package

- Beam package with screen support


  or

- Beam package without screen support

Choose	Specify Part #	Description	Specify Finish
	FB-BEAM-36A-E	Beam package with screen support	Silver


2 Specify End of Run Posts

- End of Run post for each end of run (Quantity (2) total each run)

Choose	Specify Part # (Quantity 2)	Description
	FB-POSTEND	End of run post

3 Specify Support Posts

- Inline post for each package to package location (Quantity depends on length of run)
- 3 or 4 way post if applicable

Choose	Specify Part # (Quantity TBD)	Description
	FB-POST180-X-D	Support post used in middle of run


4 Specify Electrical

Options include:

- Select either base feed or power pole (power pole at End of Run only - base feed at any post)
- Specify duplexes - Circuit 1-4 ((2) duplexes per side - **except** 36" which is (1) duplex per side)
- Add data port
  (FBDPP - less than 20 CAT 6 cables)
  (FHDPP - more than 20 CAT 6 cables)

Choose	Specify Part #
	FB-BPE

Choose	Specify Part #
Duplex	FIRECP4.I


Choose	Specify Part #
	FBDPP

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

5 Specify Beam Mounted Screen (if applicable)

Options include:

- Clear glass
- Frosted glass
- Fabric covered

Choose	Specify Part #	Material
	FB-GLS2436-FR	FROSTED GLASS


6 Specify My-Hite Base

Choose	Specify Part #
	FSQAHBT-24-3

7 Specify My-Hite Top for Beam Application



Options include:

- Tops range from 40” to 76”


Choose	Specify Part #	Specify Finish
	FBRWS.XXXX	M28 Arctic

8 Select additional items to complete your system

Options include:

Monitor Arms	Mobile Pedestal	Power Grommet
		


Worksurface Planning Guide




* When worksurface is wrapped by Beam on 3 sides, width must be reduced one full size. For example: 70” worksurface becomes a 64”

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


Beam Elevation Height






Beam Creep

Beam width is measured from center of Post to center of Post. Because of this, creep will be consistent, no matter the size of the beam packages, or the quantity of posts in the run.
Beam creep will be an additional 5" overall per run.
Examples below are FB-BEAM-48B-E Beam Packages, 48"W




Single Station




Three Station

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Data Port Plate





Product Description

PART #: FBDPP, FHDPP

This Data Port Faceplate is field configurable, flush-mounted onto the Panel Base Kickplate, and provides 1 to 4 flush-mount ports for a variety of snap-in connectors and adaptors.

Product Notes


- Installation and changes can be made without removing the Panel Base Kickplate
- Plates can be installed and removed without any tools
- Window ID provided with each Data Port Plate
- Release latch provides easy access to connections without any tools
- Blank inserts included with each Data Port Plate

Dimensions

PART #: FBDPP,
HEIGHT: $2^{1/8}$”
WIDTH: $3^{5/8}$”
DEPTH: 0.25” (from face of Panel Base Kickplate)
MATERIAL: High impact plastic

PART #: FHDPP,
HEIGHT: $2^{1/8}$”
WIDTH: $3^{5/8}$”
DEPTH: 0.75” (from face of Panel Base Kickplate)
MATERIAL: High impact plastic

Beam Package With power & data cutouts



INCLUDES: Beam, Top cap &
Base covers with power & data cutouts

DESCRIPTION

Beam package distributes power and data

NOTES

- Order data port plates separately
- All widths provide locations for duplexes; (2) on each side, (4) total per beam except 36": (1) duplex each side, (2) total per beam
- (1) Festoon included in package
- Order support posts separately
- Order infeed separately
- Order duplexes separately
- Order Data Port Plate separately


SPECIFICATION OPTIONS

product #: see charts below
finish: CW, BU, SV,

ORDER EXAMPLE

description: Beam package with screen support
product #: FB-BEAM-36A-E
finish: Silver SV

BEAM PACKAGE WITH SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36A-E	36"	-	$585
FB-BEAM-42A-E	42"	-	$644
FB-BEAM-48A-E	48"	-	$739
FB-BEAM-54A-E	54"	-	$806
FB-BEAM-60A-E	60"	-	$900
FB-BEAM-66A-E	66"	-	$1,011
FB-BEAM-72A-E	72"	-	$1,082

NOTES

- Powered data base covers included
- Non-powered base covers available separately, page 85
- Order screens separately

BEAM PACKAGE WITHOUT SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36B-E	36"	-	$535
FB-BEAM-42B-E	42"	-	$586
FB-BEAM-48B-E	48"	-	$674
FB-BEAM-54B-E	54"	-	$734
FB-BEAM-60B-E	60"	-	$816
FB-BEAM-66B-E	66"	-	$922
FB-BEAM-72B-E	72"	-	$983

NOTES

- Powered data base covers included
- Non-powered base covers available separately, page 85

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Beam Package Without cutouts



DESCRIPTION

Beam package without cutout

SPECIFICATION OPTIONS

product #: see charts below
finish: SV, BU, CW

NOTES

- (1) Festoon included in package
- Order support posts separately
- Order infeed separately

ORDER EXAMPLE

description: Beam package with screen support
product #: FB-BEAM-72B-E.NC
finish: Silver SV

INCLUDES: Beam, Top cap &
Base covers without power & data cutouts

BEAM PACKAGE WITHOUT SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36B-E.NC	36”	-	$529
FB-BEAM-42B-E.NC	42”	-	$582
FB-BEAM-48B-E.NC	48”	-	$668
FB-BEAM-54B-E.NC	54”	-	$728
FB-BEAM-60B-E.NC	60”	-	$811
FB-BEAM-66B-E.NC	66”	-	$917
FB-BEAM-72B-E.NC	72”	-	$978

NOTES

- Non-powered data base covers included

BEAM PACKAGE WITH SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36A-E.NC	36”	-	$581
FB-BEAM-42A-E.NC	42”	-	$640
FB-BEAM-48A-E.NC	48”	-	$734
FB-BEAM-54A-E.NC	54”	-	$800
FB-BEAM-60A-E.NC	60”	-	$895
FB-BEAM-66A-E.NC	66”	-	$1,006
FB-BEAM-72A-E.NC	72”		$1,078

NOTES

- Non-powered data base covers included.
- Order screens separately

Supporting Post Inline & End of Run



DESCRIPTION

Posts support beam packages

SPECIFICATION OPTIONS

product #: see charts below
finish: Silver, Cloud White, Black Umber


NOTES

- Posts support beam packages

ORDER EXAMPLE

description: Beam inline 180° supporting post
product #: FB-POST180
finish: SV Silver

INLINE POST 180°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-POST180					$713

NOTES

- Use inline, between (2) beam packages

END OF RUN POST




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-POSTEND					$666

NOTES

- Use at end of run

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Supporting Post 2, 3, 4 Way



DESCRIPTION

Posts support beam packages


SPECIFICATION OPTIONS

product #: see charts below
finish: Silver, Cloud White, Black Umber

ORDER EXAMPLE


description: 3 way supporting post 90°
product #: FB-POST90-3
finish: SV Silver

2-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-2-D					$685	• Use at 2-way, 90°

3-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-3					$777	• Use at 3-way, 90°

4-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-4					$777	• Use at 4-way, 90°

2-WAY POST 120°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-2					$780	• Use at 2-way, 120°

3-WAY POST 120°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-3					$853	• Use at 3-way, 120°

Laminate Insert Package



DESCRIPTION

Laminate insert packages for Beam posts


SPECIFICATION OPTIONS

product #: see charts below
laminate: see page 9

ORDER EXAMPLE


product #: FB-POST180-LAM
laminate: M28 Arctic

LAMINATE INSERT PACKAGE FOR INLINE POST 180°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST180-LAM	17.5”	3.5”			$109	Includes • (2) Short Inserts

LAMINATE INSERT PACKAGE FOR END OF RUN POST



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POSTEND-LAM	17.5”/25”	3.5”			$114	Includes • (1) Short Insert • (1) Tall Insert


LAMINATE INSERT PACKAGE FOR 2-WAY POST 90°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-2-DLAM	17.5”/25”	3.5”			$228	Includes • (2) Short Inserts • (2) Tall Inserts


The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

LAMINATE INSERT PACKAGE FOR 3-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-3LAM	17.5”/25”	3.5”			$224	Includes • (3) Short Inserts • (1) Tall Insert

LAMINATE INSERT PACKAGE FOR 4-WAY POST




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST90-4LAM	17.5”	3.5”			$219	Includes • (4) Short Inserts

LAMINATE INSERT PACKAGE FOR 2-WAY POST 120°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-2LAM	17.5”	3.5”			$109	Includes • (2) Short Inserts

LAMINATE INSERT PACKAGE FOR 3-WAY POST 120°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-3LAM	17.5”	3.5”			$164	Includes • (3) Short Inserts

Beam Base Cover, non-powered



DESCRIPTION

Base cover without power/data knockout

SPECIFICATION OPTIONS

product #: see charts below
finish: SV, BU, CW

NOTES

- Beam package includes power/data base covers

ORDER EXAMPLE

description: Non-powered Beam basecover
product #: FATB-BC-N-48
finish: Silver SV


PART #	LIST
FATB-BC-N-36	$47
FATB-BC-N-42	$56
FATB-BC-N-48	$64
FATB-BC-N-54	$72
FATB-BC-N-60	$78
FATB-BC-N-66	$85
FATB-BC-N-72	$92

NOTES

- Non-powered base cover
- Order (1) for each side if needed

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Beam Package Top Caps



DESCRIPTION

Top cap only.

SPECIFICATION OPTIONS

product #: see charts below
finish: See page 9


NOTES

- Top cap is included in beam package #FB-BEAM-XXX-E
- Includes attachment hardware
- Order new top cap to match the size and finish of the original beam package
- **This top cap sold separately for reconfiguration purposes**

ORDER EXAMPLE

description: Top cap for beam packages
product #: FB-TOPCAP-36-A-XX
finish: Silver SV

BEAM TOP CAP WITH SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST
FB-TOPCAP-36-A	36”	-	$215
FB-TOPCAP-42-A	42”	-	$236
FB-TOPCAP-48-A	48”	-	$259
FB-TOPCAP-54-A	54”	-	$280
FB-TOPCAP-60-A	60”	-	$308
FB-TOPCAP-66-A	66”	-	$327
FB-TOPCAP-72-A	72”	-	$355

NOTES

- Order screens separately. (see page 55)

BEAM TOP CAP WITHOUT SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST
FB-TOPCAP-36-B	36”	-	$81
FB-TOPCAP-42-B	42”	-	$93
FB-TOPCAP-48-B	48”	-	$105
FB-TOPCAP-54-B	54”	-	$118
FB-TOPCAP-60-B	60”	-	$131
FB-TOPCAP-66-B	66”	-	$142
FB-TOPCAP-72-B	72”	-	$157

Beam Electrical Distribution

DESCRIPTION	SPECIFICATION OPTIONS
Electrical distribution components	**product #**: see charts below **finish**: see page 9

NOTES	ORDER EXAMPLE
• Circuit 4 is dedicated • Power is 8 wire, (4) 20 AMP circuit • Receptacles are rated 120V, 15 AMPS	**product #**: FIRECP4.1 **finish**: CW


RECEPTACLE 4-CIRCUITS

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FIRECP4.I	circuit I	—	—	0.25″	$28
FIRECP4.II	circuit II	—	—	0.25″	$28
FIRECP4.III	circuit III	—	—	0.25″	$28
FIRECP4.IIII	circuit IIII (dedicated)	—	—	0.25″	$28
FIRECP4.II-CONT	Circut II	—	—	0.25″	$28
FIRECP4.III-CONT	Circut III	—	—	0.25″	$28

NOTES

- Provides access to I, II, III, IIII circuit
- Provides dedicated circuit with “IIII” receptacle
- CW, SV, BU
- Receptacle -CONT are permanently marked CONTROLLED on the face of the receptacle and must be connected to a timer or motion sensor at the infeed location by a licensed electrician in order to comply with California T24

DATA PORT PLATE



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FBDPP	2.125″	3.625″	0.250″	0.10	$47
FHDPP	2.125″	3.625″	0.750″	0.10	$47

NOTES

- If running more than (20) data cables, use FHDPP.
- If running less than (20) data cables, use FBDPP.
- SV, CW or BU

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Beam Electrical Distribution, cont'd

BASE POWER ENTRY




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-BPE		6'			$344

NOTES

- Base power entry, 4 circuit, for use with Beam product.
- Base infeed comes with post inserts with cutout, (1) tall and (1) short
- CW, BU, or SV finish

CEILING POWER ENTRY



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-CPE					$833

NOTES

- Ceiling power entry, 4 circuit, for use with Beam product.
- CW, SV, BU


CEILING DATA ENTRY

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-CDE					$433

NOTES

- Routes data cables from the ceiling to Beam
- CW, SV, BU

Beam Mounted Screens



DESCRIPTION

Privacy screens for use with beam product

SPECIFICATION OPTIONS

product #: see charts below


NOTES

- For use with beam packages with screen support: i.e. FB-BEAM-42A-E
- Includes mounting hardware
- Actual screen is 7" shorter than Beam Package

ORDER EXAMPLE

product #: FB-FBS2436
fabric: PF1010-3 Slide Pewter

FROSTED GLASS SCREEN




PART #	WIDTH	HEIGHT	LIST
FB-GLS2436-FR	29"	24"	$304
FB-GLS2442-FR	35"	24"	$348
FB-GLS2448-FR	41"	24"	$379
FB-GLS2454-FR	47"	24"	$422
FB-GLS2460-FR	53"	24"	$465
FB-GLS2466-FR	59"	24"	$508
FB-GLS2472-FR	65"	24"	$553

NOTES

- Price is for (1) screen

CLEAR GLASS SCREEN




PART #	WIDTH	HEIGHT	LIST
FB-GLS2436-CL	29"	24"	$185
FB-GLS2442-CL	35"	24"	$209
FB-GLS2448-CL	41"	24"	$225
FB-GLS2454-CL	47"	24"	$248
FB-GLS2460-CL	53"	24"	$273
FB-GLS2466-CL	59"	24"	$296
FB-GLS2472-CL	65"	24"	$319

NOTES

- Price is for (1) screen

FABRIC COVERED SCREEN



PART #	WIDTH	HEIGHT	LIST
FB-FBS2436	29"	24"	$498
FB-FBS2442	35"	24"	$519
FB-FBS2448	41"	24"	$540
FB-FBS2454	47"	24"	$567
FB-FBS2460	53"	24"	$589
FB-FBS2466	59"	24"	$617
FB-FBS2472	65"	24"	$640


NOTES

- Price is for (1) screen
- Screens are magnetic, not tackable
- Passage and Terrain fabric not approved for this application

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

WORKSURFACES FOR USE WITH BEAM

Rectangular



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list)
  Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 9
edge finish: see page 9

ORDER EXAMPLE

product #:FBRWS.2340
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12
grommet: GC (Rear Center)
grommet color: Cloud White

RECTANGULAR WORKSURFACE, 23" DEEP

PART #	WIDTH	DEPTH	PRICE
FBRWS.2340	40"	23"	$260
FBRWS.2346	46"	23"	$265
FBRWS.2352	52"	23"	$304
FBRWS.2358	58"	23"	$332
FBRWS.2364	64"	23"	$369
FBRWS.2370	70"	23"	$379
FBRWS.2376	76"	23"	$467
FBRWS.2382	82"	23"	$573

NOTES

- Sizes are actual for example FBRWS.2370 is 23" x 70"

RECTANGULAR WORKSURFACE, 29" DEEP

PART #	WIDTH	DEPTH	PRICE
FBRWS.2940	40"	29"	$334
FBRWS.2946	46"	29"	$342
FBRWS.2952	52"	29"	$387
FBRWS.2958	58"	29"	$415
FBRWS.2964	64"	29"	$463
FBRWS.2970	70"	29"	$473
FBRWS.2976	76"	29"	$581
FBRWS.2982	82"	29"	$686

NOTES

- Sizes are actual for example FBRWS.2970 is 29" x 70"

RECTANGULAR WORKSURFACE, 35" DEEP


PART #	WIDTH	DEPTH	PRICE
FBRWS.3540	40"	35"	$402
FBRWS.3546	46"	35"	$409
FBRWS.3552	52"	35"	$717
FBRWS.3558	58"	35"	$725
FBRWS.3564	64"	35"	$733
FBRWS.3570	70"	35"	$741
FBRWS.3576	76"	35"	$748
FBRWS.3582	82"	35"	$854

NOTES

- Sizes are actual for example FBRWS.3570 is 35" x 70"

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Corner



DESCRIPTION

Corner worksurface top only, for use with height adjustable base within workstation application.

NOTES

- Add grommet (add $75 list) Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

ORDER EXAMPLE

product #: FBCWS.2340
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet: GC (Rear Center)
grommet color: Cloud White

Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.


CORNER WORKSURFACE

PART #	WIDTH	DEPTH	PRICE
FBCWS.2340	40"	23"	$425
FBCWS.2346	46"	23"	$449
FBCWS.2940	40"	29"	$462
FBCWS.2946	46"	29"	$486


NOTES

- Sizes are actual for example FBCWS.2346 is 23" x 46"

90° Extended Curved Corner



Right Extended shown



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Worksurface top only, for use with height adjustable base within workstation application
- See My-Hite pricebook for use inside a freestanding application
- Add circular grommet (add $75 list) Specify grommet placement GL, GC, GR
- Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points.
- We do not recommend using full size worktop in paneled workstation applications

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9
left or right extended: L for Left, R for Right

ORDER EXAMPLE

product #: FBECCWS.23345823L
top, edge finish: E10 Espresso
worksurface finish: M11 Light Walnut

23" D CONNECTING SIDE
23" D EXTENSION
34" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23345823L	1.25"	23"	34"	58"	23"	$500
FBECCWS.23345823R	1.25"	23"	34"	58"	23"	$500
FBECCWS.23346423L	1.25"	23"	34"	64"	23"	$557
FBECCWS.23346423R	1.25"	23"	34"	64"	23"	$557
FBECCWS.23347023L	1.25"	23"	34"	70"	23"	$566
FBECCWS.23347023R	1.25"	23"	34"	70"	23"	$566
FBECCWS.23347623L	1.25"	23"	34"	76"	23"	$679
FBECCWS.23347623R	1.25"	23"	34"	76"	23"	$679
FBECCWS.23348223L	1.25"	23"	34"	82"	23"	$752
FBECCWS.23348223R	1.25"	23"	34"	82"	23"	$752

29" D CONNECTING SIDE
29" D EXTENSION
34" D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29345829L	1.25"	29"	34"	58"	29"	$547
FBECCWS.29345829R	1.25"	29"	34"	58"	29"	$547
FBECCWS.29346429L	1.25"	29"	34"	64"	29"	$603
FBECCWS.29346429R	1.25"	29"	34"	64"	29"	$603
FBECCWS.29347029L	1.25"	29"	34"	70"	29"	$613
FBECCWS.29347029R	1.25"	29"	34"	70"	29"	$613
FBECCWS.29347629L	1.25"	29"	34"	76"	29"	$725
FBECCWS.29347629R	1.25"	29"	34"	76"	29"	$725
FBECCWS.29348229L	1.25"	29"	34"	82"	29"	$796
FBECCWS.29348229R	1.25"	29"	34"	82"	29"	$796

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

23” D CONNECTING SIDE
23” D EXTENSION
40” D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23405823L	1.25″	23″	40″	58″	23″	$601
FBECCWS.23405823R	1.25″	23″	40″	58″	23″	$601
FBECCWS.23406423L	1.25″	23″	40″	64″	23″	$677
FBECCWS.23406423R	1.25″	23″	40″	64″	23″	$677
FBECCWS.23407023L	1.25″	23″	40″	70″	23″	$686
FBECCWS.23407023R	1.25″	23″	40″	70″	23″	$686
FBECCWS.23407623L	1.25″	23″	40″	76″	23″	$833
FBECCWS.23407623R	1.25″	23″	40″	76″	23″	$833
FBECCWS.23408223L	1.25″	23″	40″	82”	23″	$930
FBECCWS.23408223R	1.25″	23″	40″	82”	23″	$930

29” D CONNECTING SIDE
29” D EXTENSION
40” D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29405829L	1.25″	29″	40″	58″	29″	$647
FBECCWS.29405829R	1.25″	29″	40″	58″	29″	$647
FBECCWS.29406429L	1.25″	29″	40″	64″	29″	$723
FBECCWS.29406429R	1.25″	29″	40″	64″	29″	$723
FBECCWS.29407029L	1.25″	29″	40″	70″	29″	$733
FBECCWS.29407029R	1.25″	29″	40″	70″	29″	$733
FBECCWS.29407629L	1.25″	29″	40″	76″	29″	$879
FBECCWS.29407629R	1.25″	29″	40″	76″	29″	$879
FBECCWS.29408229L	1.25″	29″	40″	82”	29″	$974
FBECCWS.29408229R	1.25″	29″	40″	82”	29″	$974


23” D CONNECTING SIDE
23” D EXTENSION
46” D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.23465823L	1.25″	23″	46″	58″	23″	$610
FBECCWS.23465823R	1.25″	23″	46″	58″	23″	$610
FBECCWS.23466423L	1.25″	23″	46″	64″	23″	$686
FBECCWS.23466423R	1.25″	23″	46″	64″	23″	$686
FBECCWS.23467023L	1.25″	23″	46″	70″	23″	$702
FBECCWS.23467023R	1.25″	23″	46″	70″	23″	$702
FBECCWS.23467623L	1.25″	23″	46″	76″	23″	$856
FBECCWS.23467623R	1.25″	23″	46″	76″	23″	$856
FBECCWS.23468223L	1.25″	23″	46″	82”	23″	$959
FBECCWS.23468223R	1.25″	23″	46″	82”	23″	$959

29” D CONNECTING SIDE
29” D EXTENSION
46” D

PART #	HEIGHT	A	B	C	D	PRICE
FBECCWS.29465829L	1.25″	29″	46″	58″	29″	$658
FBECCWS.29465829R	1.25″	29″	46″	58″	29″	$658
FBECCWS.29466429L	1.25″	29″	46″	64″	29″	$733
FBECCWS.29466429R	1.25″	29″	46″	64″	29″	$733
FBECCWS.29467029L	1.25″	29″	46″	70″	29″	$749
FBECCWS.29467029R	1.25″	29″	46″	70″	29″	$749
FBECCWS.29467629L	1.25″	29″	46″	76″	29″	$902
FBECCWS.29467629R	1.25″	29″	46″	76″	29″	$902
FBECCWS.29468229L	1.25″	29″	46″	82”	29″	$1,002
FBECCWS.29468229R	1.25″	29″	46″	82”	29″	$1,002

Rectangular Extension Freestanding Application



With Flat Brackets installed

DESCRIPTION

Laminate worksurface with 3mm PVC edge

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 9
edge finish: see page 9


NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight bases
- Maximum width combined: 84x84" (for all bases) or 72x96" (3 Stage base only)

ORDER EXAMPLE

product #: FBRWS.2324
worksurface finish: Light Maple, M1
edge finish: DT Dark Tone, E12

RECTANGULAR WORKSURFACE




STANDARD GRAIN

PART #	DEPTH "A"	WIDTH "E"	LIST
FBRWS.2324	23"	24"	$254
FBRWS.2330	23"	30"	$290
FBRWS.2336	23"	36"	$300
FBRWS.2924	29"	24"	$337
FBRWS.2930	29"	30"	$384
FBRWS.2936	29"	36"	$394

NOTES

- Standard default grain direction is left to right (See left)



CROSS GRAIN


PART #	DEPTH "A"	WIDTH "E"	LIST
FBRWS.2324-CG	23"	24"	$304
FBRWS.2330-CG	23"	30"	$348
FBRWS.2336-CG	23"	36"	$360
FBRWS.2924-CG	29"	24"	$404
FBRWS.2930-CG	29"	30"	$461
FBRWS.2936-CG	29"	36"	$473


NOTES

- Cross grain direction is front to back (See left)

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

D-Shaped





DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list) Location is GC
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

ORDER EXAMPLE

product #:FBEDSP.2346
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)
grommet color: Cloud White


D-SHAPED

PART #	HEIGHT	A	B	C	D	PRICE
FBEDSP.2346	1.25"	46"	23"	—	—	$388
FBEDSP.2358	1.25"	58"	23"	—	—	$435
FBEDSP.2946	1.25"	46"	29"	—	—	$426
FBEDSP.2958	1.25"	58"	29"	—	—	$472
FBEDSP.2970	1.25"	70"	29"	—	—	$517
FBEDSP.3570	1.25"	70"	35"	—	—	$570

NOTES

- Sizes are actual for example FBEDSP.2346 is 23" x 46"

Wedge



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list)
  Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

ORDER EXAMPLE

product #:FBWDWS.234029
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)
grommet color: Cloud White

23"D LEFT
29"D RIGHT


PART #	HEIGHT	A	B	C	D	PRICE
FBWDWS.234029	1.25"	23"	40"	29"	—	$345
FBWDWS.234629	1.25"	23"	46"	29"	—	$353
FBWDWS.235229	1.25"	23"	52"	29"	—	$400
FBWDWS.235829	1.25"	23"	58"	29"	—	$428
FBWDWS.236429	1.25"	23"	64"	29"	—	$478
FBWDWS.237029	1.25"	23"	70"	29"	—	$488
FBWDWS.237629	1.25"	23"	76"	29"	—	$568

29"D LEFT
23"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FBWDWS.294023	1.25"	29"	40"	23"	—	$345
FBWDWS.294623	1.25"	29"	46"	23"	—	$353
FBWDWS.295223	1.25"	29"	52"	23"	—	$400
FBWDWS.295823	1.25"	29"	58"	23"	—	$428
FBWDWS.296423	1.25"	29"	64"	23"	—	$478
FBWDWS.297023	1.25"	29"	70"	23"	—	$488
FBWDWS.297623	1.25"	29"	76"	23"	—	$568

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

120° Corner / 90° Ends



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list)
  Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9


ORDER EXAMPLE

product #:FB120-90WS.2334
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)
grommet color: Cloud White

120° CORNER 90° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
FB120-90WS.2334	1.25"	23"	34"	—	—	$595
FB120-90WS.2340	1.25"	23"	40"	—	—	$711
FB120-90WS.2346	1.25"	23"	46"	—	—	$865

120° Corner / 120° Ends



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

Add grommet (add $75 list)
Specify GL, GC, GR
Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

ORDER EXAMPLE

product #:FB120-120WS.2334
edge finish: DT Dark Tone, E12
worksurface finish: Espresso, M10
grommet: GC (Rear Center)

120° CORNER 120° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
FB120-120WS.2334	1.25"	23"	34"	—	—	$601
FB120-120WS.2340	1.25"	23"	40"	—	—	$720
FB120-120WS.2346	1.25"	23"	46"			$875