# VERITY

## PRICE BOOK



FRÍANT

ALL
WORKSTYLES
WELCOME

# TABLE OF CONTENTS


INTRODUCTION

Terms and Conditions 3
Standard Fabrics 6
Pattern Direction 7
Standard Finishes 8
Pull Options 9
Ordering Verity: Elements 10
Support Selection 11
Powering Verity 14
Double Sided to Single Sided, End of Run and Inline 15
Grommet Locations 16-21
Power Grommets 22
Data Port Plate 23
How to Specify My-Hite 2 Piece Extended Corner or Rectangular Tops 24

## ELEMENTS

### STARTER/END ELEMENTS

Starter/End Element, Single-Sided
- Non-Powered 26
- Powered 27

Starter/End Element, Double-Sided
- Non-Powered 28
- Powered 29

Starter/End Element, 120° 3 Pack
- Non-Powered 30
- Powered 31

### EXTENSION ELEMENTS

Extension Element, Single-Sided
- Non-Powered 32
- Powered 33

Extension Element, Double-Sided
- Non-Powered 34
- Powered 35

Extension Element, 120° 3 Pack
- Non-Powered 36
- Powered 37

### STAND-ALONE ELEMENTS

Stand-Alone Element, Single-Sided
- Non-Powered 39
- Powered 40

Stand-Alone Element, Double-Sided
- Non-Powered 42
- Powered 43

Stand-Alone Element, 120° 3 Pack
- Non-Powered 44
- Powered 45

### WORKSURFACE SUPPORTS

Worksurface Supports, Single-Sided
- For Start/End of Run 46
- For Center of a Run 48

Worksurface Supports, Double-Sided
- For Start/End of a Run 50
- For Center of a Run 50

Taper & Inset: End of Run Support 51
Double Sided, Taper & Inset: Center of Run 53

### SUPPORTING STORAGE

Pedestals and Credenzas 54
Cabinets 57
Attachment Brackets 58

### ELECTRICAL DISTRIBUTION

Electrical Distribution 59
Power Grommets 62

### MY-HITE WORKSURFACE

Rectangular 63
Rectangular Extension 64
Wedge 65
D-Shaped 66
120° Corner / 90° Ends 67
120° Corner / 120° Ends 67
Corner 68
90° Extended Curved Corner 69

Ordering Verity Accessories & Storage 72

Return Worksurface 73

### STORAGE

Mobile Pedestals
- Laminate 74
- Metal 76

Credenzas 78
Cabinets 80
Over-Worksurface Storage
- Single-Sided 81
- Double-Sided 83

Pulls 85
Supports 87

### TRACK-MOUNTED ACCESSORIES

Fabric Tackboard 88
Glass Screen 89

### WORKSURFACE-MOUNTED ACCESSORIES

Privacy Screen, Fabric 90
Privacy Screen, Marker Board 91
Privacy Screen, Laminate 92
Modesty Panel, Laminate 93
Fabric Tackboard 94
Glass Screen 95
Markerboard Screen 95
Modesty Panel, undersurface mounted 95
Supporting Brackets 96
Desk Mounted Power Unit 96
Mesh Wire Manager 96
Monitor Arm 97
Keyed-Alike 97



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## Terms and Conditions

### PRICES
All Prices are F.O.B. point (Continental U.S.). We reserve the right to change prices without prior notice. See Friant policy at www.Friant.com

### ORDERING
Purchase Orders should be sent to Friant & Associates, LLC at orders@friant.com, or faxed to (510) 535-6895. If your specifications were created with CAP, GIZA, or Project Matrix please send the worksheet (SP4) with your Purchase Order.

### TERMS
Net 30 days from date of invoice. Invoices are delinquent if not paid 30 days from date of invoice. In the event timely payment is not made, interest will be charged at the rate of 1.5% per month on delinquent accounts. Buyers will also be liable for normal collection costs and attorney's fee. 50% deposit is required with every order, unless prior arrangements have been made.

### ORDERS
Orders are only accepted by issuance of our formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the responsibility of the buyer to review our acknowledgment for accuracy.

### LEAD TIME
Lead times are subject to availability.

### SHIPPING
Friant generally palletizes, boxes and/or shrink-wraps its products. If buyer requests additional packaging or special shipping, then it is responsible for any extra costs that result. Buyer obtains title to products and assumes the risk of loss for them upon shipment from Friant's plant.

### CLAIMS
We are not responsible for damage suffered in transit. Merchandise should be inspected for possible freight damage upon delivery. The consignee should file for damage or shortages with the carrier within 5 days of delivery. You are also protected for "concealed damage" if you file claim with the carrier within 5 days of delivery. Buyer must make all claims against Friant for defects, errors or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

### RETURNS
No merchandise may be returned without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect.

### PARTIAL SHIPMENTS
We will make every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

### ORDER CHANGE — CANCELLATIONS
Our order confirmation is final and binding. Any order change or cancellation is subject to our ability to conform. For the most up to date information, always review the order change/cancellation policy online. Allowable changes within the posted policy must be made in writing.

### SHIPMENT AND PREPAID FREIGHT
Unless otherwise instructed, we reserve the option to ship by what is, in our opinion, the best possible way. Upon request, we will prepay and add freight for accounts with established credit.

### DELIVERY
We are not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

### STORAGE
If buyer cannot accept delivery when merchandise is ready, we reserve the right to transfer goods to storage. Costs of transfer and storage will be charged to the buyer's account, and we will deem such transfer as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

## Terms and Conditions continued

### CONSTRUCTION — SPECIFICATIONS

All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. Manufacturer reserves the right to make modifications and/or improvements without prior notice.

### FABRIC APPLICATION

Standard fabric application is non-directional.
Friant & Associates is not responsible for charges associated with replacement of products due to incorrect specifications. Please note:
Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally. See individual pricebook specifications for details.

### CUSTOMER'S OWN MATERIAL

Yardage requirement is based on 66" wide plain covering material, and must be increased if less than 66" wide. Special instructions for handling material (pattern, directional fabric, right side of reversible fabric, etc.) must be submitted in writing before fabric is delivered. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering, which in our opinion, is unsuitable for our upholstery purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of covering unsuitable for our upholstery methods.

We will not be responsible for errors caused by buyers not supplying us with sample cuttings attached to their order giving full identification of covering material, (name of supplier, covering name, number and color) for identification purposes and advising us of model number and quantity to which each cover is to be applied.

Customer's own material that is shipped freight collect will be refused. A service charge will be applied for the return of unusable C.O.M. Contact factory.

### RIGHTS AND WARRANTIES — LIMITED LIFETIME WARRANTY

This warranty is given to the initial purchaser and is valid from the date of purchase, for as long as the initial purchaser owns the product. This warranty covers defects in material and craftsmanship found during normal usage of the product during the warranty period. Normal usage is defined by 8 hour shifts in the product's intended application and in an indoor environment that conforms to the ANSI/ASHRAE Standard 55: Thermal Environmental Conditions for Human Occupancy (relating to air temperature, mean radiant temperature, air velocity, clothing insulation, metabolic rate, and humidity). Friant's warranty does not cover usage other than normal usage as defined in the previous sentence. If the product is defective, and if written notice of the defect is given to Friant & Associates within the applicable warranty period, Friant & Associates, at its option, will either repair or replace the defective product with a comparable component or product. This warranty applies to all products except as noted below.

High wear parts, such as wood veneer, fabrics, laminates, and other covering material/finishes, foam. glides, etc. are warranted for one (1) year. This warranty does not apply to damage caused by a carrier, alteration to the product not expressly authorized by Friant & Associates, nor to product considered to be of a consumable nature such as bulbs, light ballasts, etc. It also does not apply to "Customer's Own Material" (i.e. material specified by the customer that is not a standard Friant & Associates offering) used in the manufacture of Friant & Associates products.

Our warranty for LED lights is 2 years.

Friant & Associates does not warrant the matching of colors, grain or texture, except to within commercially acceptable standards. This includes normal variations between dye lots (fabrics).

A product will not be considered defective, and Friant & Associates will not be obligated to replace it, if it is not installed in a proper manner (i.e. product not leveled, not secured properly, etc.) or if it is not used in a manner and/or in an environment that constitutes normal usage, as defined above.

Except as noted above, Friant & Associates makes no express or implied warranties to any product, and in particular makes no warranty of fitness for any particular use. At Friant & Associates' option, product repair and replacement is the customer's exclusive remedy for any and all product defects.

Friant & Associates shall not be liable for consequential, economic, or incidental damages arising from any product defect.



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## Terms and Conditions continued



### CALIFORNIA PROP 65 WARNING

Products in this catalog can expose you to chemicals including wood dust, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to https://www.p65warnings.ca.gov/products/furniture-products."

### CARB

Friant products are CARB 93120 compliant for formaldehyde (phase 2)

### TSCA TITLE VI

Friant products are TSCA Title VI Compliant

### MAS

Accredited Compliance Designation - ANSI/BIFMA x7.1 & e3-2014 7.6.1, 7.6.2, 7.6.3
California Dept. Of Public Health Standard Method v1.2

Conforms With: LEED v4
Criteria of MAS Certified Green ® Program

## Standard Fabrics

| JOURNEY | | TERRAIN | | SLIDE | | SILKY | | SKY | |
|---|---|---|---|---|---|---|---|---|---|
| PF801-1 | Quest | PF701-1 | Cloud | PF101-1 | Caramel | PF401-1 | Natural | PF301-1 | Terra |
| PF801-2 | Voyage | PF701-2 | Dusk | PF101-2 | Slate | PF401-2 | Parids | PF301-2 | Birch |
| PF801-3 | Transit | PF701-3 | Wave | PF101-3 | Pewter | PF401-3 | Overcast | PF301-3 | Moss |
| PF801-4 | Amble | PF701-4 | Earth | PF101-7 | Java | PF401-5 | Graphite | | |
| PF801-5 | Odyssey | | | PF101-9 | Sterling | | | | |
| PF801-6 | Caravan | | | PF101-10 | Crema | | | | |
| PF801-7 | Expedition | | | PF101-13 | Mustard | | | | |
| PF801-8 | Wayfare | | | PF101-14 | Avocado | | | | |
| | | | | PF101-15 | Pumpkin | | | | |
| | | | | PF101-16 | Ocean | | | | |
| | | | | PF101-17 | Blueberry | | | | |
| | | | | PF101-18 | Cardinal | | | | |
| | | | | PF101-19 | Flamingo | | | | |
| | | | | PF101-20 | Serenity | | | | |
| | | | | PF101-21 | Azure | | | | |
| | | | | PF101-22 | Orchid | | | | |
| | | | | PF101-23 | Plum | | | | |
| | | | | PF101-24 | Raven | | | | |

**LIMITED AVAILABILITY**

| SLIDE | | SILKY | | STICKS | | PASSAGE | |
|---|---|---|---|---|---|---|---|
| PF101-4 | Verde | PF401-4 | Field | PF501-3 | Sage | PF601-5 | Leaf |
| PF101-6 | Vintage | | | | | PF601-7 | Trail |
| PF101-8 | Latte | | | | | PF601-8 | Amber |
| PF101-12 | Stem | | | | | | |

**Fabric is scheduled for discontinuation when inventory is exhausted. Please contact Customer Service for current stock levels. After discontinuation fabric will be available with extended lead time, subject to minimum yardage requirements.**

NOTE:



- Fabric direction as per Friant's fabric card.
- All textiles listed are 66" wide.
- Order fabric/finish sample online at www.friant.com
- Colors may vary slightly between dye lots.
- **Passage and Terrain are not available on acoustical panels, pedestal cushions, tackboards or fabric screens..**
- Please consult your Friant sales consultant for:
  - Other colors not listed above
  - C.O.M. fabric



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## Pattern Direction

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to our Materials Reference Guide on the Dealer Resource Center for specific pattern application defaults on all of our products: http://dealers.friant.com/dealers/product-literature/
- Our Customer Service Team is happy to answer any questions regarding fabric direction.

| Non - Directional Application Shown | Directional Application Shown |
|---|---|
|   |   |

## Standard Finishes

For matching edge PVC, please read across matrix.

| WORKSURFACE LAMINATES | | EDGE LAMINATES (3MM PVC) | |
|---|---|---|---|
| **M1** | Light Maple | **E1** | Light Maple |
| **M2** | Light Cherry | **E2** | Light Cherry |
| **M3** | Medium Cherry | **E3** | Medium Cherry |
| **M4** | Dark Mahogany | **E4** | Dark Mahogany |
| **M5** | Light Mahogany | **E5** | Light Mahogany |
| **M6** | Light Gray | **E6** | Light Gray |
| **M7** | Off White | **E7** | Off White |
| **M8** | Gray Specks | †See complimentary edge finishes below | |
| **M9** | Cloud White | **E9** | Cloud White |
| **M10** | Espresso | **E10** | Espresso |
| **M11** | Light Walnut | **E14** | Light Walnut |
| **M12** | Medium Walnut | **E15** | Medium Walnut |
| **M13** | Licorice | **E13** | Licorice |
| **M14** | Carob | **E17** | Carob |
| **M15** | Mousse | **E18** | Mousse |
| **M16** | Tundra | **E19** | Tundra |
| **M18** | Capitan | **E21** | Capitan |
| **M19** | Fog | **E22** | Fog |
| **M20** | Sandstone | **E23** | Sandstone |
| **M21** | Medium Oak | **E24** | Medium Oak |
| **M23** | Bark | **E26** | Bark |
| **M24** | Tarmac | **E27** | Tarmac |
| **M25** | Winter | **E28** | Winter |
| **M26** | Storm | **E29** | Storm |
| **M27** | Medium Ash | **E30** | Medium Ash |
| **M28** | Arctic | **E31** | Arctic |
| **M29** | Raven | **E32** | Raven |
| | | **E11** | Medium Tone |

**†Complimentary Edge Finishes**

| | |
|---|---|
| **E8** | Black Umber |
| **E12** | Dark Tone |

Complimentary edge finishes have no exact laminate match available

Order samples at **www.friant.com**

**Please Note:** Images are printed simulations and are not exact matches of finished product. Please request an actual sample from Friant or your sales consultant before specifying finishes.

### PAINT FINISH

**BU** Black Umber

**CW** Cloud White

**SV** Silver

### GROMMET COLORS

**BU** Black Umber

**CW** Cloud White


**SV** Silver



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


## Credenza, Pedestal, Lateral File and Freestanding Tower Handles

You have multiple handle options for handles for your FRIANT storage. Please specify which handle you would like when ordering. For any questions, please call Friant Customer Service or your sales rep.




### LEDGE PULL

Available in brushed metal




### WEDGE PULL

Available in Brushed Aluminum, Black Umber



### DESIGNER PULL

Available in:
Cloud White/Red, Cloud White/Green, Cloud White/Grey



### SLANT PULL

Available in Brushed Aluminum, Black Umber

## Ordering Verity: Elements

**Verity benching can be ordered as Elements.**
See below for further details about Elements and a guide on how to order.

## Elements

Elements are parts to build a larger and more customized complete unit. They are not freestanding, must be combined with other elements, and require ordering supports separately. An Element consists of structure and worksurface only.

There are three types of Elements:


- Starter/End Elements
- Extension Elements
- SA Elements (Stand Alone)

* Starter/End Elements are required at both the start and end of every run. Extension Elements are used anywhere between the Starter and End Elements.
* Support options for Elements include legs, pedestals, cabinets or credenzas.
* Additions, such as storage and accessories, are not included and need to be ordered separately.
* Available single-sided or double-sided, either non-powered or powered.
* Verity runs should not exceed 25'

## How to Order Elements


**1 Build a run with Starter/End and Extension Elements.**

First, select a Starter/End Element to start the run.
Next, select one or more Extension Elements to extend the run.
Last, select a Starter/End Element to end the run.




**2 Select the supports.**


Starter/End Elements can be supported by legs or supporting storage. Extension Elements can be supported by open center legs, enclosed center legs or credenzas.




All storage supports require ordering attachment brackets separately.

**3 Order electrical components, as necessary.**

Order infeeds, duplexes and power jumpers from page 59.




**4-Circuit Power Infeed at Base or Power Pole**
Hardwire power infeed. Must be hardwired by an electrician.

**4-Circuit Power Jumper**
Connects power from one structure to another.

**Duplexes**
Provides access to I, II, III, IIII circuit.
Provides dedicated circuit with "IIII" receptacle.

**4 Optional: Select Additions to complete your unit.**

For all specification options and details, please reference the corresponding page from the table of contents.




*Available as fabric, tackboards, glass, and markerboards
*Not to exceed 20'




The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## How to Specify Support Selections in Verity Elements

Verity Double Sided Start/End and Stand Alone Elements have an option for the type of Support Bar. Specify the **Support Selection** on the Verity Element based on the type of legs used.

Please note: There is no Support Selection option for Extension Elements or any Single Sided Elements. Only straight support bars would be needed.

### 1 Select a Verity Element:


| Choose | Specify Part # | Specify Options |
|---|---|---|
|  | FVSED.4848-N | Worksurface Finish<br>Edge Finish<br>Finish<br>Support Selection |

### 2 Specify Support Selection




Support Selection is determined based on the type of leg used.

**CONCAVE** supports are needed on the side of an Element supported by Concave Taper Start/End legs or Concave Inset Start/End

Concave Legs






**STRAIGHT** supports are needed on the side of an Element supported by all other Start/End legs, Center Legs, or Supporting Storage

| Straight Legs | Center Legs | Supporting Storage |
|---|---|---|
|  |  |  |





## How to Specify Support Selections in Verity Elements continued.

### 2a Support Selection for Start/End Element, Double Sided

| Choose |
|---|
|  |
| Examples |
|   CON1SD   STRAIGHT LEG |

| Code | Description |
|---|---|
| CON1SD | Concave 1 sided |
| STRAIGHT LEG | Straight Leg Selection |

### 2b Support Selection for Stand Alone Element, Double Sided

| Choose |
|---|
|  |
| Examples |
|   CON2SD   CON1SD   STRAIGHT LEG |



| Code | Description |
|---|---|
| CON2SD | Concave 2 sided |
| CON1SD | Concave 1 sided |
| STRAIGHT LEG | Straight Leg Selection |



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.



## How to Specify Support Selections in Verity Elements continued.

### 2c Support Selection for Start/End Element, 120 °

| Choose |
| --- |
|  |
| Example<br><br>CON2SD STRAIGHT LEG |

| Code | Description |
| --- | --- |
| CON2SD | Concave 2 sided |
| STRAIGHT LEG | Straight Leg Selection |

### 2d Support Selection for Stand Alone Element, 120 °

| Choose |
| --- |
|  |
| Examples<br><br>CON3SD CON2SD STRAIGHT LEG |

| Code | Description |
| --- | --- |
| CON3SD | Concave 3 sided |
| CON2SD | Concave 2 sided |
| STRAIGHT LEG | Straight Leg Selection |

## Powering Verity

**A guide to ordering electrical components for Verity benching.**
See below for further details about running electrical/data.

# Connecting to Power

Power can be brought in 3 different ways, which are all shown below.
Select the option that best fits the needs of the space and order from the components shown on page 33.





Figure A

- Wire Manager + Infeed
  connect power anywhere along the run and use the wire manager to conceal wires.
- Power Pole
  may be used only at the start or end of a run.
- Enclosed Center Leg + Infeed
  connect power at the center of a run and conceal wires inside the leg.

# Power Distribution

To bring power from one Element to another, order a 4-circuit power jumper.

### Power Jumper for 96"W Elements

When connecting power for a 96"W element, use 48"W jumper.

96" wide elements require a 48" power jumper in the center in addition to the jumper connecting adjacent elements.

Power Jumper Sizing Chart

| | 48 | 54 | 60 | 66 | 72 | 78 | 84 |
|---|---|---|---|---|---|---|---|
| 48 | FVJUMP.48 | FVJUMP.54 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 |
| 54 | FVJUMP.54 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 |
| 60 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 |
| 66 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 |
| 72 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 |
| 78 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 | FVJUMP.84 |
| 84 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 | FVJUMP.84 | FVJUMP.84 |

# Power Duplexes

Order two duplexes per workstation.


Duplexes provide access to I, II, III, and IIII circuits. Use receptacle IIII for a dedicated circuit.



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


## Double Sided to Single Sided, End of Run

- Verity offers Stand-Alone Elements sized specifically for placement at the end of Double-Sided runs
  - **FVSAES.2450-E4** (page 41) or **FVSAES.2450-N** (page 39) for use with 48"D Elements
  - **FVSAES.2462-E4** (page 41) or **FVSAES.2462-N** (page 39) for use with 60"D Elements
- Specify Double-Sided Elements and Supports to complete a freestanding Double-Sided cluster. Add Single Sided Stand-Alone Elements and supports to finish the run
- Add **(1) FV-DCT** Double-Sided Connecting Trough and **(1) FVJUMP.48** Jumper to bring the power from Double Sided cluster to Single-Sided Element
- Add **(1) FVFB.08** Flat Bracket pair to tie together the Double-Sided Elements to the Single Sided Stand-Alone
  - This does not provide support, aligns tops only. Double and Single-Sided legs need to be specified for support




## Double Sided to Single Sided, Inline

- Specify Double-Sided Elements and Supports to complete a freestanding Double-Sided cluster. Add Single-Sided Stand-Alone Elements and supports to finish the run
- Add (1) FV-DCT Double-Sided Connecting Trough and (1) FV-SCT Single-Sided Connecting Trough to bring the power from Double-Sided cluster to Single-Sided Element
- Specify Jumper of appropriate length, see Power Jumper Sizing Chart for reference (page 61)
- Add (1) FVFB.08 Flat Bracket pair to tie together the Double-Sided Elements to the Single Sided Stand-Alone
  - This does not provide support, aligns tops only. Double and Single-Sided legs need to be specified for support




## Grommet Locations

My-Hite Tabletops

### 1 Select a My-Hite worksurface


My-Hite tops have optional grommets. Please use the two letter codes shown here when specifying location of grommets.

Grommets are 3″ round with cover standard.


| Choose | Specify Part # | Specify Finish |
|---|---|---|
|  | FDECCWS.23345823R | Bark |


### 2a Select a grommet location

Specify positioning by using the two letter location.




Right handed worksurface shown
Base position will vary with 72”, 78” and 84” worksurface length.





Left handed worksurface shown

| CODE | POSITION |
|---|---|
| GL | 4″ from left side - 4″ from rear |
| GR | 4″ from right side - 4″ from rear |
| GC | Centered from side to side - 4″ from rear |

Dimensions are measured from grommet center to top edge

For other grommet locations, please call Friant customer service.

Please Note: Only the GC location is available on the D-Shaped worksurface.







The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## Grommet Locations

### 2b Select a grommet location, 120° Tops





| CODE | POSITION |
|---|---|
| 120GL | 4" from left side - 4" from rear |
| 120GR | 4" from right side - 4" from rear |
| 120GC | Centered from side to side - 4" from rear |

Dimensions are measured from grommet center

For other grommet locations, please call Friant customer service.

Grommets are 3" round with cover standard

### 2c Select a grommet location, 90° Equal Corners




| CODE | POSITION |
|---|---|
| GL or GR | 4" from from corner |

Dimensions are measured from grommet center

For other grommet locations, please call Friant customer service.

Grommets are 3" round with cover standard

# Power Grommet Locations - Notch Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet notch cutouts are required when specifying a Power Grommet on a worksurface supported by a My-Hite C-Leg adjustable height table base. Choose the size of power grommet (5x8 only) and cutout location (left, center or right). Specify Power Grommets on page 18 . An upcharge of $75 applies for cutouts.

NOTE: Notch cutouts only available with 5x8 Power grommets and C-leg bases.

## 1 Select a My-Hite worksurface

My-Hite worksurfaces (starting on page 26)

## 2 Select a power grommet notch cutout location


**Less than 72”**


| CODE | POSITION (Specific to worksurfaces 72” and below) |
|---|---|
| PG5L-C | 4.5” from left side |
| PG5C-C | Centered |
| PG5R-C | 4.5” from right side |

**Over 72”**


| CODE | POSITION (Specific to 78” and 84”) |
|---|---|
| PG5L-C | 11” from left side |
| PG5C-C | Centered |
| PG5R-C | 11” from right side |


**Less than 72”**




**Over 72”**









The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


**Less than 72”**





**Over 72”**








**Positions for 120° worksurfaces:**




**Positions for 90° equal corner worksurfaces:**



## Power Grommet Locations - Interior Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet interior cutouts are used when specifying a Power Grommet on a worksurface supported by a My-Hite T-Leg adjustable height table base. Choose the size of power grommet (5x8 or 6x8) and cutout location (left, center or right). Specify Power Grommets on page 14. An upcharge of $75 applies for cutouts.

NOTE: Standard position Interior cutouts are not compatible with C-leg bases.

### 1 Select a My-Hite worksurface

My-Hite worksurfaces (starting on page 26)

### 2 Select a power grommet interior cutout location

**Less than 72”**

| CODE | POSITION (Specific to worksurfaces 72” and below) |
|---|---|
| PG6L | 4.5” from left side, 1.5” from back |
| PG6C | Centered, 1.5” from back |
| PG6R | 4.5” from right side, 1.5” from back |
| PG5L | 4.5” from left side, 1.5” from back |
| PG5C | Centered, 1.5” from back |
| PG5R | 4.5” from right side, 1.5” from back |


**Over 72”**

| CODE | POSITION (Specific to 78” and 84”) |
|---|---|
| PG6L | 11” from left side, 1.5” from back |
| PG6C | Centered, 1.5” from back |
| PG6R | 11” from right side, 1.5” from back |
| PG5L | 11” from left side, 1.5” from back |
| PG5C | Centered, 1.5” from back |
| PG5R | 11” from right side, 1.5” from back |


**120° and 90° worksurfaces**

| CODE | POSITION (Specific to 120° and 90°) |
|---|---|
| PG6L | 4.5” from left side, 1.5” from back |
| PG6C | Centered, 1.5” from back |
| PG6R | 4.5” from right side, 1.5” from back |
| PG5L | 4.5” from left side, 1.5” from back |
| PG5C | Centered, 1.5” from back |
| PG5R | 4.5” from right side, 1.5” from back |

**Less than 72”**





**Over 72”**








The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


### Less than 72”





### Over 72”









### Positions for 120° worksurfaces:




### Positions for 90° equal corner worksurfaces:



## Power Grommet

FRIANT power grommets are available to meet different worksurface power and data needs. Choose the color of the power grommet (brushed aluminum, brushed charcoal, or cloud white). Specify power grommets on page 62.

**POWER GROMMETS**

**6x8**

(2) CAT6 Data Ports

(4) Power Outlets

(2) USB Ports


**5x8**


(2) CAT6 Data Ports

(3) Power Outlets

(2) USB Ports

**3 FINISHES AVAILABLE**
Brushed aluminum, brushed charcoal and cloud white







**INCLUDES SPRING CORD**
(Not shown) For connection to power source



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Data Port Plate





## Product Description

PART #: FVDPP

This Data Port Faceplate is field configurable, flush-mounted onto the Panel Base Kickplate, and provides 1 to 4 flush-mount ports for a variety of snap-in connectors and adaptors.

**Product Notes**

- Installation and changes can be made without removing the Panel Base Kickplate
- Plates can be installed and removed without any tools
- Window ID provided with each Data Port Plate
- Release latch provides easy access to connections without any tools
- Blank inserts included with each Data Port Plate


**Dimensions**


PART #: FVDPP
HEIGHT: $3^{5/8}$"
WIDTH: $2^{1/8}$"
DEPTH: 0.25" (from face of Panel Base Kickplate)
MATERIAL: High impact plastic

## How To Specify My-Hite 2-Piece Extended Corner or Rectangular Tops


Use a FVFB.08 Flat Bracket pair to attach the two surfaces, making sure the seam is oriented so that it is supported by the continuous part of the My-Hite Corner Base. Maximum width combined: 84x84" (All My-Hite bases) or 72x96" (3 Stage base only).
Specify the Rectangular Extension on page 64.


To create an extended corner My-Hite station, specify an Extended Curved Corner with a Rectangular Extension.




To create a two piece rectangular corner top, specify two rectangular tops, or a rectangular top and one rectangular extension.







The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# ELEMENTS

# Starter/End Element, Single-Sided

NON-POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with wire management trough, and worksurface with access grommet.

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8

NOTES


Starter/End Elements:

- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" wide elements require a center support leg (ordered separately)


ORDER EXAMPLE

**product #**: FVSES.2448-N
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White





**Support Structure**



**Worksurface**

## NON-POWERED, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVSES.2448-N | — | 48" | 25.5" | | $1,411 | |
| FVSES.2454-N | — | 54" | 25.5" | | $1,472 | |
| FVSES.2460-N | — | 60" | 25.5" | | $1,561 | |
| FVSES.2466-N | — | 66" | 25.5" | | $1,637 | |
| FVSES.2472-N | — | 72" | 25.5" | | $1,710 | |
| FVSES.2478-N | — | 78" | 25.5" | | $1,786 | |
| FVSES.2484-N | — | 84" | 25.5" | | $1,860 | |
| FVSES.2496-N | — | 96" | 25.5" | | $2,581 | |

## NON-POWERED, 30" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVSES.3048-N | — | 48" | 31.5" | | $1,472 | |
| FVSES.3054-N | — | 54" | 31.5" | | $1,540 | |
| FVSES.3060-N | — | 60" | 31.5" | | $1,635 | |
| FVSES.3066-N | — | 66" | 31.5" | | $1,684 | |
| FVSES.3072-N | — | 72" | 31.5" | | $1,799 | |
| FVSES.3078-N | — | 78" | 31.5" | | $1,880 | |
| FVSES.3084-N | — | 84" | 31.5" | | $1,962 | |
| FVSES.3096-N | — | 96" | 31.5" | | $2,778 | |




The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


# Starter/End Element, Single-Sided

POWERED





**Support Structure**



**Worksurface**

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and worksurface with access grommet.
Data Port Plates are included

NOTES

Starter/End Elements:

- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

Powered:

- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper, and duplexes separately.
- Each grommet has 2 duplex locations
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center
- Data Port Plates are included

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8

ORDER EXAMPLE

**product #**: FVSES.2448-E4
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White

## 4-CIRCUIT, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSES.2448-E4 | — | 48" | 25.5" | | $1,507 |
| FVSES.2454-E4 | — | 54" | 25.5" | | $1,569 |
| FVSES.2460-E4 | — | 60" | 25.5" | | $1,657 |
| FVSES.2466-E4 | — | 66" | 25.5" | | $1,732 |
| FVSES.2472-E4 | — | 72" | 25.5" | | $1,807 |
| FVSES.2478-E4 | — | 78" | 25.5" | | $1,882 |
| FVSES.2484-E4 | — | 84" | 25.5" | | $1,957 |
| FVSES.2496-E4 | — | 96" | 25.5" | | $2,862 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

## 4-CIRCUIT, 30" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSES.3048-E4 | — | 48" | 31.5" | | $1,569 |
| FVSES.3054-E4 | — | 54" | 31.5" | | $1,637 |
| FVSES.3060-E4 | — | 60" | 31.5" | | $1,731 |
| FVSES.3066-E4 | — | 66" | 31.5" | | $1,780 |
| FVSES.3072-E4 | — | 72" | 31.5" | | $1,895 |
| FVSES.3078-E4 | — | 78" | 31.5" | | $1,977 |
| FVSES.3084-E4 | — | 84" | 31.5" | | $2,059 |
| FVSES.3096-E4 | — | 96" | 31.5" | | $3,059 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

# Starter/End Element, Double-Sided

NON-POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with wire management trough, and two worksurfaces with access grommet.

NOTES

Starter/End Elements:


- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" wide elements require a center support leg (ordered separately)

SPECIFICATION OPTIONS


**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8
**support selection**: CON1SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #**: FVSED.4848-N
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White
**support selection**: CON1SD



**Support Structure**



**Worksurfaces (2)**



## NON-POWERED, 48" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSED.4848-N | — | 48" | 49.5" | | $2,057 |
| FVSED.4854-N | — | 54" | 49.5" | | $2,266 |
| FVSED.4860-N | — | 60" | 49.5" | | $2,298 |
| FVSED.4866-N | — | 66" | 49.5" | | $2,419 |
| FVSED.4872-N | — | 72" | 49.5" | | $2,539 |
| FVSED.4878-N | — | 78" | 49.5" | | $2,661 |
| FVSED.4884-N | — | 84" | 49.5" | | $2,930 |
| FVSED.4896-N | — | 96" | 49.5" | | $4,448 |

## NON-POWERED, 60" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSED.6048-N | — | 48" | 61.5" | | $2,178 |
| FVSED.6054-N | — | 54" | 61.5" | | $2,284 |
| FVSED.6060-N | — | 60" | 61.5" | | $2,445 |
| FVSED.6066-N | — | 66" | 61.5" | | $2,514 |
| FVSED.6072-N | — | 72" | 61.5" | | $2,714 |
| FVSED.6078-N | — | 78" | 61.5" | | $2,849 |
| FVSED.6084-N | — | 84" | 61.5" | | $2,984 |
| FVSED.6096-N | — | 96" | 61.5" | | $5,239 |




The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


# Starter/End Element, Double-Sided

POWERED





Support Structure



Worksurfaces (2)

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet. Data Port Plates are included

NOTES

Starter/End Elements:
- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

Powered:
- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper, and duplexes separately.
- Each grommet has 2 duplex locations
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center
- Data Port Plates are included
- If using Concave Support Leg, specify concave support selection.

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8
**support selection**: CON1SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #**: FVSED.4848-E4
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White
**support selection**: CON1SD

## 4-CIRCUIT, 48" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSED.4848-E4 | — | 48" | 49.5" | | $2,288 |
| FVSED.4854-E4 | — | 54" | 49.5" | | $2,499 |
| FVSED.4860-E4 | — | 60" | 49.5" | | $2,529 |
| FVSED.4866-E4 | — | 66" | 49.5" | | $2,650 |
| FVSED.4872-E4 | — | 72" | 49.5" | | $2,771 |
| FVSED.4878-E4 | — | 78" | 49.5" | | $2,893 |
| FVSED.4884-E4 | — | 84" | 49.5" | | $3,162 |
| FVSED.4896-E4 | — | 96" | 49.5" | | $4,679 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

## 4-CIRCUIT, 60" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSED.6048-E4 | — | 48" | 61.5" | | $2,410 |
| FVSED.6054-E4 | — | 54" | 61.5" | | $2,515 |
| FVSED.6060-E4 | — | 60" | 61.5" | | $2,677 |
| FVSED.6066-E4 | — | 66" | 61.5" | | $2,747 |
| FVSED.6072-E4 | — | 72" | 61.5" | | $2,946 |
| FVSED.6078-E4 | — | 78" | 61.5" | | $3,081 |
| FVSED.6084-E4 | — | 84" | 61.5" | | $3,215 |
| FVSED.6096-E4 | — | 96" | 61.5" | | $5,471 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

# Starter/End Element, 120° 3 Pack

NON-POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8
**support selection**: CON2SD Concave or STRAIGHT LEG


NOTES

Starter/End Elements:
- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).


ORDER EXAMPLE

**product #**: FVSE120.2436-N
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White
**support selection**: STRAIGHT LEG





**Support Structure**



**Worksurface**

## NON-POWERED, 24” DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSE120.2436-N | — | 36” | 24” | | $5,095 |
| FVSE120.2442-N | — | 42” | 24” | | $5,820 |
| FVSE120.2448-N | — | 48” | 24” | | $6,508 |

NOTES


- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Starter/End Element, 120° 3 Pack

POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and three worksurfaces with access grommet. Data Port Plates are included

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8
**support selection**: CON2SD Concave or STRAIGHT LEG


NOTES

Starter/End Elements:
- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).


Powered:
- Includes a 4-circuit power block.
- Order 4-circuit power infeed and duplexes separately.
- To connect one Starter/End element to another element, order a jumper to connect element to element - pg 61
- Each grommet has 2 duplex locations
- Data Port Plates are included

ORDER EXAMPLE

**product #**: FVSE120.2436-E4
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White
**support selection**: STRAIGHT LEG



**Support Structure**



**Worksurface**

## POWERED, 48" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSE120.2436-E4 | — | 36" | 49.5" | | $5,955 |
| FVSE120.2442-E4 | — | 42" | 49.5" | | $6,680 |
| FVSE120.2448-E4 | — | 48" | 49.5" | | $7,368 |

NOTES

- This part # includes (1) 4-circuit power block
- This part # includes (3) festoons, (2) jumpers
- To connect one Starter/End element to another element, order (1) 48" jumper
- Order 4-circuit power infeed and duplexes separately

# Extension Element, Single-Sided

NON-POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough, and worksurface with access grommet.

SPECIFICATION OPTIONS


**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8

NOTES


Extension Elements:
- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" wide elements require a center support leg (ordered separately)

ORDER EXAMPLE

**product #**: FVES.2448-N
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White



**Support Structure**



**Worksurface**



## NON-POWERED, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVES.2448-N | — | 48" | 25.5" | | $1,546 |
| FVES.2454-N | — | 54" | 25.5" | | $1,607 |
| FVES.2460-N | — | 60" | 25.5" | | $1,696 |
| FVES.2466-N | — | 66" | 25.5" | | $1,770 |
| FVES.2472-N | — | 72" | 25.5" | | $1,845 |
| FVES.2478-N | — | 78" | 25.5" | | $1,921 |
| FVES.2484-N | — | 84" | 25.5" | | $1,994 |
| FVES.2496-N | — | 96" | 25.5" | | $2,776 |

## NON-POWERED, 30" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVES.3048-N | — | 48" | 31.5" | | $1,607 |
| FVES.3054-N | — | 54" | 31.5" | | $1,675 |
| FVES.3060-N | — | 60" | 31.5" | | $1,769 |
| FVES.3066-N | — | 66" | 31.5" | | $1,819 |
| FVES.3072-N | — | 72" | 31.5" | | $1,933 |
| FVES.3078-N | — | 78" | 31.5" | | $2,014 |
| FVES.3084-N | — | 84" | 31.5" | | $2,097 |
| FVES.3096-N | — | 96" | 31.5" | | $2,925 |




The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


# Extension Element, Single-Sided

POWERED





Support Structure



Worksurface

DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with 4-circuit power block, wire management trough, and worksurface with access grommet.
Data Port Plates are included

NOTES

Extension Elements:
- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

Powered:
- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper, and duplexes separately.
- Each grommet has 2 duplex locations
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center
- Data Port Plates are included

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8

ORDER EXAMPLE

**product #**: FVES.2448-E4
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White

## 4-CIRCUIT, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVES.2448-E4 | — | 48" | 25.5" | | $1,642 |
| FVES.2454-E4 | — | 54" | 25.5" | | $1,703 |
| FVES.2460-E4 | — | 60" | 25.5" | | $1,791 |
| FVES.2466-E4 | — | 66" | 25.5" | | $1,867 |
| FVES.2472-E4 | — | 72" | 25.5" | | $1,941 |
| FVES.2478-E4 | — | 78" | 25.5" | | $2,017 |
| FVES.2484-E4 | — | 84" | 25.5" | | $2,091 |
| FVES.2496-E4 | — | 96" | 25.5" | | $3,058 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

## 4-CIRCUIT, 30" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVES.3048-E4 | — | 48" | 31.5" | | $1,703 |
| FVES.3054-E4 | — | 54" | 31.5" | | $1,770 |
| FVES.3060-E4 | — | 60" | 31.5" | | $1,866 |
| FVES.3066-E4 | — | 66" | 31.5" | | $1,914 |
| FVES.3072-E4 | — | 72" | 31.5" | | $2,029 |
| FVES.3078-E4 | — | 78" | 31.5" | | $2,110 |
| FVES.3084-E4 | — | 84" | 31.5" | | $2,193 |
| FVES.3096-E4 | — | 96" | 31.5" | | $3,206 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

# Extension Element, Double-Sided

NON-POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough and two worksurfaces with access grommet.

SPECIFICATION OPTIONS


**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8

NOTES


Extension Elements:
- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- Order support legs separately.
- 96" wide elements require a center support leg (ordered separately)

ORDER EXAMPLE

**product #**: FVED.4848-N
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White



**Support Structure**



**Worksurfaces (2)**



## NON-POWERED, 48" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVED.4848-N | — | 48" | 49.5" | | $2,403 |
| FVED.4854-N | — | 54" | 49.5" | | $2,498 |
| FVED.4860-N | — | 60" | 49.5" | | $2,645 |
| FVED.4866-N | — | 66" | 49.5" | | $2,765 |
| FVED.4872-N | — | 72" | 49.5" | | $2,887 |
| FVED.4878-N | — | 78" | 49.5" | | $3,008 |
| FVED.4884-N | — | 84" | 49.5" | | $3,128 |
| FVED.4896-N | — | 96" | 49.5" | | $6,173 |

## NON-POWERED, 60" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVED.6048-N | — | 48" | 61.5" | | $2,525 |
| FVED.6054-N | — | 54" | 61.5" | | $2,630 |
| FVED.6060-N | — | 60" | 61.5" | | $2,645 |
| FVED.6066-N | — | 66" | 61.5" | | $2,862 |
| FVED.6072-N | — | 72" | 61.5" | | $3,062 |
| FVED.6078-N | — | 78" | 61.5" | | $3,196 |
| FVED.6084-N | — | 84" | 61.5" | | $3,330 |
| FVED.6096-N | — | 96" | 61.5" | | $6,634 |




The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


# Extension Element, Double-Sided

POWERED





Support Structure



Worksurfaces (2)

DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet. Data Port Plates are included

NOTES

Extension Elements:
- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

Powered:
- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper and duplexes separately.
- Each grommet has 2 duplex locations
- Order support legs separately.
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center
- Data Port Plates are included

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8

ORDER EXAMPLE

**product #**: FVED.4848-E4
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White

## 4-CIRCUIT, 48" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVED.4848-E4 | — | 48" | 49.5" | | $2,635 |
| FVED.4854-E4 | — | 54" | 49.5" | | $2,729 |
| FVED.4860-E4 | — | 60" | 49.5" | | $2,876 |
| FVED.4866-E4 | — | 66" | 49.5" | | $2,998 |
| FVED.4872-E4 | — | 72" | 49.5" | | $3,120 |
| FVED.4878-E4 | — | 78" | 49.5" | | $3,240 |
| FVED.4884-E4 | — | 84" | 49.5" | | $3,361 |
| FVED.4896-E4 | — | 96" | 49.5" | | $6,406 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

## 4-CIRCUIT, 60" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVED.6048-E4 | — | 48" | 61.5" | | $2,758 |
| FVED.6054-E4 | — | 54" | 61.5" | | $2,863 |
| FVED.6060-E4 | — | 60" | 61.5" | | $2,876 |
| FVED.6066-E4 | — | 66" | 61.5" | | $3,093 |
| FVED.6072-E4 | — | 72" | 61.5" | | $3,294 |
| FVED.6078-E4 | — | 78" | 61.5" | | $3,429 |
| FVED.6084-E4 | — | 84" | 61.5" | | $3,563 |
| FVED.6096-E4 | — | 96" | 61.5" | | $6,865 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

# Extension Element, 120° 3 Pack


NON-POWERED

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8




NOTES

Starter/End Elements:
- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).


ORDER EXAMPLE

**product #**: FVE120.2436-N
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White





Support Structure



Worksurface

## NON-POWERED, 24” DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVE120.2436-N | — | 36” | 24” | | $5,260 |
| FVE120.2442-N | — | 42” | 24” | | $5,986 |
| FVE120.2448-N | — | 48” | 24” | | $6,747 |

NOTES


- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Extension Element, 120° 3 Pack

POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough, and (3) worksurfaces with access grommets.
Data Port Plates are included

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8


NOTES

Extension Elements:
- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).


Powered:
- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper, and duplexes separately.
- Each grommet has 2 duplex locations
- Data Port Plates are included

ORDER EXAMPLE

**product #**: FVE120.2436-E4
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White



Support Structure




Worksurface

## POWERED, 24” DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVE120.2436-E4 | — | 36” | 25.5” | | $6,118 |
| FVE120.2442-E4 | — | 42” | 25.5” | | $6,845 |
| FVE120.2448-E4 | — | 48 ” | 25.5” | | $7,606 |

# Stand-Alone Element, Single-Sided

NON-POWERED



DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with wire management trough, and worksurfaces with (2) access grommets.

SPECIFICATION OPTIONS


**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: seepage 8
**finish**: see page 8

NOTES


Stand-Alone Elements:
- Order support legs separately
- 96"W worksurfaces have two grommets.
- 96" worksurfaces require a center support. Order separately.

ORDER EXAMPLE

**product #**: FVSAES.2496-N
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White



**Support Structure**



**Worksurface**



## NON-POWERED, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAES.2496-N | — | 96" | 25.5" | | $2,776 |

## NON-POWERED, 30" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAES.3096-N | — | 96" | 31.5" | | $2,925 |




The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


# Stand-Alone Element, Single-Sided

NON-POWERED





Support Structure



Worksurface

DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with wire management trough, and one worksurface with (2) access grommets.

NOTES

Stand-Alone Elements:
- Order support legs separately

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8

ORDER EXAMPLE

**product #**: FVSAES.2448-N
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White

## 24" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAES.2448-N | — | 48" | 25.5" | | $1,355 |
| FVSAES.2450-N | — | 50" | 25.5" | | $1,382 |
| FVSAES.2454-N | — | 54" | 25.5" | | $1,410 |
| FVSAES.2460-N | — | 60" | 25.5" | | $1,504 |
| FVSAES.2462-N | — | 62" | 25.5" | | $1,541 |
| FVSAES.2466-N | — | 66" | 25.5" | | $1,579 |
| FVSAES.2472-N | — | 72" | 25.5" | | $1,653 |
| FVSAES.2478-N | — | 78" | 25.5" | | $1,728 |
| FVSAES.2484-N | — | 84" | 25.5" | | $1,804 |


## 30" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAES.3048-N | — | 48" | 31.5" | | $1,416 |
| FVSAES.3050-N | — | 50" | 31.5" | | $1,449 |
| FVSAES.3054-N | — | 54" | 31.5" | | $1,483 |
| FVSAES.3060-N | — | 60" | 31.5" | | $1,578 |
| FVSAES.3062-N | — | 62" | 31.5" | | $1,602 |
| FVSAES.3066-N | — | 66" | 31.5" | | $1,627 |
| FVSAES.3072-N | — | 72" | 31.5" | | $1,741 |
| FVSAES.3078-N | — | 78" | 31.5" | | $1,823 |
| FVSAES.3084-N | — | 84" | 31.5" | | $1,905 |


# Stand-Alone Element, Single-Sided

POWERED





Support Structure



Worksurface

DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with 4-circuit power block, wire management trough, and one worksurface with (2) access grommets. Data Port Plates are included

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8

NOTES

Stand-Alone Elements:
- Order support legs separately
- 96"W worksurfaces have two grommets
- 96" worksurfaces require a center support. Order separately

Powered:
- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately
- Each grommet has 2 duplex locations
- Order support legs separately
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center (order separately)
- Data Port Plates are included

ORDER EXAMPLE

**product #**: FVSAES.2496-E4
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White



## 4-CIRCUIT, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAES.2496-E4 | — | 96" | 25.5" | | $3,058 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

## 4-CIRCUIT, 30" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAES.3096-E4 | — | 96" | 31.5" | | $3,206 |


NOTES


- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately




The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Stand-Alone Element, Single-Sided
POWERED





**Support Structure**



**Worksurface**

DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with 4-circuit power block, wire management trough, and one worksurface with (2) access grommets. Data Port Plates are included

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8

NOTES

Stand-Alone Elements:
- Order support legs separately

Powered:
- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately
- Each grommet has 2 duplex locations
- Order support legs separately
- Data Port Plates are included

ORDER EXAMPLE

**product #**: FVSAES.2448-E4
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White

## 4-CIRCUIT, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAES.2448-E4 | — | 48" | 25.5" | | $1,416 |
| FVSAES.2450-E4 | — | 50" | 25.5" | | $1,443 |
| FVSAES.2454-E4 | — | 54" | 25.5" | | $1,471 |
| FVSAES.2460-E4 | — | 60" | 25.5" | | $1,565 |
| FVSAES.2462-E4 | — | 62" | 25.5" | | $1,633 |
| FVSAES.2466-E4 | — | 66" | 25.5" | | $1,640 |
| FVSAES.2472-E4 | — | 72" | 25.5" | | $1,715 |
| FVSAES.2478-E4 | — | 78" | 25.5" | | $1,789 |
| FVSAES.2484-E4 | — | 84" | 25.5" | | $1,865 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

## 4-CIRCUIT, 30" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAES.3048-E4 | — | 48" | 31.5" | | $1,477 |
| FVSAES.3050-E4 | — | 50" | 31.5" | | $1,510 |
| FVSAES.3054-E4 | — | 54" | 31.5" | | $1,544 |
| FVSAES.3060-E4 | — | 60" | 31.5" | | $1,639 |
| FVSAES.3062-E4 | — | 62" | 31.5" | | $1,663 |
| FVSAES.3066-E4 | — | 66" | 31.5" | | $1,688 |
| FVSAES.3072-E4 | — | 72" | 31.5" | | $1,802 |
| FVSAES.3078-E4 | — | 78" | 31.5" | | $1,884 |
| FVSAES.3084-E4 | — | 84" | 31.5" | | $1,966 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

# Stand-Alone Element, Double-Sided

NON-POWERED



DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with wire management trough, and two worksurfaces with access grommet.

NOTES

Stand-Alone Elements:


- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" worksurfaces require a center support. Order separately.
- 96" wide elements require a center support leg (ordered separately)

SPECIFICATION OPTIONS


**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8
**support selection**: CON1SD Concave or CON2SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #**: FVSAED.4848-N
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White
**support selection**: CON2SD



Support Structure



Worksurfaces (2)



## NON-POWERED, 48" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAED.4848-N | — | 48" | 49.5" | | $1,832 |
| FVSAED.4854-N | — | 54" | 49.5" | | $1,922 |
| FVSAED.4860-N | — | 60" | 49.5" | | $2,073 |
| FVSAED.4866-N | — | 66" | 49.5" | | $2,193 |
| FVSAED.4872-N | — | 72" | 49.5" | | $2,313 |
| FVSAED.4878-N | — | 78" | 49.5" | | $2,434 |
| FVSAED.4884-N | — | 84" | 49.5" | | $2,554 |
| FVSAED.4896-N | — | 96" | 49.5" | | $4,072 |

## NON-POWERED, 60" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAED.6048-N | — | 48" | 61.5" | | $1,954 |
| FVSAED.6054-N | — | 54" | 61.5" | | $2,060 |
| FVSAED.6060-N | — | 60" | 61.5" | | $2,220 |
| FVSAED.6066-N | — | 66" | 61.5" | | $2,289 |
| FVSAED.6072-N | — | 72" | 61.5" | | $2,489 |
| FVSAED.6078-N | — | 78" | 61.5" | | $2,623 |
| FVSAED.6084-N | — | 84" | 61.5" | | $2,755 |
| FVSAED.6096-N | — | 96" | 61.5" | | $4,864 |




The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


# Stand-Alone Element, Double-Sided

POWERED





Support Structure



Worksurfaces (2)

DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet. Data Port Plates are included

NOTES

Stand-Alone Elements:
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" worksurfaces require a center support. Order separately.

Powered:
- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper and duplexes separately
- Each grommet has 2 duplex locations
- Order support legs separately.
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center
- Data Port Plates are included

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8
**support selection**: CON1SD Concave or CON2SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #**: FVSAED.4848-E4
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White
**support selection**: CON2SD

## 4-CIRCUIT, 48" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAED.4848-E4 | — | 48" | 49.5" | | $2,064 |
| FVSAED.4854-E4 | — | 54" | 49.5" | | $2,153 |
| FVSAED.4860-E4 | — | 60" | 49.5" | | $2,306 |
| FVSAED.4866-E4 | — | 66" | 49.5" | | $2,425 |
| FVSAED.4872-E4 | — | 72" | 49.5" | | $2,511 |
| FVSAED.4878-E4 | — | 78" | 49.5" | | $2,667 |
| FVSAED.4884-E4 | — | 84" | 49.5" | | $2,786 |
| FVSAED.4896-E4 | — | 96" | 49.5" | | $4,304 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

## 4-CIRCUIT, 60" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAED.6048-E4 | — | 48" | 61.5" | | $2,186 |
| FVSAED.6054-E4 | — | 54" | 61.5" | | $2,291 |
| FVSAED.6060-E4 | — | 60" | 61.5" | | $2,452 |
| FVSAED.6066-E4 | — | 66" | 61.5" | | $2,522 |
| FVSAED.6072-E4 | — | 72" | 61.5" | | $2,721 |
| FVSAED.6078-E4 | — | 78" | 61.5" | | $2,854 |
| FVSAED.6084-E4 | — | 84" | 61.5" | | $2,988 |
| FVSAED.6096-E4 | — | 96" | 61.5" | | $5,095 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

# Stand-Alone Element, 120° 3 Pack

NON-POWERED



DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure wire management trough, and (3) worksurfaces with access grommets.

NOTES


- Cannot be part of a longer run. Can be placed next to units built with Elements.
- Order legs separately.
- Wire management troughs connect unit alone, do not connect to adjacent elements.

SPECIFICATION OPTIONS


**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8
**support selection:** CON2SD Concave or CON3SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #**: FVSA120.2436-N
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White
**support selection:** STRAIGHT LEG



**Support Structure**



**Worksurface**



## NON-POWERED, 24" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAE120.2436-N | — | 36" | 24" | | $4,735 |
| FVSAE120.2442-N | — | 42" | 24" | | $5,656 |
| FVSAE120.2448-N | — | 48" | 24" | | $6,268 |



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Stand-Alone Element, 120° 3 Pack

POWERED



DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure wire management trough, and (3) worksurfaces with access grommets.

Jumpers for each top

Data Port Plates are included

NOTES

- Cannot be part of a longer run. Can be placed next to units built with Elements.
- Order legs separately
- Wire management troughs connect unit alone, do not connect to adjacent elements.

Powered:


- Includes a 4-circuit power block.
- Order 4-circuit power infeed, and duplexes separately.
- Each grommet has 2 duplex locations
- Data Port Plates are included

SPECIFICATION OPTIONS


**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8
**support selection:** CON2SD Concave or CON3SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #**: FVSA120.2436-E4
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White
**support selection:** STRAIGHT LEG



Support Structure



Worksurface

## POWERED, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSAE120.2436-E4 | — | 36" | 24" | | $5,790 |
| FVSAE120.2442-E4 | — | 42" | 24" | | $6,516 |
| FVSAE120.2448-E4 | — | 48" | 24" | | $7,128 |

# Worksurface Supports, Single-Sided

FOR START/END OF RUN

DESCRIPTION

Worksurface supports for single-sided Starter/End Elements.

SPECIFICATION OPTIONS

**product #**: see charts below
**finish**: see page 8
**left or right (if applicable)**: L for Left, R for Right

NOTES


- Specify paint finish.
- Specify the correct size for unit.

ORDER EXAMPLE

**product #**: FVTLS.24
**finish**: CW Cloud White
**left or right (if applicable)**: L for Left




## TRIANGLE LEG SINGLE-SIDED 25.5” WIDE




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVTLS.24L | — | 25.5” | — | — | $208 | For single-sided 24” deep units. For use at the start or end of a run only. Specify L for Left and R for Right. |
| FVTLS.24R | — | 25.5” | — | — | $208 | |

## TRIANGLE LEG SINGLE-SIDED 31.5” WIDE




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVTLS.30L | — | 31.5” | — | — | $222 | For single-sided 30” deep units. For use at the start or end of a run only. Specify L for Left and R for Right. |
| FVTLS.30R | — | 31.5” | — | — | $222 | |

## TRAPEZOID LEG SINGLE-SIDED 25.5” WIDE



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVTZLS.24L | — | 25.5” | — | — | $280 | For single-sided 24” deep units. For use at the start or end of a run only. Specify L for Left and R for Right. |
| FVTZLS.24R | — | 25.5” | — | — | $280 | |

## TRAPEZOID LEG SINGLE-SIDED 31.5” WIDE



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVTZLS.30L | — | 25.5” | — | — | $306 | For single-sided 30” deep units. For use at the start or end of a run only. Specify L for Left and R for Right. |
| FVTZLS.30R | — | 25.5” | — | — | $306 | |



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## Worksurface Supports, Single-Sided

FOR START/END OF A RUN continued

### TAPER LEG SINGLE-SIDED 24”/30”



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVATPS.24L | — | 24” | — | — | $606 |
| FVATPS.24R | — | 24” | — | — | $606 |
| FVATPS.30L | — | 30” | — | — | $613 |
| FVATPS.30R | — | 30” | — | — | $613 |

### INSET LEG SINGLE-SIDED 24”/30”



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVAINS.24L | — | 24” | — | — | $545 |
| FVAINS.24R | — | 24” | — | — | $545 |
| FVAINS.30L | — | 30” | — | — | $553 |
| FVAINS.30R | — | 30” | — | — | $553 |

# Worksurface Supports, Single-Sided

FOR CENTER OF A RUN

DESCRIPTION

Worksurface supports for single-sided Extension Elements.

NOTES

- Not for use with Stand Alone Elements.
- Specify paint finish.
- Specify the correct size for unit.


SPECIFICATION OPTIONS

**product #**: see charts below
**finish**: CW Cloud White

ORDER EXAMPLE

**product #**: FVCLS-O
**finish**: CW Cloud White

## OPEN CENTER LEG SINGLE-SIDED 24”/30” DEEP UNIT




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVCLS-O | — | — | — | — | $304 |

NOTES

- For single-sided 24” or 30” deep units.
- For use at the center of a run only.
- Leg style is open.

## ENCLOSED CENTER LEG SINGLE-SIDED 24”/30” DEEP UNIT



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVCLS-C | — | — | — | — | $593 |

NOTES

- For single-sided 24” or 30”
- deep units.
- For use at the center of a run only.
- Leg style is enclosed.

## TAPER LEG SINGLE-SIDED 24”/30”



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVCATPS.24 | — | 24” | — | — | $637 |
| FVCATPS.30 | — | 30” | — | — | $644 |

NOTES

- For single-sided 24” or 30”
- deep units.
- For use at the center of a run only.
- Leg style is open.

## INSET LEG SINGLE-SIDED 24”/30”



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVCAINS.24 | — | 24” | — | — | $577 |
| FVCAINS.30 | — | 30” | — | — | $585 |

NOTES

For single-sided 24” or 30” deep units.

For use at the center of a run only.

Leg style is open.

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


# Worksurface Supports, Double-Sided

FOR START/END OF A RUN

| DESCRIPTION | SPECIFICATION OPTIONS |
|---|---|
| Worksurface supports for double-sided Starter/End Elements or stand alone elements | **product #**: see charts below<br>**finish**: see page 6 |

| NOTES | ORDER EXAMPLE |
|---|---|
| • Specify paint finish.<br>• Specify the correct size for unit. | **product #**: FVTLD.48<br>**finish**: CW Cloud White |

## TRIANGLE LEG DOUBLE-SIDED 49.5" WIDE




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVTLD.48 | — | 49.5" | — | — | $277 |

NOTES

- Worksurface support leg for double-sided structure.
- For double-sided 24" deep units.
- For use at the start or end of a run only or stand alone elements.
- Use with straight support beam

## TRIANGLE LEG DOUBLE-SIDED 61.5" WIDE




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVTLD.60 | — | 61.5" | — | — | $298 |

NOTES

- Worksurface support leg for double-sided structure.
- For double-sided 30" deep units.
- For use at the start or end of a run only or stand alone elements.
- Use with straight support beam

## TRAPEZOID LEG DOUBLE-SIDED 49.5" WIDE




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVTZLD.48 | — | 49.5" | — | — | $377 |

NOTES

- Worksurface support leg for double-sided structure.
- For double-sided 24" deep units.
- For use at the start or end of a run only or stand alone elements.
- Use with straight support beam

## TRAPEZOID LEG DOUBLE-SIDED 61.5" WIDE




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVTZLD.60 | — | 61.5" | — | — | $425 |

NOTES

- Worksurface support leg for double-sided structure.
- For double-sided 30" deep units.
- For use at the start or end of a run only or stand alone elements.
- Use with straight support beam

## WORKSURFACE ATTACHMENT BRACKET PAIR



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVFB.08 | — | 8" | 2" | — | $32 |

NOTES

- Worksurface brackets that attach a single-sided Stand Alone Element at the end of a double-sided run.
- Finish on the bracket pair is BU Burnt Umber.



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

VERITY

# Worksurface Supports, Double-Sided

FOR CENTER OF A RUN

DESCRIPTION

Worksurface supports for double-sided Extension Elements.

SPECIFICATION OPTIONS

**product #**: see charts below
**finish**: see page 6


NOTES

- Not for use with Stand Alone Elements.
- Specify paint finish.
- Specify the correct size for unit.

ORDER EXAMPLE

**product #**: FVCLD-O
**finish**: CW Cloud White

## OPEN CENTER LEG DOUBLE-SIDED 48”/60” DEEP UNIT




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVCLD-O | — | — | — | — | $365 |

NOTES

- For double-sided 24” or 30” deep units.
- For use at the center of a run only.
- Leg style is open.

## ENCLOSED CENTER LEG DOUBLE-SIDED 48”/60” DEEP UNIT



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVCLD-C | — | — | — | — | $621 |

NOTES

- For double-sided 24” or 30” deep units.
- For use at the center of a run only.
- Leg style is enclosed.





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## **Taper & Inset** End of Run Support

DESCRIPTION

Taper and Inset Legs for use with the Verity system

SPECIFICATION OPTIONS


**product #**: see charts below
**finish**: see page 8

NOTES

- Includes straight support bar
- For use at end of run

## Straight Support Bar

### TAPER LEG




| PART # | HEIGHT | DEPTH | LIST |
|---|---|---|---|
| FVSATPLD.48 | 27.5” | 48” | $875 |
| FVSATPLD.60 | 27.5” | 60” | $889 |

NOTES

- Attaches to the underside of a worksurface
- Supports worksurface at the end of run
- Use with straight support beam

### INSET LEG



| PART # | HEIGHT | DEPTH | LIST |
|---|---|---|---|
| FVSAINLD.48 | 27.5” | 48” | $995 |
| FVSAINLD.60 | 27.5” | 60” | $1,008 |

NOTES

- Attaches to the underside of a worksurface
- Supports worksurface at the end of run
- Use with straight support beam

## **Taper & Inset** End of Run Support continued


| DESCRIPTION | SPECIFICATION OPTIONS |
|---|---|
| Taper and Inset Legs for use with the Verity system | **product #**: see charts below<br>**finish**: see page 8 |

NOTES

- Includes concave support bar
- For use at end of run

## Concave Support Bar

### TAPER LEGS




| PART # | HEIGHT | DEPTH | LIST |
|---|---|---|---|
| FVCATPLD.48 | 27.5” | 48” | $884 |
| FVCATPLD.60 | 27.5” | 60” | $908 |

NOTES

- Attaches to the underside of a worksurface at end of run
- Use with concave support beam
- Order start/end or stand alone element separately

### INSET LEGS



| PART # | HEIGHT | DEPTH | LIST |
|---|---|---|---|
| FVCAINLD.48 | 27.5” | 48” | $1,005 |
| FVCAINLD.60 | 27.5” | 60” | $1,029 |

NOTES

- Attaches to the underside of a worksurface at end of run
- Use with concave support beam
- Order start/end or stand alone element separately






The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## Worksurface Supports, Double-Sided continued


FOR CENTER OF A RUN

### CENTER TAPER LEG DOUBLE-SIDED 48”/60” DEEP UNIT




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVCLD-T | — | — | — | — | $1,087 | For double-sided 24” or 30” deep units.<br>For use at the center of a run only |

### CENTER INSET LEG DOUBLE-SIDED 48”/60” DEEP UNIT



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVCLD-I | — | — | — | — | $966 | For double-sided 24” or 30” deep units.<br>For use at the center of a run only |

# Supporting Pedestals



DESCRIPTION

Storage supports elements on one side.

SPECIFICATION OPTIONS

**product #**: see charts below
**front, casing & worksurface finish (if applicable)**: See worksurface laminates on page 8
pull: See page 9





NOTES

- Order storage attachment bracket separately.
- Specify worksurface finish for pedestal top and front for drawers and for casing
- Specify pull when ordering
- Includes pencil tray in top drawer


ORDER EXAMPLE

**product #**: FVBBF.24-LAM
**front finish**: M1 Light Maple
**worksurface finish**: M1 Light Maple
**casing finish**: M29 Raven



| | DEFAULT PULL | PREMIUM PULLS | | |
|---|---|---|---|---|
| **STORAGE PULL OPTIONS** |  Ledge Pull |  Wedge Pull • Brushed Aluminum • Black Umber |  Designer Pull • Cloud White/Red • Cloud White/Green • Cloud White/Grey |  Slant Pull • Brushed Aluminum • Black Umber |

**SUPPORTING BOX/BOX/FILE PEDESTAL 24" DEPTH**




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVBBF.24-LAM | 29.5" | 15.5" | 24.75" | — | $1,199 | • Supporting laminate pedestal storage with drawers and pulls.<br>• Worksurface height.<br>• Order storage attachment bracket (Part # FVSS.XX) separately on pg 58<br>• Can be freestanding.<br>• Specify worksurface finish for pedestal top, front finish for drawers and for casing.<br>• Specify pull when ordering<br>• Includes pencil tray in top drawer |



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


## **Supporting Storage,** Pedestals...continued

### SUPPORTING BOX/BOX/FILE PEDESTAL 30" DEPTH




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVBBF.30-LAM | 29.5" | 15.5" | 30.75" | — | $1,296 | • Supporting laminate pedestal storage with drawers and pulls.<br>• Worksurface height.<br>• Order storage attachment bracket (Part # FVSS.XX) separately on pg 58)<br>• Can be freestanding.<br>• Specify worksurface finish for pedestal top, front finish for drawers and for casing.<br>• Specify pull when ordering<br>• Includes pencil tray in top drawer |

### SUPPORTING FILE/FILE PEDESTAL 24" DEPTH




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVFF.24-LAM | 29.5" | 15.5" | 24.75" | — | $1,199 | • Supporting laminate pedestal storage with drawers and pulls.<br>• Worksurface height.<br>• Order storage attachment bracket (Part # FVSS.XX) separately on pg 58<br>• Can be freestanding.<br>• Specify worksurface finish for pedestal top, front finish for drawers and for casing.<br>• Specify pull when ordering<br>• Includes pencil tray in top drawer |

### SUPPORTING FILE/FILE PEDESTAL 30" DEPTH



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVFF.30-LAM | 29.5" | 15.5" | 30.75" | — | $1296 | • Supporting laminate pedestal storage with drawers and pulls.<br>• Worksurface height.<br>• Order storage attachment bracket (Part # FVSS.XX) separately on pg 58<br>• Can be freestanding.<br>• Specify worksurface finish for pedestal top, front finish for drawers and for casing.<br>• Specify pull when ordering<br>• Includes pencil tray in top drawer |

# Supporting Credenzas



DESCRIPTION

Laminate storage credenzas with open shelves and sliding doors with pull.

SPECIFICATION OPTIONS

**product #**: see charts below
**front finish**: see page 8
**top finish**: see page 8
**casing finish**: see page 8
**left or right**: L for Left, R for Right
**pull**: See page 9
**foot finish:** BU, CW, SV

NOTES


- Specify: Top, Front, Case, Pull & Foot.
- Premium pulls have color options: specify color when ordering. (See page 9)
- Specify L for left or R for right indicating door pull location.

ORDER EXAMPLE

**product #**: FVBSC.1860
**front finish**: M1 Light Maple
**top finish**: M1 Light Maple
**casing finish**: M29 Raven
**left or right**: L for Left
**pull**: Wedge, brushed aluminum
**foot finish:** CW



## CREDENZA



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVBSC.1848 L/R | 21.25” | 48” | 17.75” | — | $1,121 |
| FVBSC.1860 L/R | 21.25” | 60” | 17.75” | — | $1,268 |
| FVBSC.1872 L/R | 21.25” | 72” | 17.75” | — | $1,463 |

NOTES


Specify L for left or R for right indicating door pull location

Specify: Top, Front, Case, Pull & Foot finish



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Supporting Cabinets



DESCRIPTION

Storage support elements on one side.

SPECIFICATION OPTIONS

**product #**: see charts below
**front, casing & worksurface finish (if applicable)**: See worksurface laminates on page 8
**fabric**: See page 6


NOTES

- Order storage attachment bracket separately (pg 58).
- Specify worksurface finish for top and for casing
- Specify fabric on **page 6**


ORDER EXAMPLE

**product #**: FVWSTT.1824
**front finish**: M1 Light Maple
**worksurface finish**: M1 Light Maple
**casing finish**: M29 Raven
**fabric**: PF401-Silky-Natural


## SUPPORTING CABINET: TACKBOARD & BOOKCASE



front shown




FRONT





BACK

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVWSTT.1824 | 45” | 24.75” | 18” | — | $1,119 |
| FVWSTT.1830 | 45” | 30.75” | 18” | — | $1,287 |


NOTES

Supporting laminate cabinets with tackboard top and open bookcase bottom on one side, with open top and solid surface on the opposite side. Specify fabric for tackboard.

## SUPPORTING CABINET: OPEN & BOOKCASE



front shown




FRONT





BACK

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVWSTO.1824 | 45” | 24.75” | 18” | — | $936 |
| FVWSTO.1830 | 45” | 30.75” | 18” | — | $1,038 |


NOTES

Supporting laminate cabinets with open top and open bookcase bottom on one side, with solid surface on the opposite side.


## SUPPORTING CABINET: TACKBOARD & SHARED BOOKCASE



front shown




FRONT




BACK

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVWSTS.1824 | 45” | 24.75” | 18” | — | $1,202 |
| FVWSTS.1830 | 45” | 30.75” | 18” | — | $1,414 |

NOTES

Supporting laminate cabinets with tackboard top and shared bookcase bottom on both sides. Shared bookcase has one open shelf and one solid surface on each side. Specify fabric for tackboard.


# Supporting Storage Attachment Brackets

| DESCRIPTION | SPECIFICATION OPTIONS |
|---|---|
| Worksurface attachment brackets for use with supporting storage. | **product #**: see charts below<br>**finish**: see page 8 |

| NOTES | ORDER EXAMPLE |
|---|---|
| • Specify paint finish.<br>• Specify the correct size for unit. | **product #**: FVCLD<br>**finish**: CW Cloud White |



## STORAGE ATTACHMENT BRACKET, 48" DEEP



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSS.24 | — | — | 48" | — | $201 |


NOTES

**For use at the start or end of a run only.**

Supports two 24" deep tops.

Worksurface supporting bracket for attaching pedestal or cabinet. Order one attachment bracket per attachment location.

## STORAGE ATTACHMENT BRACKET, 60" DEEP



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSS.30 | — | — | 60" | — | $222 |


NOTES

**For use at the start or end of a run only.**

Supports two 30" deep tops.

Worksurface supporting bracket for attaching pedestal or cabinet. Order one attachment bracket per attachment location.

## CREDENZA ATTACHMENT BRACKET DOUBLE-SIDED 24"/30" DEEP UNIT



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVCCLD | — | — | — | — | $284 |

NOTES

**For use at the center of a run only.**

For double-sided 24" or 30" deep units.

Used with two supporting credenzas to support the worksurface.



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Electrical Distribution

| DESCRIPTION | SPECIFICATION OPTIONS |
|---|---|
| Electrical distribution components. | **product #**: see charts below |
| NOTES | ORDER EXAMPLE |
| | **product #**: FVBPI.4CIR |

## 4-CIRCUIT POWER INFEED




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVBPI.4CIR | — | 6’ | — | — | $344 | Hardwire power infeed for use with 4-circuit power distribution.<br><br>MUST BE HARDWIRED BY AN ELECTRICIAN. |

## POWER POLE


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVPP-S | — | — | — | — | $755 | Connects a ceiling electrical supply to the trough of a powered element. Distributes up to four 20-amp circuits.<br><br>Includes a rigid conduit and conduit connector, factory installed power harness, 12’ pole.<br><br>• Attaches to Single side unit order FVPP-S.<br>• Double sided order FVPP-D. Available in CW only.<br><br>MUST BE HARDWIRED BY AN ELECTRICIAN. |
| FVPP-D | — | — | — | — | $755 | |

## RECEPTACLE 4-CIRCUITS



| PART # | DESCRIPTION | LIST | NOTES |
|---|---|---|---|
| FVRECP.I | circuit A | $28 | Provides access to I, II, III, IIII circuit.<br>Provides dedicated circuit with “IIII” receptacle.<br>Receptacle -CONT are permanently marked CONTROLLED on the face of the receptacle and must be connected to a timer or motion sensor at the infeed location by a licensed electrician in order to comply with California T24 |
| FVRECP.II | circuit B | $28 | |
| FVRECP.III | circuit C | $28 | |
| FVRECP.IIII | circuit D (dedicated) | $28 | |
| FVRECP.II-CONT | circuit B | $28 | |
| FVRECP.III-CONT | circuit C | $28 | |

## WIRE MANAGER




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVWM | 28” | — | — | — | $149 | A housing that conceals power & other wires from the floor to the trough.<br>Wire manager is 6.5” wide x 2” deep<br>CW, BU, or SV finish. |

# Electrical Distribution continued




## DATA PORT PLATE




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVDPP | 2.125 | 3.625 | 0.25 | 0.10 | $47 | For use with non-powered structures only.<br>Includes four port locations and comes with one blank insert.<br>Data port plates are included with powered Elements.<br>Available in BU, CW, SV |

## DOUBLE SIDED CONNECTING TROUGH




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FV-DCT | — | — | — | — | $179 | Included in the elements and sold here separately for special situations. |

## SINGLE SIDED CONNECTING TROUGH




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FV-SCT | — | — | — | — | $116 | Included in the elements and sold here separately for special situations. |

## DOUBLE SIDED TROUGH, POWERED



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FV-DT-E4 | — | — | — | — | $441 | Included in the elements and sold here separately for special situations.<br>Order Duplexes/infeed jumpers seperate |

## SINGLE SIDED TROUGH, POWERED



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FV-ST-E4 | — | — | — | — | $225 | Included in the elements and sold here separately for special situations.<br>Order Duplexes/infeed jumpers seperate |



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Electrical Distribution continued

## 4-CIRCUIT POWER JUMPER



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVJUMP.48 | — | 40” | — | — | $270 |
| FVJUMP.54 | — | 46” | — | — | $293 |
| FVJUMP.60 | — | 52” | — | — | $325 |
| FVJUMP.66 | — | 58” | — | — | $354 |
| FVJUMP.72 | — | 64” | — | — | $380 |
| FVJUMP.78 | — | 70” | — | — | $409 |
| FVJUMP.84 | — | 76” | — | — | $442 |

NOTES

Connects power from one Element to another.

For a 96”W element, order one additional for middle 48” power jumper, FVJUMP.48.

When connecting two elements of equal width, order Power Jumper to match width of elements.

When connecting two elements of different width, reference chart below for applicale Jumper size.


### Power Jumper Sizing Chart

| | 48 | 54 | 60 | 66 | 72 | 78 | 84 |
|---|---|---|---|---|---|---|---|
| 48 | FVJUMP.48 | FVJUMP.54 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 |
| 54 | FVJUMP.54 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 |
| 60 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 |
| 66 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 |
| 72 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 |
| 78 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 | FVJUMP.84 |
| 84 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 | FVJUMP.84 | FVJUMP.84 |


Example Jumper Calculation

Calculate the jumper needed between element A and element B.

Step 1 - Take the width of the first element and find that number in the left column.
A is 54” and 54 is the second row down in the table.
Step 2 - Take the width of the second element and find that number across the top.
B is 78” and 78 is sixth column to the right.
Step 3 - Where the row and column intersect that is the required jumper needed.
54 and 78 intersects at FVJUMP.66.




# Power Grommet Worksurface Mounted



| DESCRIPTION | SPECIFICATION OPTIONS |
|---|---|
| Worksurface mounted power/ data grommet | **product #**: see charts below<br>**finish**: BA Brushed Aluminum, BC Brushed Charcoal or CW Cloud White (contact customer service for lead time) |
| NOTES | ORDER EXAMPLE |
| • Power grommets for use with ancillary tops only, Verity Elements include built-in power access.<br>• Includes 10' coiled power cord to connect to power source, or daisy chain to next power grommet | **product #**: FPWR.0608<br>**finish**: BA Brushed Aluminum |




## POWER GROMMET, 5x8



| PART # | HEIGHT | WIDTH | DEPTH | PRICE | NOTES |
|---|---|---|---|---|---|
| FPWR.0508 | | 8" | 5" | $579 | • Worksurface mounted power/data grommet, 5x8<br>• Includes 10' coiled power cord to connect to power source<br>• Distributes up to 10 amps<br>• **Above Worksurface**:<br>• (2) CAT6 data ports (out), (2) power outlets, (2) USB ports<br>• **Below Worksurface**: (2) CAT6 data ports (in), (1) power outlet, Daisy Chain ports (in/out) |

## POWER GROMMET, 6x8




| PART # | HEIGHT | WIDTH | DEPTH | PRICE | NOTES |
|---|---|---|---|---|---|
| FPWR.0608 | | 8" | 6" | $579 | • Worksurface mounted power/data grommet, 6x8<br>• Includes 10' coiled power cord to connect to power source<br>• Distributes up to 10 amps<br>• **Above Worksurface**:<br>• (2) CAT6 data ports (out), (2) power outlets, (2) USB ports<br>• **Below Worksurface**: (2) CAT6 data ports (in), (2) power outlets, Daisy Chain ports (in/out) |



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# **Rectangular** Worksurfaces For Use w/ MY-HITE Base



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add circular grommet (add $75 list) Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

**product #**: see charts below
**top, edge finish**: **worksurface finish**: see page 8

ORDER EXAMPLE

**product #**: FVRSW.2370
**edge finish**: DT Dark Tone, E12
**worksurface finish**: Light Maple, M1
**grommet**: GC (Rear Center)

**RECTANGULAR WORKSURFACE**


| PART # | DEPTH | WIDTH | PRICE |
|---|---|---|---|
| FVRWS.2340 | 23" | 40" | $323 |
| FVRWS.2346 | 23" | 46" | $333 |
| FVRWS.2352 | 23" | 52" | $393 |
| FVRWS.2358 | 23" | 58" | $403 |
| FVRWS.2364 | 23" | 64" | $464 |
| FVRWS.2370 | 23" | 70" | $477 |
| FVRWS.2376 | 23" | 76" | $582 |
| FVRWS.2382 | 23" | 82" | $588 |
| | | | |
| FVRWS.2940 | 29" | 40" | $382 |
| FVRWS.2946 | 29" | 46" | $393 |
| FVRWS.2952 | 29" | 52" | $465 |
| FVRWS.2958 | 29" | 58" | $477 |
| FVRWS.2964 | 29" | 64" | $552 |
| FVRWS.2970 | 29" | 70" | $565 |
| FVRWS2976 | 29" | 76" | $695 |
| FVRWS.2982 | 29" | 82" | $701 |
| | | | |
| FVRWS.3540 | 35" | 40" | $402 |
| FVRWS.3546 | 35" | 46" | $409 |
| FVRWS.3552 | 35" | 52" | $717 |
| FVRWS.3558 | 35" | 58" | $725 |
| FVRWS.3564 | 35" | 64" | $733 |
| FVRWS.3570 | 35" | 70" | $741 |
| FVRWS.3576 | 35" | 76" | $748 |
| FVRWS.3582 | 35" | 82" | $854 |

NOTES

Sizes are actual for example FVRSW.2358 is 23" x 58"

# Rectangular Extension

## Worksurfaces For Use w/ MY-HITE Base



With Flat Brackets installed

DESCRIPTION

Laminate worksurface, for use with extended curved corner worksurfaces, not for use alone.

NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight bases
- Maximum width combined: 72x96" or 84x84"


SPECIFICATION OPTIONS

**product #**: See charts below
**worksurface finish:** See page 8

ORDER EXAMPLE

**product #**: FVRWS.2324
**worksurface**: Light Maple, M1

## RECTANGULAR WORKSURFACE





Standard Grain

| PART # | DEPTH "A" | WIDTH "E" | LIST |
|---|---|---|---|
| FVRWS.2324 | 23" | 24" | $254 |
| FVRWS.2330 | 23" | 30" | $290 |
| FVRWS.2336 | 23" | 36" | $300 |
| FVRWS.2924 | 29" | 24" | $337 |
| FVRWS.2930 | 29" | 30" | $384 |
| FVRWS.2936 | 29" | 36" | $394 |

NOTES

- Standard default grain direction is left to right (See left)





Cross Grain

| PART # | DEPTH "A" | WIDTH "E" | LIST |
|---|---|---|---|
| FVRWS.2324-CG | 23" | 24" | $304 |
| FVRWS.2330-CG | 23" | 30" | $348 |
| FVRWS.2336-CG | 23" | 36" | $360 |
| FVRWS.2924-CG | 29" | 24" | $404 |
| FVRWS.2930-CG | 29" | 30" | $461 |
| FVRWS.2936-CG | 29" | 36" | $473 |

NOTES

- Cross grain direction is front to back (See left)

## FLAT BRACKET



| PART # | WIDTH | DEPTH | PRICE |
|---|---|---|---|
| **FVFB.08** | 8" | 2" | $32 |

**NOTES**

- Used to unite two worksurfaces supported by one base
- Black finish
- Sold in pairs

### ANTI-SAG BARS



| PART # | WIDTH | LIST |
|---|---|---|
| FWASB.42 | 42" | $100 |
| FWASB.54 | 54" | $127 |
| FWASB.66 | 66" | $154 |


NOTES

- Anti-Sag bar, 42" wide with (8) screws. For use with 48 & 54" worktops
- Anti-Sag bar, 54" wide with (10) screws. For use with 60 & 66" worktops
- Anti-Sag bar, 66" wide with (12) screws. For use with 72 & 78" worktops



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# **Wedge** Worksurface For Use w/ MY-HITE Bases




DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list) Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

**product #**: see charts below
**top, edge finish**: **worksurface finish**: see page 8

ORDER EXAMPLE

**product #**:FVWDWS.234029
**edge finish**: DT Dark Tone, E12
**worksurface finish**: Espresso, M10
**grommet**: GC (Rear Center)


**23"D LEFT**
**29"D RIGHT**


| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FVWDWS.234029 | 23" | 40" | 29" | — | $377 |
| FVWDWS.234629 | 23" | 46" | 29" | — | $385 |
| FVWDWS.235229 | 23" | 52" | 29" | — | $437 |
| FVWDWS.235829 | 23" | 58" | 29" | — | $468 |
| FVWDWS.236429 | 23" | 64" | 29" | — | $522 |
| FVWDWS.237029 | 23" | 70" | 29" | — | $534 |
| FVWDWS.237629 | 23" | 76" | 29" | — | $620 |

**29"D LEFT**
**23"D RIGHT**

| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FVWDWS.294023 | 29" | 40" | 23" | — | $377 |
| FVWDWS.294623 | 29" | 46" | 23" | — | $385 |
| FVWDWS.295223 | 29" | 52" | 23" | — | $437 |
| FVWDWS.295823 | 29" | 58" | 23" | — | $468 |
| FVWDWS.296423 | 29" | 64" | 23" | — | $522 |
| FVWDWS.297023 | 29" | 70" | 23" | — | $534 |
| FVWDWS.297623 | 29" | 76" | 23" | — | $620 |

# **D-Shaped** Worksurface For Use w/ MY-HITE Bases






DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list) Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

**product #**: see charts below
**top, edge finish**: **worksurface finish**: see page 8

ORDER EXAMPLE

**product #**:FVEDSP.2346
**edge finish**: DT Dark Tone, E12
**worksurface finish**: Espresso, M10
**grommet**: GC (Rear Center)

## D-SHAPED


| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FVEDSP.2346 | 46" | 23" | — | — | $487 |
| FVEDSP.2358 | 58" | 23" | — | — | $543 |
| FVEDSP.2946 | 46" | 29" | — | — | $534 |
| FVEDSP.2958 | 58" | 29" | — | — | $592 |
| FVEDSP.2970 | 70" | 29" | — | — | $647 |
| FVEDSP.3570 | 70" | 35" | — | — | $713 |





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## **120° Corner / 90° Ends** Worksurface For Use w/ MY-HITE Bases



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list) Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

**product #**: see charts below
**top, edge finish**: **worksurface finish**: see page 8


ORDER EXAMPLE

**product #**:FV120-90WS.2334
**edge finish**: DT Dark Tone, E12
**worksurface finish**: Espresso, M10
**grommet**: GC (Rear Center)

**120° CORNER**
**90° ENDS**

| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FV120-90WS.2334 | 23" | 34" | — | — | $697 |
| FV120-90WS.2340 | 23" | 40" | — | — | $859 |
| FV120-90WS.2346 | 23" | 46" | — | — | $1,070 |

## **120° Corner / 120° Ends** Worksurface For Use w/ MY-HITE Bases




DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add $75 list) Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation appplications.

SPECIFICATION OPTIONS

**product #**: see charts below
**top, edge finish**: **worksurface finish**: see page 8


ORDER EXAMPLE

**product #**:FV120-120WS.2334
**edge finish**: DT Dark Tone, E12
**worksurface finish**: Espresso, M10
**grommet**: GC (Rear Center)

**120° CORNER**
**120° ENDS**

| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FV120-120WS.2334 | 23" | 34" | — | — | $697 |
| FV120-120WS.2340 | 23" | 40" | — | — | $859 |
| FV120-120WS.2346 | 23" | 46" | | | $1,070 |

# **Corner** Worksurfaces For Use w/ MY-HITE Base



DESCRIPTION

Corner worksurface top only, for use with height adjustable base within workstation application.

NOTES

- Add circular grommet (add $75 list)
- Specify GL or GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

**product #**: see charts below
**top, edge finish**: **worksurface finish**: see page 8

ORDER EXAMPLE

**product #**: FVCWT.2340
**edge finish**: DT Dark Tone, E12
**worksurface finish**: Light Maple, M1
**grommet**: GL



**CORNER WORKSURFACE**

| PART # | DEPTH | WIDTH | PRICE |
|---|---|---|---|
| FVCWT.2340 | 23" | 40" | $532 |
| FVCWT.2346 | 23" | 46" | $563 |
| FVCWT.2940 | 29" | 40" | $579 |
| FVCWT.2946 | 29" | 46" | $608 |


NOTES

Sizes are actual for example FVCWT.2940 is 29" x 40"




The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# 90° Extended Curved Corner Worksurface For Use w/ MY-HITE Bases



Right Extended shown




DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Worksurface top only, for use with height adjustable base within workstation application
- See My-Hite pricebook for use inside a freestanding application
- Add circular grommet (add $75 list) Specify grommet placement GL, GC, GR
- Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points.
- We do not recommend using full size worktop in paneled workstation applications

SPECIFICATION OPTIONS

**product #**: see charts below
**top, edge, worksurface finish**: see page 8
**left or right extended**: L for Left, R for Right

ORDER EXAMPLE

**product #**: FVECCWS.23345823L
**top, edge finish**: E10 Espresso
**worksurface finish**: M11 Light Walnut

## 23" D CONNECTING SIDE
## 23" D EXTENSION
## 34" D

| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FVECCWS.23345823L | 23" | 34" | 58" | 23" | $610 |
| FVECCWS.23345823R | 23" | 34" | 58" | 23" | $610 |
| FVECCWS.23346423L | 23" | 34" | 64" | 23" | $680 |
| FVECCWS.23346423R | 23" | 34" | 64" | 23" | $680 |
| FVECCWS.23347023L | 23" | 34" | 70" | 23" | $691 |
| FVECCWS.23347023R | 23" | 34" | 70" | 23" | $691 |
| FVECCWS.23347623L | 23" | 34" | 76" | 23" | $829 |
| FVECCWS.23347623R | 23" | 34" | 76" | 23" | $829 |
| FVECCWS.23348223L | 23" | 34" | 82" | 23" | $919 |
| FVECCWS.23348223R | 23" | 34" | 82" | 23" | $919 |

## 29" D CONNECTING SIDE
## 29" D EXTENSION
## 34" D

| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FVECCWS.29345829L | 29" | 34" | 58" | 29" | $669 |
| FVECCWS.29345829R | 29" | 34" | 58" | 29" | $669 |
| FVECCWS.29346429L | 29" | 34" | 64" | 29" | $738 |
| FVECCWS.29346429R | 29" | 34" | 64" | 29" | $738 |
| FVECCWS.29347029L | 29" | 34" | 70" | 29" | $748 |
| FVECCWS.29347029R | 29" | 34" | 70" | 29" | $748 |
| FVECCWS.29347629L | 29" | 34" | 76" | 29" | $886 |
| FVECCWS.29347629R | 29" | 34" | 76" | 29" | $886 |
| FVECCWS.29348229L | 29" | 34" | 82" | 29" | $973 |
| FVECCWS.29348229R | 29" | 34" | 82" | 29" | $973 |

### 23” D CONNECTING SIDE
### 23” D EXTENSION
### 40” D

| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FVECCWS.23405823L | 23″ | 40″ | 58″ | 23″ | $735 |
| FVECCWS.23405823R | 23″ | 40″ | 58″ | 23″ | $735 |
| FVECCWS.23406423L | 23″ | 40″ | 64″ | 23″ | $827 |
| FVECCWS.23406423R | 23″ | 40″ | 64″ | 23″ | $827 |
| FVECCWS.23407023L | 23″ | 40″ | 70″ | 23″ | $839 |
| FVECCWS.23407023R | 23″ | 40″ | 70″ | 23″ | $839 |
| FVECCWS.23407623L | 23″ | 40″ | 76″ | 23″ | $1,017 |
| FVECCWS.23407623R | 23″ | 40″ | 76″ | 23″ | $1,017 |
| FVECCWS.23408223L | 23″ | 40″ | 82” | 23″ | $1,135 |
| FVECCWS.23408223R | 23″ | 40″ | 82” | 23″ | $1,135 |

### 29” D CONNECTING SIDE
### 29” D EXTENSION
### 40” D

| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FVECCWS.29405829L | 29″ | 40″ | 58″ | 29″ | $791 |
| FVECCWS.29405829R | 29″ | 40″ | 58″ | 29″ | $791 |
| FVECCWS.29406429L | 29″ | 40″ | 64″ | 29″ | $883 |
| FVECCWS.29406429R | 29″ | 40″ | 64″ | 29″ | $883 |
| FVECCWS.29407029L | 29″ | 40″ | 70″ | 29″ | $896 |
| FVECCWS.29407029R | 29″ | 40″ | 70″ | 29″ | $896 |
| FVECCWS.29407629L | 29″ | 40″ | 76″ | 29″ | $1,075 |
| FVECCWS.29407629R | 29″ | 40″ | 76″ | 29″ | $1,075 |
| FVECCWS.29408229L | 29″ | 40″ | 82” | 29″ | $1,191 |
| FVECCWS.29408229R | 29″ | 40″ | 82” | 29″ | $1,191 |



The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

**23” D CONNECTING SIDE**
**23” D EXTENSION**
**46” D**


| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FVECCWS.23465823L | 23″ | 46″ | 58″ | 23″ | $746 |
| FVECCWS.23465823R | 23″ | 46″ | 58″ | 23″ | $746 |
| FVECCWS.23464623L | 23″ | 46″ | 64″ | 23″ | $839 |
| FVECCWS.23464623R | 23″ | 46″ | 64″ | 23″ | $839 |
| FVECCWS.23467023L | 23″ | 46″ | 70″ | 23″ | $858 |
| FVECCWS.23467023R | 23″ | 46″ | 70″ | 23″ | $858 |
| FVECCWS.23467623L | 23″ | 46″ | 76″ | 23″ | $1,045 |
| FVECCWS.23467623R | 23″ | 46″ | 76″ | 23″ | $1,045 |
| FVECCWS.23468223L | 23″ | 46″ | 82” | 23″ | $1,171 |
| FVECCWS.23468223R | 23″ | 46″ | 82” | 23″ | $1,171 |

**29” D CONNECTING SIDE**
**29” D EXTENSION**
**46” D**

| PART # | A | B | C | D | PRICE |
|---|---|---|---|---|---|
| FVECCWS.29465829L | 29″ | 46″ | 58″ | 29″ | $804 |
| FVECCWS.29465829R | 29″ | 46″ | 58″ | 29″ | $804 |
| FVECCWS.29466429L | 29″ | 46″ | 64″ | 29″ | $896 |
| FVECCWS.29466429R | 29″ | 46″ | 64″ | 29″ | $896 |
| FVECCWS.29467029L | 29″ | 46″ | 70″ | 29″ | $916 |
| FVECCWS.29467029R | 29″ | 46″ | 70″ | 29″ | $916 |
| FVECCWS.29467629L | 29″ | 46″ | 76″ | 29″ | $1,102 |
| FVECCWS.29467629R | 29″ | 46″ | 76″ | 29″ | $1,102 |
| FVECCWS.29468229L | 29″ | 46″ | 82” | 29″ | $1,224 |
| FVECCWS.29468229R | 29″ | 46″ | 82” | 29″ | $1,224 |


## Ordering Verity Accessories & Storage

See below for a quick overview of the types of accessories and storage options available.


Return Worksurfaces


Pedestals



Credenzas



Cabinets



Over-worksurface Storage


Fabric Tackboards



Glass Screens


Markerboards


Metal Shelves


Open Shelves


Monitor Arms



Modesty Panels

Accessories are available as either track-mounted, worksurface-mounted, or available in both.


| Accessories | Track-Mounted | Worksurface-Mounted |
|---|---|---|
| Fabric Tackboard | X | X |
| Glass Screen | X | X |
| Markerboard | | X |
| Metal Shelf | X | |
| Open Shelf | X | |
| Monitor Arm | X | |
| Modesty Panel | | X |

## Return Worksurface

Return Worksurfaces attach perpendicular to a worksurface either at the end of a run (A style attachment) or at the worksurface seam (B style attachment).



**A Style Attachment**
at the end of a run




**B Style Attachment**
at the worksurface seam





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Return Worksurface



**A Style attachment shown**

See page 72 for drawings of how to specify A style or B style return worksurfaces.

DESCRIPTION

Attaches perpendicular to a worksurface, either at the end of a run (Attachment A) or at the worksurface seam (Attachment B).

Includes an open leg on one side, worksurface attachment bracket on the other, and worksurface without power/data grommet.

NOTES

- Specify -A or -B style attachment.
- Cannot use A style attachment for:
  - 24”D Return Worksurface on a 48”W or 96”W Element.
  - 30”D Return Worksurface on a 54”, 60”, 66” or 72”W Element.
- Can be used with Start/End Elements or Extension Elements.

SPECIFICATION OPTIONS

**product #**: see charts below
**worksurface finish**: see page 8
**edge finish**: see page 8
**finish**: see page 8

ORDER EXAMPLE

**product #**: FVRL.1836-A/B
**worksurface finish**: M1 Light Maple
**edge finish**: E1 Light Maple
**finish**: CW Cloud White

## 18” DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVRL.1836-A/B | — | 36” | 18” | | $655 |
| FVRL.1842-A/B | — | 42” | 18” | | $680 |
| FVRL.1848-A/B | — | 48” | 18” | | $705 |
| FVRL.1854-A/B | — | 54” | 18” | | $761 |
| FVRL.1860-A/B | — | 60” | 18” | | $846 |

NOTES

Specify -A style for end of run attachment or -B style for worksurface seam attachment.

## 24” DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVRL.2436-A/B | — | 36” | 24” | | $709 |
| FVRL.2442-A/B | — | 42” | 24” | | $741 |
| FVRL.2448-A/B | — | 48” | 24” | | $807 |
| FVRL.2454-A/B | — | 54” | 24” | | $895 |
| FVRL.2460-A/B | — | 60” | 24” | | $927 |

NOTES

Specify -A style for end of run attachment or -B style for worksurface seam attachment.

Cannot use A style attachment for:
- 24”D Return Worksurface on a 48”W or 96”W Element.

## 30” DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVRL.3036-A/B | — | 36” | 30” | | $803 |
| FVRL.3042-A/B | — | 42” | 30” | | $819 |
| FVRL.3048-A/B | — | 48” | 30” | | $881 |
| FVRL.3054-A/B | — | 54” | 30” | | $1,043 |
| FVRL.3060-A/B | — | 60” | 30” | | $1,083 |

NOTES

Specify -A style for end of run attachment or -B style for worksurface seam attachment.

Cannot use A style attachment for:
- 30”D Return Worksurface on a 54”, 60”, 66” or 72”W Element.

## 36” DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVRL.3636-A/B | — | 36” | 36” | | $849 |
| FVRL.3642-A/B | — | 42” | 36” | | $896 |
| FVRL.3648-A/B | — | 48” | 36” | | $942 |
| FVRL.3654-A/B | — | 54” | 36” | | $1,111 |
| FVRL.3660-A/B | — | 60” | 36” | | $1,158 |

NOTES

B style attachment only.

# Mobile Pedestals Laminate



DESCRIPTION

Mobile pedestals. Please view individual product details below.

NOTES





- Cannot be used to support the worksurface
- Specify front, worksurface, casing, & pull when ordering.
- Includes pencil tray in top drawer

SPECIFICATION OPTIONS


**product #**: see charts below
**front finish**: see page 8
**worksurface finish**: see page 8
**casing finish**: Seepage 8

ORDER EXAMPLES

**product #**: FVPBFMOB.20-LAM
**front finish**: M1 Light Maple
**worksurface finish**: M1 Light Maple
**casing finish**: M29 Raven
**pull**: Wedge, brushed aluminum

| PEDESTAL PULL OPTIONS | DEFAULT PULL | PREMIUM PULLS | | |
|---|---|---|---|---|
| |  Ledge Pull |  Wedge Pull • Brushed Aluminum • Black Umber |  Designer Pull • Cloud White/Red • Cloud White/Green • Cloud White/Grey |  Slant Pull • Brushed Aluminum • Black Umber |

## LAMINATE MOBILE BOX/FILE PEDESTAL



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVBFMOB.20-LAM | 24.5” | 15.5” | 20” | — | $894 | • Locking mobile laminate pedestal with (2) drawers, pencil tray and pulls.<br>• Specify front, worksurface, casing & pull when ordering.<br>• Includes pencil tray in top drawer |

## LAMINATE MOBILE PENCIL/BOX/FILE PEDESTAL



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVPBFMOB.20-LAM | 24.5” | 15.5” | 20” | — | $1,077 | • Locking mobile laminate pedestal with (3) drawers, pencil tray and pulls.<br>• Specify front, worksurface, casing & pull when ordering.<br>• Includes pencil tray in top drawer |






The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


## Mobile Pedestals continued

### BOX/FILE MOBILE LAMINATE PEDESTAL CUSHION



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVPED.CUSH | 1.75” | 15.35” | 19.68” | — | $316 | **For laminate mobile box/file pedestal only.**<br>**Note:** If cushion is placed on a full height mobile pedestal, it will not fit under a worksurface.<br>**Passage and Terrain** fabrics cannot be used on pedestal cushions (see page 6)<br>COM is an option. (see page 6) |

# Mobile Pedestals Metal



DESCRIPTION

Mobile pedestals. Please view individual product details below.

SPECIFICATION OPTIONS

**product #**: see charts below
**finish**: see page 8
**fabric cushion (optional)**: see page 6
**pull**: See page 9

NOTES


- Cannot be used to support the worksurface
- Specify pull when ordering (page 9)
- Includes pencil tray in top drawer

ORDER EXAMPLES

**product #**: FPEDSQP.BF-MOB-MET
**finish**: CW Cloud White
**fabric cushion (optional)**: PF401-1 Silky-Natural
**pull**: Wedge $50 (see upcharge below)


**PEDESTAL PULL OPTIONS**

**DEFAULT PULL**




Bar Pull


**PREMIUM PULLS (REQUIRE UPCHARGE ON METAL STORAGE)**



Wedge Pull
- Brushed Aluminum
- Black Umber




Designer Pull
- Cloud White/Red
- Cloud White/Green
- Cloud White/Grey



Slant Pull
- Brushed Aluminum
- Black Umber

## METAL MOBILE BOX/FILE PEDESTAL



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FPEDSQP.BF-MOB-MET | 22” | 15” | 20” | 85 | $757 |
| WEDGE, DESIGNER OR SLANT PULL | | | | | + $50 |

NOTES


- Locking mobile metal pedestal with square front, pencil tray and pulls.
- Specify paint finish
- Specify pull when ordering
- Includes pencil tray in top drawer






The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## BOX/FILE MOBILE METAL PEDESTAL CUSHION




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FPEDSQ.CUSH | 1.75" | 15" | 20" | — | $345 | **For metal mobile box/file pedestal only.**<br>**Passage and Terrain** fabrics cannot be used on pedestal cushions. (See page 6) |

## SIDE-TO-SIDE FILE BARS



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FSSB | — | — | — | 1 | $18 | Side-to-side File Bars for filing letter or legal size folders.<br>Order one per file drawer<br>Finish: Black<br>Metal only |

# Credenzas



DESCRIPTION

Laminate storage credenzas with open shelves and sliding doors with pull.

NOTES

- Specify: Top, Front, Case, Pull & Foot.
- Premium pulls have color options: specify color when ordering. (See page 9)
- Specify L for left or R for right indicating door pull location.

SPECIFICATION OPTIONS


**product #**: see charts below
**front finish**: see page 6
**top finish**: see page 6
**casing finish**: seepage 6
**pull**: See page 9
**foot finish:** BU, CW, SV

ORDER EXAMPLE

**product #**: FVBSC.1860
**front finish**: M1 Light Maple
**top finish**: M1 Light Maple
**casing finish**: M29 Raven
**pull**: Wedge, brushed aluminum
**foot finish:** CW


## CREDENZA PULL OPTIONS

**DEFAULT PULL**




Ledge Pull


**PREMIUM PULLS**



Wedge Pull
- Brushed Aluminum
- Black Umber




Designer Pull
- Cloud White/Red
- Cloud White/Green
- Cloud White/Grey



Slant Pull
- Brushed Aluminum
- Black Umber

## CREDENZA



(Left Handed Shown)

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVBSC.1848L | 21.25” | 48” | 17.75” | — | $1,121 | Specify L for left or R for right indicating door pull location<br>May also be specified as worksurface-supporting credenza. See Supporting Storage section for details.<br>Specify: Top, Front, Case, Pull & Foot Finish |
| FVBSC.1848R | 21.25” | 48” | 17.75” | — | $1,121 | |
| FVBSC.1860L | 21.25” | 60” | 17.75” | — | $1,268 | |
| FVBSC.1860R | 21.25” | 60” | 17.75” | — | $1,268 | |
| FVBSC.1872L | 21.25” | 72” | 17.75” | — | $1,463 | |
| FVBSC.1872R | 21.25” | 72” | 17.75” | — | $1,463 | |






The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## Credenzas continued

### MOBILE CREDENZA, 36” WIDE



(Left Handed Shown)

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVBCMOB.1836L | 21.75” | 36” | 17.75” | — | $804 |
| FVBCMOB.1836R | 21.75” | 36” | 17.75” | — | $804 |


NOTES

Mobile storage credenza with sliding door and pull

Specify: Top, Front, Case, & Pull

Specify L for left or R for right indicating door pull location.

### CREDENZA CUSHION



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FCREDSQ.CUSH30 | 1.75” | 30” | 18” | — | $356 |
| FCREDSQ.CUSH36 | 1.75” | 36” | 18” | — | $363 |
| FCREDSQ.CUSH42 | 1.75” | 42” | 18” | — | $409 |
| FCREDSQ.CUSH48 | 1.75” | 48” | 18” | — | $455 |
| FCREDSQ.CUSH60 | 1.75” | 60” | 18” | — | $546 |
| FCREDSQ.CUSH72 | 1.75” | 72” | 18” | — | $698 |

NOTES

Specify standard fabric.


**Passage and Terrain fabrics cannot be used on credenza cushions.** (See page 6)

May use shorter cushion on supporting credenza.

Example:

- Credenza 60” W, with 30” W cushion so credenza can support element. (See page 78)

# Cabinets



DESCRIPTION

Locking laminate storage cabinet with open shelf and doors with pulls.

SPECIFICATION OPTIONS

**product #**: see charts below
**front finish**: see page 6
**top finish**: seepage 6
**casing finish**: see page 6
**door finish**: See page 6
**pull**: See page 9

NOTES


- Specify: Top, Door, Case, Pull
- Premium pulls have color options: specify color when ordering. (See page 9)

ORDER EXAMPLE

**product #**: FVST.1824
**front finish**: M1 Light Maple
**top finish**: M1 Light Maple
**casing finish**: M29 Raven
**door finish**: M29 Raven
**pull**: Wedge, brushed aluminum


**CABINET PULL OPTIONS**

**DEFAULT PULL**




Ledge Pull


**PREMIUM PULLS**



Wedge Pull
- Brushed Aluminum
- Black Umber




Designer Pull
- Cloud White/Red
- Cloud White/Green
- Cloud White/Grey



Slant Pull
- Brushed Aluminum
- Black Umber

## FREESTANDING STORAGE CABINET



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVST.1824 | 45” | 24” | 17.75” | — | $1,017 |
| FVST.1830 | 45” | 30” | 17.75” | — | $1,145 |
| FVST.1836 | 45” | 36” | 17.75” | — | $1,331 |

NOTES

Fixed open shelf above

Adjustable shelf behind, locking swing doors

Does not support worksurfaces


Specify: Top, Door, Case & Pull





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Over-Worksurface Storage, Single-Sided



DESCRIPTION

Single-sided laminate storage that is mounted above the worksurface, perpendicular to the spine. Available with open shelf or sliding door.

NOTES





- Specify support (post leg or cabinet) separately
- Specify front finish and left/right pull location for storage door (if applicable)
- Specify pull when ordering
- Premium pulls have color options: specify color when ordering. (See page 9)

SPECIFICATION OPTIONS


**product #**: see charts below
**front finish**: see page 8
**top finish**: see page 8
**casing finish**: see page 8
**left or right (if applicable)**: L for Left, R for Right
**pull**: See page 9

ORDER EXAMPLE

**product #**: FVOSDSN.1524
**front finish**: M1 Light Maple
**top finish**: M1 Light Maple
**casing finish**: M1 Light Maple
**left or right (if applicable)**: L for Left
**pull**: Wedge, brushed aluminum

| | DEFAULT PULL | PREMIUM PULLS | | |
|---|---|---|---|---|
| **STORAGE PULL OPTIONS** |  Ledge Pull |  Wedge Pull<br>• Brushed Aluminum<br>• Black Umber |  Designer Pull<br>• Cloud White/Red<br>• Cloud White/Green<br>• Cloud White/Grey |  Slant Pull<br>• Brushed Aluminum<br>• Black Umber |

## WITH SLIDING DOOR 15” HIGH



right hand shown

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVOSDSN.1524L | 15” | 24” | 13.75” | — | $563 |
| FVOSDSN.1524R | 15” | 24” | 13.75” | — | $563 |
| FVOSDSN.1530L | 15” | 30” | 13.75” | — | $622 |
| FVOSDSN.1530R | 15” | 30” | 13.75” | — | $622 |
| FVOSDSN.1548L | 15” | 48” | 13.75” | — | $814 |
| FVOSDSN.1548R | 15” | 48” | 13.75” | — | $814 |
| FVOSDSN.1560L | 15” | 60” | 13.75” | — | $1,051 |
| FVOSDSN.1560R | 15” | 60” | 13.75” | — | $1,051 |
| FVOSDSN.1572L | 15” | 72” | 13.75” | — | $1,141 |
| FVOSDSN.1572R | 15” | 72” | 13.75” | — | $1,141 |

NOTES

Laminate storage with sliding door and solid back


Specify L for left or R for right indicating door pull location.

Specify front finish for sliding door

Specify pull when ordering

# Over-Worksurface Storage, Single-Sided continued

## WITH OPEN SHELF 15” HIGH



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVOSOSN.1524 | 15” | 24” | 13.75” | — | $306 |
| FVOSOSN.1530 | 15” | 30” | 13.75” | — | $399 |
| FVOSOSN.1548 | 15” | 48” | 13.75” | — | $556 |
| FVOSOSN.1560 | 15” | 60” | 13.75” | — | $651 |
| FVOSOSN.1572 | 15” | 72” | 13.75” | — | $736 |


NOTES

Laminate storage with open shelf, and solid back

24”W and 30”W do not have a center divider.

48”W or wider have a center divider.

## WITH OPEN SHELF 8” HIGH



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVOSOS.0824 | 8” | 24” | 13.75” | — | $204 |
| FVOSOS.0830 | 8” | 30” | 13.75” | — | $238 |
| FVOSOS.0848 | 8” | 48” | 13.75” | — | $373 |
| FVOSOS.0860 | 8” | 60” | 13.75” | — | $439 |
| FVOSOS .0872 | 8” | 72” | 13.75” | — | $498 |

NOTES

Laminate storage with open shelf, open back and center divider.

24”W and 30”W do not have a center divider.


48”W or wider have a center divider.





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Over-Worksurface Storage, Double-Sided



DESCRIPTION

Double-sided (shared) storage that is mounted above the worksurface, perpendicular to the spine. Available with open shelf, or sliding door and markerboard.

SPECIFICATION OPTIONS

**product #**: see charts below
**front finish**: see page 8
**top finish**: see page 8
**casing finish**: see page 8
**left or right (if applicable)**: L for Left, R for Right
**pull**: See page 9

NOTES


- Specify support (post leg or cabinet) separately
- Specify front finish and left/right pull location for storage door (if applicable)
- Specify pull when ordering
- Premium pulls have color options: specify color when ordering. (See page 9)

ORDER EXAMPLE

**product #**: FVOSDSH.1524
**front finish**: M1 Light Maple
**top finish**: M1 Light Maple
**casing finish**: M1 Light Maple
**left or right (if applicable)**: L for Left
**pull**: Wedge, brushed aluminum


## STORAGE PULL OPTIONS

**DEFAULT PULL**




Ledge Pull


**PREMIUM PULLS**



Wedge Pull
- Brushed Aluminum
- Black Umber




Designer Pull
- Cloud White/Red
- Cloud White/Green
- Cloud White/Grey



Slant Pull
- Brushed Aluminum
- Black Umber

## WITH SLIDING DOOR 15” HIGH



left hand shown

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVOSDSH.1524L | 15” | 24” | 13.75” | — | $901 |
| FVOSDSH.1524R | 15” | 24” | 13.75” | — | $901 |
| FVOSDSH.1530L | 15” | 30” | 13.75” | — | $1,003 |
| FVOSDSH.1530R | 15” | 30” | 13.75” | — | $1,003 |
| FVOSDSH.1548L | 15” | 48” | 13.75” | — | $1,340 |
| FVOSDSH.1548R | 15” | 48” | 13.75” | — | $1,340 |
| FVOSDSH.1560L | 15” | 60” | 13.75” | — | $1,541 |
| FVOSDSH.1560R | 15” | 60” | 13.75” | — | $1,541 |
| FVOSDSH.1572L | 15” | 72” | 13.75” | — | $1,697 |
| FVOSDSH.1572R | 15” | 72” | 13.75” | — | $1,697 |

NOTES

Laminate storage with sliding door and markerboard on each side

Specify L for left or R for right indicating door pull location.


Specify front finish for sliding door.

Specify pull when ordering

Premium pulls have color options: specify color when ordering. (See page 9)

# Over-Worksurface Storage, Double-Sided continued

## WITH OPEN SHELF 15” HIGH



left hand shown


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVOSOSH.1524L | 15” | 24” | 13.75” | — | $276 |
| FVOSOSH.1524R | 15” | 24” | 13.75” | — | $276 |
| FVOSOSH.1530L | 15” | 30” | 13.75” | — | $276 |
| FVOSOSH.1530R | 15” | 30” | 13.75” | — | $276 |
| FVOSOSH.1548L | 15” | 48” | 13.75” | — | $458 |
| FVOSOSH.1548R | 15” | 48” | 13.75” | — | $458 |
| FVOSOSH.1560L | 15” | 60” | 13.75” | — | $496 |
| FVOSOSH.1560R | 15” | 60” | 13.75” | — | $496 |
| FVOSOSH.1572L | 15” | 72” | 13.75” | — | $554 |
| FVOSOSH.1572R | 15” | 72” | 13.75” | — | $554 |

NOTES

Laminate storage with open shelf and markerboard on each side.

Specify L for left or R for right indicating open shelf location.

## WITH OPEN SHELF 8” HIGH



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVOSOS.0824 | 8” | 24” | 13.75” | — | $204 |
| FVOSOS.0830 | 8” | 30” | 13.75” | — | $238 |
| FVOSOS.0848 | 8” | 48” | 13.75” | — | $373 |
| FVOSOS.0860 | 8” | 60” | 13.75” | — | $439 |
| FVOSOS.0872 | 8” | 72” | 13.75” | — | $498 |

NOTES

Laminate storage with open shelf, open back and center divider.

24”W and 30”W do not have a center divider.


48”W or wider have a center divider.





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# **Pulls** Lateral



DESCRIPTION

3 different pull options to choose from

NOTES

- Pulls have color options: specify color when ordering. (See chart below)


SPECIFICATION OPTIONS

**product #**: see charts below
**pull**: see charts below

ORDER EXAMPLE


**product #**: WEDGE-PULL-244
**pull**: Wedge, brushed aluminum

## WEDGE PULL FOR LATERAL




| PART # | WT. (LBS) | LIST | NOTES |
|---|---|---|---|
| WEDGE-PULL-244 | — | $25 | Wedge Pull for Lateral |
| WEDGE-PULL-244-BU | — | $25 | |

## DESIGNER PULL FOR LATERAL




| PART # | WT. (LBS) | LIST | NOTES |
|---|---|---|---|
| DESIGNER-PULL-250-RED | — | $25 | Designer Pull is CW (Cloud White) with non-slip color trim on underside. Trim available in 3 colors: Red, Green, and Grey |
| DESIGNER-PULL-250-GREEN | — | $25 | |
| DESIGNER-PULL-250-GREY | — | $25 | |

## SLANT PULL FOR LATERAL



| PART # | WT. (LBS) | LIST | NOTES |
|---|---|---|---|
| SLANT-PULL-199 | — | $25 | Slant Pull for Lateral |
| SLANT-PULL-199-BU | — | $25 | |

# **Pulls** Pedestal



DESCRIPTION

3 different pull options to choose from

NOTES

- Pulls have color options: specify color when ordering. (See chart below)


SPECIFICATION OPTIONS

**product #**: see charts below
**pull**: see charts below

ORDER EXAMPLE


**product #**: DESIGNER-PULL-250-RED
**pull**: Designer Pull, RED

## WEDGE PULL FOR PEDESTAL




| PART # | WT. (LBS) | LIST | NOTES |
|---|---|---|---|
| WEDGE-PULL-167 | — | $25 | Wedge Pull for Pedestal |
| WEDGE-PULL-167-BU | — | $25 | |

## DESIGNER PULL FOR PEDESTAL



| PART # | WT. (LBS) | LIST | NOTES |
|---|---|---|---|
| DESIGNER-PULL-250-RED | — | $25 | Designer Pull is CW (Cloud White) with non-slip color trim on underside. Trim available in 3 colors: Red, Green, and Grey |
| DESIGNER-PULL-250-GREEN | — | $25 | |
| DESIGNER-PULL-250-GREY | — | $25 | |

## SLANT PULL FOR PEDESTAL



| PART # | WT. (LBS) | LIST | NOTES |
|---|---|---|---|
| SLANT-PULL-167 | — | $25 | Slant Pull for Pedestal |
| SLANT-PULL-167-BU | — | $25 | |





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Support for Over-Worksurface Storage

DESCRIPTION

Supporting post leg or cabinet for over-worksurface mounted cabinets.

SPECIFICATION OPTIONS

**product #**: see charts below
**top, casing and front finish**: see worksurface laminates on page 8

NOTES


- Specify top, casing and front finish for support cabinet.

ORDER EXAMPLE

**product #**: FVSL.3
**finish**: CW Cloud White

**product #**: FVSC.1416
**front finish (if applicable)**: M1 Light Maple

## SUPPORT COLUMN LEG WITH DISC BASE



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSL.3 | 29.5” | 3”/14” | — | — | $453 |


NOTES

Supporting column leg with disc base for over-worksurface mounted cabinets.

3”W column, 14”W disc base.

Supporting leg avaialble in paint finish (page 8)

## SUPPORT CABINET



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSC.1416 | 29.5” | 15.5” | 13.75” | — | $805 |


NOTES

Supporting cabinet for over-worksurface mounted cabinets.

Specify top,casing and front finish

Opposide side is closed at top and open at bottom.

## SUPPORT CABINET, SINGLE SIDED



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSCS.1416 | 29.5” | 15.5” | 13.75” | — | $805 |

NOTES

Does not support worksurfaces

Specify: Top, Door, Case

# **Track-Mounted Accessories,** Fabric Tackboard

DESCRIPTION

Accessories mounted to the center track. Please view individual product details below.

SPECIFICATION OPTIONS

**product #**: see charts below
**fabric (if applicable)**: see page 6
**(Passage and Terrain fabric not approved for this application)**
**finish (if applicable)**: see page 8
**front finish (if applicable)**: see page 8

NOTES

- Support brackets are available in Cloud White, Silver and Black Umber.
- A shelf cannot be installed in the same position as the track mounted tackboard.


**Passage and Terrain fabric not approved for this application**

ORDER EXAMPLE

**product #**: FVTKBDT.1536
**fabric (if applicable)**: PF401-1 Silky-Natural

**product #**: FVDSS
**finish (if applicable)**: CW Cloud White
**product #**: FVOSS.16
**finish (if applicable)**: CW Cloud White
**front finish (if applicable)**: CW Cloud White

## FABRIC TACKBOARD 15" (track-mounted)




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVTKBDT.1536 | 15" | 34" | 1.25" | — | $339 |
| FVTKBDT.1542 | 15" | 40" | 1.25" | — | $381 |
| FVTKBDT.1548 | 15" | 46" | 1.25" | — | $410 |
| FVTKBDT.1554 | 15" | 52" | 1.25" | — | $483 |
| FVTKBDT.1560 | 15" | 58" | 1.25" | — | $522 |
| FVTKBDT.1566 | 15" | 64" | 1.25" | — | $563 |
| FVTKBDT.1572 | 15" | 70" | 1.25" | — | $587 |

NOTES

Specify fabric on pg 6.

## FABRIC TACKBOARD 18" (track-mounted)



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVTKBDT.1836 | 18" | 34" | 1.25" | — | $373 |
| FVTKBDT.1842 | 18" | 40" | 1.25" | — | $418 |
| FVTKBDT.1848 | 18" | 46" | 1.25" | — | $452 |
| FVTKBDT.1854 | 18" | 52" | 1.25" | — | $532 |
| FVTKBDT.1860 | 18" | 58" | 1.25" | — | $575 |
| FVTKBDT.1866 | 18" | 64" | 1.25" | — | $630 |
| FVTKBDT.1872 | 18" | 70" | 1.25" | — | $646 |


NOTES

Specify fabric on pg 6.

Support brackets are available in Cloud White, Silver and Black Umber.

Product is available for orders Feb. 1, 2017

## FABRIC TACKBOARD 20" (track-mounted)



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVTKBDT.2036 | 20" | 34" | 1.25" | — | $389 |
| FVTKBDT.2042 | 20" | 40" | 1.25" | — | $438 |
| FVTKBDT.2048 | 20" | 46" | 1.25" | — | $473 |
| FVTKBDT.2054 | 20" | 52" | 1.25" | — | $555 |
| FVTKBDT.2060 | 20" | 58" | 1.25" | — | $601 |
| FVTKBDT.2066 | 20" | 64" | 1.25" | — | $647 |
| FVTKBDT.2072 | 20" | 70" | 1.25" | — | $676 |

NOTES

Specify fabric on pg 6.

Support brackets are available in Cloud White, Silver and Black Umber.

Product is available for orders Feb. 1, 2017






The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# **Track-Mounted Accessories,** Glass Screen

## CLEAR GLASS SCREEN (track-mounted)



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVGSTCL.1524 | 15" | 23.25" | 1.25" | — | $194 |
| FVGSTCL.1530 | 15" | 29.25" | 1.25" | — | $222 |
| FVGSTCL.1536 | 15" | 35.25" | 1.25" | — | $249 |
| FVGSTCL.1542 | 15" | 41.25" | 1.25" | — | $275 |
| FVGSTCL.1548 | 15" | 47.25" | 1.25" | — | $304 |
| FVGSTCL.1554 | 15" | 53.25" | 1.25" | — | $358 |
| FVGSTCL.1560 | 15" | 59.25" | 1.25" | — | $358 |
| FVGSTCL.1566 | 15" | 65.25" | 1.25" | — | $405 |
| FVGSTCL.1572 | 15" | 71.25" | 1.25" | — | $405 |

NOTES


Glass is clear.

For 78" tops, order 1 piece of 42" glass and 1 piece of 36" glass.

For 84" tops, order 2 pieces of 42" glass.

For 96" tops, order 2 pieces of 48" glass.

## FROSTED GLASS SCREEN (track-mounted)



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVGSTFR.1524 | 15" | 23.25" | 1.25" | — | $294 |
| FVGSTFR.1530 | 15" | 29.25" | 1.25" | — | $348 |
| FVGSTFR.1536 | 15" | 35.25" | 1.25" | — | $400 |
| FVGSTFR.1542 | 15" | 41.25" | 1.25" | — | $454 |
| FVGSTFR.1548 | 15" | 47.25" | 1.25" | — | $508 |
| FVGSTFR.1554 | 15" | 53.25" | 1.25" | — | $645 |
| FVGSTFR.1560 | 15" | 59.25" | 1.25" | — | $645 |
| FVGSTFR.1566 | 15" | 65.25" | 1.25" | — | $751 |
| FVGSTFR.1572 | 15" | 71.25" | 1.25" | — | $751 |

NOTES


Glass is frosted.

For 78" tops, order 1 piece of 42" glass and 1 piece of 36" glass.

For 84" tops, order 2 pieces of 42" glass.

For 96" tops, order 2 pieces of 48" glass.

## METAL SHELF (track-mounted)




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVSS | 5" | 20" | 6.75" | — | $138 |

NOTES

Specify finish.

## OPEN SHELF (track-mounted)





| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVOSS.16 | — | 15.75" | — | — | $244 |
| FVOSS.22 | — | 21.5" | — | — | $284 |

NOTES

Specify finish (painted metal) and front finish (laminate shelf base).

# Privacy Screen, Fabric



DESCRIPTION

Work Surface mounted fabric covered privacy screen

NOTES

Fabric screen is non-tackable

Actual screen is shorter than the worktop.

Example: FPSFLUSH.2448 for use on 46"/48" width table, actual width of screen is 40"

Fabric covered privacy screens have Black Reveal.

**Passage and Terrain fabric not approved for this application**.

SPECIFICATION OPTIONS

**product #**: see charts below
**Paint (Brackets)**: CW, BU, SV
**fabric**: see page 6 **(Passage and Terrain fabric not approved for this application)**

ORDER EXAMPLE

**product #**: FPSFLUSH.2442
**brackets**: SV, Silver
**fabric**: PF-101-1, Terrian, Caramel

## Fabric Privacy Screen - Flush

| PART # | HEIGHT | WIDTH | LIST |
|---|---|---|---|
| FPSFLUSH.2442 | 24" | 34" | $505 |
| FPSFLUSH.2448 | 24" | 40" | $547 |
| FPSFLUSH.2454 | 24" | 46" | $589 |
| FPSFLUSH.2460 | 24" | 52" | $633 |
| FPSFLUSH.2466 | 24" | 58" | $676 |
| FPSFLUSH.2472 | 24" | 64" | $719 |

NOTES

- Privacy screen sits flush with the back of the worktop.
- Fabric covered privacy screens have Black Reveal.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. Actual width of FPSFLUSH.2460 is 52"

## Fabric Privacy Screen - with Wire Management Gap

| PART # | HEIGHT | WIDTH | LIST |
|---|---|---|---|
| FPSGAP.2442 | 24" | 34" | $505 |
| FPSGAP.2448 | 24" | 40" | $547 |
| FPSGAP.2454 | 24" | 46" | $589 |
| FPSGAP.2460 | 24" | 52" | $633 |
| FPSGAP.2466 | 24" | 58" | $676 |
| FPSGAP.2472 | 24" | 64" | $719 |

NOTES

- Fabric covered privacy screens have Black Reveal.
- With 1" gap at back of worksurface for cord/wire management.

Example:

1. Actual width of FPSGAP.2460 is 52"

## Fabric Privacy Screen - Flush End-Of-Run with Triangle Leg

| PART # | HEIGHT | WIDTH | LIST |
|---|---|---|---|
| FVPS.3948 | 39" | 48" | $722 |
| FVPS.3960 | 39" | 60" | $818 |

NOTES

Fabric covered privacy screens have Black Reveal.

Privacy screen sits flush with the back of the worktop.

- Actual width of FVPS.3948 is 43"
- Actual width of FVPS.3960 is 55"
- Use with Triangle Legs only

## Fabric Privacy Screen - Flush End-Of-Run with Inset Legs or Taper Legs

| PART # | HEIGHT | WIDTH | LIST |
|---|---|---|---|
| FVPS.3942 | 39" | 36" | $738 |
| FVPS.3954 | 39" | 48" | $839 |

NOTES

Fabric covered privacy screens have Black Reveal.

Privacy screen sits flush with the back of the worktop.


- Actual width of FVPS.3942 is 36.5"
- Actual width of FVPS.3954 is 48.75"
- Use with Inset or Taper Legs only





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Privacy Screen, Marker Board



DESCRIPTION

Work Surface mounted marker board privacy screen

NOTES

To use a wire manager on your My-Hite table with a marker board privacy screen, you must order “with gap”.

Marker board screen is writable on both sides

Actual screen is shorter than the worktop.

Example: FMPSFLUSH.2448 for use on 46”/48” width table, actual width of screen is 40”

SPECIFICATION OPTIONS

**product #**: see charts below
**Paint (Brackets)**: CW, BU, SV

ORDER EXAMPLE

**product #**: FMPSFLUSH.2442
**brackets**: SV, Silver

## Marker Board Privacy Screen - Flush

| PART # | HEIGHT | WIDTH | LIST |
|---|---|---|---|
| FMPSFLUSH.2442 | 24” | 34” | $654 |
| FMPSFLUSH.2448 | 24” | 40” | $748 |
| FMPSFLUSH.2454 | 24” | 46” | $843 |
| FMPSFLUSH.2460 | 24” | 52” | $939 |
| FMPSFLUSH.2466 | 24” | 58” | $1,034 |
| FMPSFLUSH.2472 | 24” | 64” | $1,129 |

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8” shorter than free standing top width and 6” shorter than a worksurface from a paneled system.

Example:

1. Actual width of FMPSFLUSH.2460 is 52”

## Marker Board Privacy Screen - with Wire Management Gap

| PART # | HEIGHT | WIDTH | LIST |
|---|---|---|---|
| FMPSGAP.2442 | 24” | 34” | $654 |
| FMPSGAP.2448 | 24” | 40” | $748 |
| FMPSGAP.2454 | 24” | 46” | $843 |
| FMPSGAP.2460 | 24” | 52” | $939 |
| FMPSGAP.2466 | 24” | 58” | $1,034 |
| FMPSGAP.2472 | 24” | 64” | $1,129 |


NOTES

- With 1” gap at back of worksurface for cord/wire management.

Example:

1. Actual width of FMPSGAP.2460 is 52”

# Privacy Screen, Laminate



DESCRIPTION

Work Surface mounted laminate privacy screen

NOTES

To use a wire manager on your My-Hite table with a laminate privacy screen, you must order "with gap".

Actual screen is shorter than the worktop.

SPECIFICATION OPTIONS

**product #**: see charts below
**Paint (Brackets)**: CW, BU, SV
**finish**: see page 8

ORDER EXAMPLE

**product #**: FLPSFLUSH.2442
**brackets**: SV, Silver

## Laminate Privacy Screen - Flush

| PART # | HEIGHT | WIDTH | LIST |
|---|---|---|---|
| FLPSFLUSH.2442 | 24" | 34" | $344 |
| FLPSFLUSH.2448 | 24" | 40" | $383 |
| FLPSFLUSH.2454 | 24" | 46" | $421 |
| FLPSFLUSH.2460 | 24" | 52" | $459 |
| FLPSFLUSH.2466 | 24" | 58" | $498 |
| FLPSFLUSH.2472 | 24" | 64" | $536 |

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. Actual width of FLPSFLUSH.2460 is 52"

## Laminate Privacy Screen - with Wire Management Gap

| PART # | HEIGHT | WIDTH | LIST |
|---|---|---|---|
| FLPSGAP.2442 | 24" | 34" | $344 |
| FLPSGAP.2448 | 24" | 40" | $383 |
| FLPSGAP.2454 | 24" | 46" | $421 |
| FLPSGAP.2460 | 24" | 52" | $459 |
| FLPSGAP.2466 | 24" | 58" | $498 |
| FLPSGAP.2472 | 24" | 64" | $536 |

NOTES

- With 1" gap at back of worksurface for cord/wire management.

Example:


1. Actual width of FPSGAP.2460 is 52"





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

# Modesty Panel, Laminate



DESCRIPTION

Laminate modesty panel with matching 2mm PVC edge

SPECIFICATION OPTIONS

**product #**: see charts below
**Paint (Brackets)** CW, BU, SV
**Laminate (Modesty Panel)** see page 8

ORDER EXAMPLE

**product #**: FLMOD.0836
**paint**: CW, Cloud White
**laminate**: M12, Medium Walnut

## Laminate Modesty Panel

| PART # | HEIGHT | WIDTH | LIST |
|---|---|---|---|
| FLMOD.0836 | 8″ | 36″ | $207 |
| FLMOD.0842 | 8″ | 42″ | $215 |
| FLMOD.0848 | 8″ | 48″ | $221 |
| FLMOD.0854 | 8″ | 54″ | $266 |
| FLMOD.0860 | 8″ | 60″ | $334 |
| FLMOD.0866 | 8″ | 66″ | $340 |
| FLMOD.0872 | 8″ | 72″ | $347 |
| FLMOD.0884 | 8″ | 84″ | $360 |
| FLMOD.0896 | 8″ | 96″ | $374 |
| | | | |
| FLMOD.1636 | 16″ | 36″ | $256 |
| FLMOD.1642 | 16″ | 42″ | $262 |
| FLMOD.1648 | 16″ | 48″ | $268 |
| FLMOD.1654 | 16″ | 54″ | $354 |
| FLMOD.1660 | 16″ | 60″ | $421 |
| FLMOD.1666 | 16″ | 66″ | $427 |
| FLMOD.1672 | 16″ | 72″ | $435 |
| FLMOD.1684 | 16″ | 84″ | $447 |
| FLMOD.1696 | 16″ | 96″ | $461 |

NOTES

- For use with single-sided units only.
- Modesty panel is actual width

# Worksurface-Mounted Accessories, Fabric Tackboard

DESCRIPTION

Accessories mounted to the worksurface.

SPECIFICATION OPTIONS

**product #**: see charts below
**fabric**: See page 6 **(Passage and Terrain fabric not approved for this application).**
**finish:** See page 8


NOTES

- **Passage and Terrain fabric not approved for this application**
- Clamps to worksurface on one side

ORDER EXAMPLE


**product #**: FVTKBDW.1522
**fabric**: PF401-1 Silky-Natural
**finish**: CW Cloud White

## FABRIC TACKBOARD 15” (surface-mounted)




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVTKBDW.1522 | 15” | 22” | 1” | — | $227 |
| FVTKBDW.1528 | 15” | 28” | 1” | — | $281 |

## FABRIC TACKBOARD 18” (surface-mounted)



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVTKBDW.1822 | 18” | 22” | 1” | — | $250 |
| FVTKBDW.1828 | 18” | 28” | 1” | — | $308 |

## FABRIC TACKBOARD 20” (surface-mounted)



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---|---|---|---|---|---|
| FVTKBDW.2022 | 20” | 22” | 1” | — | $261 |
| FVTKBDW.2028 | 20” | 28” | 1” | — | $322 |






The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.


# Worksurface-Mounted Accessories

## CLEAR GLASS SCREEN (surface-mounted)




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVGSWCL.1522 | 15” | 22” | 1” | — | $249 | Mounts along the worksurface. |
| FVGSWCL.1528 | 15” | 28” | 1” | — | $310 | Glass is clear. |
| | | | | | | Includes hardware. |

## FROSTED GLASS SCREEN (surface-mounted)




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVGSWFR.1522 | 15” | 22” | 1” | — | $344 | Mounts along the worksurface. |
| FVGSWFR.1528 | 15” | 28” | 1” | — | $386 | Glass is frosted. |
| | | | | | | Includes hardware. |

## MARKERBOARD SCREEN (surface-mounted)




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVMKRW.1522 | 15” | 22” | 1” | — | $340 | Mounts along the worksurface. |
| FVMKRW.1528 | 15” | 28” | 1” | — | $441 | Markerboard with write and erase surface. |
| | | | | | | Includes hardware. |

## MODESTY PANEL (under surface-mounted)




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FVMOD.1648 | 13.75” | 36” | 1” | — | $220 | For use with single-sided units only. |
| FVMOD.1654 | 13.75” | 42” | 1” | — | $222 | Perforated metal modesty panel mounts under the worksurface. |
| FVMOD.1660 | 13.75” | 48” | 1” | — | $234 | Specify paint finish. |
| FVMOD.1666 | 13.75” | 54” | 1” | — | $248 | For a 96”W worksurface, order two 48” modesty panels. |
| FVMOD.1672 | 13.75” | 60” | 1” | — | $262 | |
| FVMOD.1678 | 13.75” | 66” | 1” | — | $384 | |

## SUPPORTING BRACKETS
### For worksurface mounted fabric/markerboard screen



| PART # | LIST | NOTES |
|---|---|---|
| FV - X | $87 | BU, CW, SV Finishes<br>Supporting brackets for worksurface mounted fabric or Markerboard screen. |

## SUPPORTING BRACKETS
### For worksurface mounted glass screen




| PART # | LIST | NOTES |
|---|---|---|
| FV-XT | $87 | BU, CW, SV Finishes<br>Supporting brackets for worksurface mounted glass screen.<br>For use with customers own material screen. |

## DESK MOUNTED POWER UNIT



| PART # | LIST | NOTES |
|---|---|---|
| FPWR.DM | $395 | • Worksurface mounted power unit<br>• The power cord comes attached to the unit. The cord measures approximately 6 ft in length.<br>• Includes 3 plugs and 2 USB ports<br>• Distributes up to 10 amps<br>• Finish: available in BU and CW |

## MESH WIRE MANAGER



| PART # | LENGTH | LIST | NOTES |
|---|---|---|---|
| FFWM.18 | 18” | $132 | • Wire manager mounts to the bottom of a worksurface to manage cords<br>• Finish: Black with red zipper |
| FFWM.34 | 34” | $132 | |





The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

## SINGLE MONITOR ARM



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FMA-S | — | — | — | — | $598 | BU, CW, SV Finishes<br>Includes attachment hardware for clamp, grommet and Verity track mount. |

## DUAL MONITOR ARM



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | NOTES |
|---|---|---|---|---|---|---|
| FMA-D | — | — | — | — | $854 | BU, CW, SV Finishes<br>Includes attachment hardware for clamp, grommet and Verity track mount.<br>Monitor arms cannot be placed directly over the power grommet. If double monitor arm is needed, we recommend two single arms placed to the right and left of the grommet. |

# Keyed-Alike Information

SPECIFICATION OPTIONS

**product #**: see charts below

ORDER EXAMPLE

**product #**: LAM1-KEY-ALIKE-4

## KEYED-ALIKE LOCKS

| PART # | DESCRIPTION | PRICE |
|---|---|---|
| LAM1-KEY-ALIKE-4 | Lock Core Keyed-Alike (set of 4) - Type 1 Laminate Storage | $146 |
| LAM1-KEY-ALIKE-6 | Lock Core Keyed-Alike (set of 6) - Type 1 Laminate Storage | $220 |
| LAM1-FCK | Lock Core Change Key - Type 1 Laminate Storage | $22 |
| LAM1-FMK | Lock Core Master Key - Type 1 Laminate Storage | $22 |
| LAM1-KEY-CORE | Single Lock Core - Type 1 Laminate Storage | $35 each |

NOTES

- All Friant Pedestals, Lateral Files, and Overhead Cabinets can be keyed-alike.
- Keyed-Alike Lock Cores are sold in sets of 4 or 6.
- Each set of keyed alike cores includes the cores, each core has two keys and all cores are the same lock number.
- Lock core removal/change keys will need to be ordered separately.
- Specific lock numbers are unavailable.
- Verity Key Cores are for use with laminate storage only. Cannot be keyed alike with metal storage.