
COOEE LONG BIN



Collection: **Cooee**

COOEE LONG BIN



ANODISED SILVER - POWDER COAT



BENGAL WHITE - POWDER COAT



DENIM - POWDER COAT



FERN - POWDER COAT



GUNMETAL - POWDER COAT



LT GREY - POWDER COAT



MARIGOLD - POWDER COAT



MATTE BLACK - POWDER COAT



SPICE - POWDER COAT



TANGO - POWDER COAT



TEAL - POWDER COAT



TERRACOTTA - POWDER COAT

COOEE LONG BIN



The 40” Bin runs almost the full width of the wall and 4.5” deep. With a soft, non-slip insert, it holds those taller things, like water bottles.

- **Easy Install**
- **Easy Clean**

Description	The 40” Bin runs almost the full width of the wall and 4.5” deep. With a soft, non-slip insert, it snuggly holds those taller things, like water bottles and thermos mugs, that ruin your day you drop them. Made from steel with a PET insert to add grip, and available in 12 eye-popping powder coat colors, they simply clip into the tool groove on any mobile wall.
Made In	USA
Dimensions	40" (1016mm) w x 4.5" (114mm) h x 4" (102mm) d
Powder Coat	Anodized Silver, Bengal White, Denim, Fern, Gunmetal, LT Grey, Marigold, Matte Black, Spice, Tango, Teal, Terracotta.

COOEE LONG BIN

PET Colours	**24 Colors** – Ash, Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Pewter, Sky, Smoke, Sunshine, Tar. **4 Timber Print**s - Eucalyptus, Iron bark, Merbau, Spotted Gum.
Material	• Steel + PET insert/liner • Powder Coat finish
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Warranty	5-year warranty.
Lead Time	6-8 weeks
Assembly & Delivery	No assembly required
How to Specify	Select Powder Coat Finish
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.