LACASSE QUICKSHIP PROGRAM
> PARADIGM Panel System

READY TO SHIP IN 10 DAYS !

The products and suggested layouts in this price list are part of the **LACASSE quick delivery program**.

PROGRAM CONDITIONS AND LIMITATIONS:

- Maximum of **8 of each selected item and of each color per order.** The total number of **acoustical panels (KPMA) in all colors and sizes must be limited to a maximum of 20 panels per order**.
- No modification or cancellation accepted.
- Products are **ready for shipment 10 business days after reception of a ready-to-process order and delivered on next available trailer**.

IMPORTANT:

Place QuickShip orders separately from regular Lacasse orders.

When preparing QuickShip orders, indicate the code "**QS**" in front of the product code or the suggested layout code, i.e.: **QS**KPMA-4224-NN-P53-PU3-PU6.

AVAILABLE OPTIONS AND FINISHES:

Make sure to complete QuickShip product codes with the options and finish codes that are part of the QuickShip program. See below for the complete list of QuickShip options and finishes relevant to the Paradigm collection :



- **METAL FINISHES**
  TRIM / STORAGE FURNITURE
  P44, P53
- **GLASS FINISH**
  CG
- **UPHOLSTERY FOR PANELS**
  E61, E63, E65, HM2, HM3, HM4, PU3, PU6, PU7
  One or two upholstery combinations
- **LAMINATE FINISHES**
  TOPS / VERTICAL PLANS
  BUC, CCL, CER, ERH, GAN, HZN, NGA, RAS, SAH, SLT, SNO, TOM
  One or two-tone combinations
- **UPHOLSTERY FOR CUSHIONS**
  CBT72, CBT85, CBT89, CBT96, CP01, CP04, CP07, CP09, QA01, QA02, QA06, QA07, TP04, TP06, TP07, TP08

Please refer to the current PARADIGM Panel System General Price Book to see the complete collection and the details of the product offering.

PARADIGM Panel System - QUICKSHIP PROGRAM

PANELS AND PANEL COMPONENTS

MONOLITHIC PANELS AND PRIVACY SCREENS

CODIFICATION

Series	Type of product	Finish	Panel dimension	Electrification	Finishes			
					Trim color	Upholstery		Glass
						Side A	Side B	
QSK	**PM** Monolithic panel **PF** Privacy screen	**A** Fabric **G** Glass		**NN** Non-powered **3P** 3-circuit powered	**P53** Snow **P44** Metallic Silver			**CG** Clear


LAMINATE GALLERY PANELS

CODIFICATION

Series	Type of product	Application	Type	Option	Panel dimension	Glass height	Orientation	Finishes		
								Trim color	Laminate	Glass
QSK	**PL** Laminate gallery panel	**E** End-of-run **M** Intersection	**S** Single **D** Shared	**G** Glass		**NN** None **06** 6 1/8" (157 mm) **12** 12 3/8" (314 mm)	**L** Left **R** Right	**P53** Snow **P44** Metallic Silver		**CG** Clear

MONOLITHIC PANELS

Fabric acoustical panels, non-powered




Panel includes in-line junction connectors, top trim and 2 covers with no cut-outs for the raceway.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
24 x 2 x 42 1/4	610 x 51 x 1072	QS**KPMA-4224-NN-**___	**577**
30 x 2 x 42 1/4	762 x 51 x 1072	QS**KPMA-4230-NN-**___	**641**
36 x 2 x 42 1/4	914 x 51 x 1072	QS**KPMA-4236-NN-**___	**700**
42 x 2 x 42 1/4	1067 x 51 x 1072	QS**KPMA-4242-NN-**___	**771**
48 x 2 x 42 1/4	1219 x 51 x 1072	QS**KPMA-4248-NN-**___	**847**
24 x 2 x 54 5/8	610 x 51 x 1386	QS**KPMA-5424-NN-**___	**653**
30 x 2 x 54 5/8	762 x 51 x 1386	QS**KPMA-5430-NN-**___	**718**
36 x 2 x 54 5/8	914 x 51 x 1386	QS**KPMA-5436-NN-**___	**794**
42 x 2 x 54 5/8	1067 x 51 x 1386	QS**KPMA-5442-NN-**___	**870**
48 x 2 x 54 5/8	1219 x 51 x 1386	QS**KPMA-5448-NN-**___	**953**
24 x 2 x 66 7/8	610 x 51 x 1700	QS**KPMA-6624-NN-**___	**700**
30 x 2 x 66 7/8	762 x 51 x 1700	QS**KPMA-6630-NN-**___	**771**
36 x 2 x 66 7/8	914 x 51 x 1700	QS**KPMA-6636-NN-**___	**847**
42 x 2 x 66 7/8	1067 x 51 x 1700	QS**KPMA-6642-NN-**___	**935**
48 x 2 x 66 7/8	1219 x 51 x 1700	QS**KPMA-6648-NN-**___	**1,029**

At the end of the product code add, in this order: trim color, upholstery for sides A/B.

Fabric acoustical panels, powered




Panel includes in-line junction connectors, top trim, 2 covers with cut-outs and knock-out communication plates for the raceway, the electric system, and the in-line power connector. ***To be ordered separately:*** *duplex receptacles KER3-_ _-_; refore to page 5.*

W x D x H (in)	W x D x H (mm)	Code	Price ($)
24 x 2 x 42 1/4	610 x 51 x 1072	QS**KPMA-4224-3P-**___	**706**
30 x 2 x 42 1/4	762 x 51 x 1072	QS**KPMA-4230-3P-**___	**794**
36 x 2 x 42 1/4	914 x 51 x 1072	QS**KPMA-4236-3P-**___	**876**
42 x 2 x 42 1/4	1067 x 51 x 1072	QS**KPMA-4242-3P-**___	**946**
48 x 2 x 42 1/4	1219 x 51 x 1072	QS**KPMA-4248-3P-**___	**1,029**
24 x 2 x 54 5/8	610 x 51 x 1386	QS**KPMA-5424-3P-**___	**776**
30 x 2 x 54 5/8	762 x 51 x 1386	QS**KPMA-5430-3P-**___	**876**
36 x 2 x 54 5/8	914 x 51 x 1386	QS**KPMA-5436-3P-**___	**964**
42 x 2 x 54 5/8	1067 x 51 x 1386	QS**KPMA-5442-3P-**___	**1,047**
48 x 2 x 54 5/8	1219 x 51 x 1386	QS**KPMA-5448-3P-**___	**1,135**
24 x 2 x 66 7/8	610 x 51 x 1700	QS**KPMA-6624-3P-**___	**829**
30 x 2 x 66 7/8	762 x 51 x 1700	QS**KPMA-6630-3P-**___	**930**
36 x 2 x 66 7/8	914 x 51 x 1700	QS**KPMA-6636-3P-**___	**1,024**
42 x 2 x 66 7/8	1067 x 51 x 1700	QS**KPMA-6642-3P-**___	**1,111**
48 x 2 x 66 7/8	1219 x 51 x 1700	QS**KPMA-6648-3P-**___	**1,205**

3-circuit system (3). At the end of the product code add, in this order: trim color, upholstery for sides A/B.

LAMINATE GALLERY PANELS

Laminate gallery panels, end-of-run, single



L R


Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.

Is installed at the end of a monolithic panel and serves as a return panel. Corner braces included to fasten to the front of a surface. ***Note:*** *An end-of-run trim of variable height KVETS-_ _ is required if the monolithic panel is taller than the end panel; refer to page 5.*

W x D x H (in)	W x D x H (mm)	Code	Price ($)
22 x 1 x 42 1/4	559 x 25 x 1072	QS**KPLES-4222-NN-**_-___	**523**
26 x 1 x 42 1/4	660 x 25 x 1072	QS**KPLES-4226-NN-**_-___	**547**
32 x 1 x 42 1/4	813 x 25 x 1072	QS**KPLES-4232-NN-**_-___	**564**
38 x 1 x 42 1/4	965 x 25 x 1072	QS**KPLES-4238-NN-**_-___	**582**
50 x 1 x 42 1/4	1270 x 25 x 1072	QS**KPLES-4250-NN-**_-___	**606**
62 x 1 x 42 1/4	1575 x 25 x 1072	QS**KPLES-4262-NN-**_-___	**647**
22 x 1 x 48 3/8	559 x 25 x 1229	QS**KPLES-4822-NN-**_-___	**541**
26 x 1 x 48 3/8	660 x 25 x 1229	QS**KPLES-4826-NN-**_-___	**564**
32 x 1 x 48 3/8	813 x 25 x 1229	QS**KPLES-4832-NN-**_-___	**588**
38 x 1 x 48 3/8	965 x 25 x 1229	QS**KPLES-4838-NN-**_-___	**612**
50 x 1 x 48 3/8	1270 x 25 x 1229	QS**KPLES-4850-NN-**_-___	**635**
62 x 1 x 48 3/8	1575 x 25 x 1229	QS**KPLES-4862-NN-**_-___	**676**
22 x 1 x 54 5/8	559 x 25 x 1386	QS**KPLES-5422-NN-**_-___	**559**
26 x 1 x 54 5/8	660 x 25 x 1386	QS**KPLES-5426-NN-**_-___	**582**
32 x 1 x 54 5/8	813 x 25 x 1386	QS**KPLES-5432-NN-**_-___	**606**
38 x 1 x 54 5/8	965 x 25 x 1386	QS**KPLES-5438-NN-**_-___	**635**
50 x 1 x 54 5/8	1270 x 25 x 1386	QS**KPLES-5450-NN-**_-___	**659**
62 x 1 x 54 5/8	1575 x 25 x 1386	QS**KPLES-5462-NN-**_-___	**711**

Specify if a left-side (L) or right-side (R) installation. At the end of the product code add, in this order: trim color, laminate finish.

Laminate gallery panels with 6 1/8" H glass, end-of-run, single



L R

Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.

Is installed at the end of a monolithic panel and serves as a return panel. Panel includes tempered glass screen and corner braces to fasten to the front of a surface. ***Note:*** *An end-of-run trim of variable height KVETS-_ _ is required if the monolithic panel is taller than the end panel; refer to page 5.*

42 1/4" (1072 mm) H panel with 6 1/8" (157 mm) H glass.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
22 x 1 x 48 3/8	559 x 25 x 1229	QS**KPLESG-4222-06-**_-___	**794**
26 x 1 x 48 3/8	660 x 25 x 1229	QS**KPLESG-4226-06-**_-___	**812**
32 x 1 x 48 3/8	813 x 25 x 1229	QS**KPLESG-4232-06-**_-___	**836**
38 x 1 x 48 3/8	965 x 25 x 1229	QS**KPLESG-4238-06-**_-___	**865**
50 x 1 x 48 3/8	1270 x 25 x 1229	QS**KPLESG-4250-06-**_-___	**906**
62 x 1 x 48 3/8	1575 x 25 x 1229	QS**KPLESG-4262-06-**_-___	**970**


48 3/8" (1229 mm) H panel with 6 1/8" (157 mm) H glass.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
22 x 1 x 54 5/8	559 x 25 x 1386	QS**KPLESG-4822-06-**_-___	**812**
26 x 1 x 54 5/8	660 x 25 x 1386	QS**KPLESG-4826-06-**_-___	**836**
32 x 1 x 54 5/8	813 x 25 x 1386	QS**KPLESG-4832-06-**_-___	**859**
38 x 1 x 54 5/8	965 x 25 x 1386	QS**KPLESG-4838-06-**_-___	**894**
50 x 1 x 54 5/8	1270 x 25 x 1386	QS**KPLESG-4850-06-**_-___	**941**
62 x 1 x 54 5/8	1575 x 25 x 1386	QS**KPLESG-4862-06-**_-___	**1,011**

Specify if a left-side (L) or right-side (R) installation. At the end of the product code add, in this order: trim color, laminate finish, clear tempered glass finish (CG).

= ASSEMBLY REQUIRED

Laminate gallery panels with 12³⁄₈" H glass, end-of-run, single



L R


Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.

Is installed at the end of a monolithic panel and serves as a return panel. Panel includes tempered glass screen and corner braces to fasten the front of a surface. ***Note:*** *An end-of-run trim of variable height KVETS-_ _ is required if the monolithic panel is taller than the end panel; refer to page 5.*

W x D x H (in)	W x D x H (mm)	Code	Price ($)
42¼" (1072 mm) H panel with 12³⁄₈" (314 mm) H glass.			
22 x 1 x 54⅝	559 x 25 x 1386	QS**KPLESG-4222-12-_-___**	**847**
26 x 1 x 54⅝	660 x 25 x 1386	QS**KPLESG-4226-12-_-___**	**876**
32 x 1 x 54⅝	813 x 25 x 1386	QS**KPLESG-4232-12-_-___**	**923**
38 x 1 x 54⅝	965 x 25 x 1386	QS**KPLESG-4238-12-_-___**	**970**
50 x 1 x 54⅝	1270 x 25 x 1386	QS**KPLESG-4250-12-_-___**	**1,035**
62 x 1 x 54⅝	1575 x 25 x 1386	QS**KPLESG-4262-12-_-___**	**1,123**

Specify if a left-side (L) or right-side (R) installation. At the end of the product code add, in this order: trim color, laminate finish, clear tempered glass finish (CG).

Laminate gallery panels, end-of-run, shared




Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.

Is installed at the end of a monolithic panel and serves as a return panels. Corner braces included to fasten to the front of a surface. ***Note:*** *An end-of-run trim of variable height KVETS-_ _ is required if the monolithic panel is taller than the end panel; refer to page 5.*

42 x 1 x 42¼	1067 x 25 x 1072	QS**KPLED-4242-NN-___**	**653**
50 x 1 x 42¼	1270 x 25 x 1072	QS**KPLED-4250-NN-___**	**694**
62 x 1 x 42¼	1575 x 25 x 1072	QS**KPLED-4262-NN-___**	**729**
74 x 1 x 42¼	1879 x 25 x 1072	QS**KPLED-4274-NN-___**	**765**
98 x 1 x 42¼	2489 x 25 x 1072	QS**KPLED-4298-NN-___**	**805**
42 x 1 x 48⅜	1067 x 25 x 1229	QS**KPLED-4842-NN-___**	**664**
50 x 1 x 48⅜	1270 x 25 x 1229	QS**KPLED-4850-NN-___**	**711**
62 x 1 x 48⅜	1575 x 25 x 1229	QS**KPLED-4862-NN-___**	**753**
74 x 1 x 48⅜	1879 x 25 x 1229	QS**KPLED-4874-NN-___**	**794**
98 x 1 x 48⅜	2489 x 25 x 1229	QS**KPLED-4898-NN-___**	**841**
42 x 1 x 54⅝	1067 x 25 x 1386	QS**KPLED-5442-NN-___**	**676**
50 x 1 x 54⅝	1270 x 25 x 1386	QS**KPLED-5450-NN-___**	**729**
62 x 1 x 54⅝	1575 x 25 x 1386	QS**KPLED-5462-NN-___**	**776**
74 x 1 x 54⅝	1879 x 25 x 1386	QS**KPLED-5474-NN-___**	**823**
98 x 1 x 54⅝	2489 x 25 x 1386	QS**KPLED-5498-NN-___**	**876**

At the end of the product code add, in this order: trim color, laminate finish.

Laminate gallery panels with 6¹⁄₈" H glass, end-of-run, shared




Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.

Is installed at the end of a monolithic panel and serves as a return panels. Panel includes tempered glass screens and corner braces to fasten to the front of a surface. ***Note:*** *An end-of-run trim of variable height KVETS-_ _ is required if the monolithic panel is taller than the end panel; refer to page 5.*

29⅞" (758 mm) H panel with 6¹⁄₈" (157 mm) H glass.			
42 x 1 x 48⅜	1067 x 25 x 1229	QS**KPLEDG-4242-06-___**	**941**
50 x 1 x 48⅜	1270 x 25 x 1229	QS**KPLEDG-4250-06-___**	**1,011**
62 x 1 x 48⅜	1575 x 25 x 1229	QS**KPLEDG-4262-06-___**	**1,094**
74 x 1 x 48⅜	1879 x 25 x 1229	QS**KPLEDG-4274-06-___**	**1,188**
98 x 1 x 48⅜	2489 x 25 x 1229	QS**KPLEDG-4298-06-___**	**1,312**
48⅜" (1229 mm) H panel with 6¹⁄₈" (157 mm) H glass.			
42 x 1 x 54⅝	1067 x 25 x 1386	QS**KPLEDG-4842-06-___**	**964**
50 x 1 x 54⅝	1270 x 25 x 1386	QS**KPLEDG-4850-06-___**	**1,040**
62 x 1 x 54⅝	1575 x 25 x 1386	QS**KPLEDG-4862-06-___**	**1,129**
74 x 1 x 54⅝	1879 x 25 x 1386	QS**KPLEDG-4874-06-___**	**1,229**
98 x 1 x 54⅝	2489 x 25 x 1386	QS**KPLEDG-4898-06-___**	**1,359**

At the end of the product code add, in this order: trim color, laminate finish, clear tempered glass finish (CG).

Laminate gallery panels with 12³⁄₈" H glass, end-of-run, shared




Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.

Is installed at the end of a monolithic panel and serves as a return panels. Panel includes tempered glass screens and corner braces to fasten to the front of a surface. ***Note:*** *An end-of-run trim of variable height KVETS-_ _ is required if the monolithic or is taller than the end panel; refer to page 5.*

W x D x H (in)	W x D x H (mm)	Code	Price ($)
42¼" (1072 mm) H panel with 12³⁄₈" (314 mm) H glass.			
42 x 1 x 54⅝	1067 x 25 x 1386	QS**KPLEDG-4242-12-___**	**982**
50 x 1 x 54⅝	1270 x 25 x 1386	QS**KPLEDG-4250-12-___**	**1,058**
62 x 1 x 54⅝	1575 x 25 x 1386	QS**KPLEDG-4262-12-___**	**1,170**
74 x 1 x 54⅝	1879 x 25 x 1386	QS**KPLEDG-4274-12-___**	**1,282**
98 x 1 x 54⅝	2489 x 25 x 1386	QS**KPLEDG-4298-12-___**	**1,429**

At the end of the product code add, in this order: trim color, laminate finish, clear tempered glass finish (CG).

Laminate gallery panels, intersection, single




Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.

Is installed between two monolithic panels and serves as a return panel. Corner braces included to fasten to the front of a surface. ***Note:*** *Two end-of-run trims of variable height KVETS-_ _ are required if the monolithic panels are taller than the intersegment panel; refer to page 5.*

22 x 1 x 42¼	559 x 25 x 1072	QS**KPLMS-4222-NN-___**	**664**
26 x 1 x 42¼	660 x 25 x 1072	QS**KPLMS-4226-NN-___**	**688**
32 x 1 x 42¼	813 x 25 x 1072	QS**KPLMS-4232-NN-___**	**718**
38 x 1 x 42¼	965 x 25 x 1072	QS**KPLMS-4238-NN-___**	**741**
50 x 1 x 42¼	1270 x 25 x 1072	QS**KPLMS-4250-NN-___**	**765**
62 x 1 x 42¼	1575 x 25 x 1072	QS**KPLMS-4262-NN-___**	**788**
22 x 1 x 48⅜	559 x 25 x 1229	QS**KPLMS-4822-NN-___**	**688**
26 x 1 x 48⅜	660 x 25 x 1229	QS**KPLMS-4826-NN-___**	**718**
32 x 1 x 48⅜	813 x 25 x 1229	QS**KPLMS-4832-NN-___**	**741**
38 x 1 x 48⅜	965 x 25 x 1229	QS**KPLMS-4838-NN-___**	**771**
50 x 1 x 48⅜	1270 x 25 x 1229	QS**KPLMS-4850-NN-___**	**800**
62 x 1 x 48⅜	1575 x 25 x 1229	QS**KPLMS-4862-NN-___**	**829**
22 x 1 x 54⅝	559 x 25 x 1386	QS**KPLMS-5422-NN-___**	**711**
26 x 1 x 54⅝	660 x 25 x 1386	QS**KPLMS-5426-NN-___**	**741**
32 x 1 x 54⅝	813 x 25 x 1386	QS**KPLMS-5432-NN-___**	**771**
38 x 1 x 54⅝	965 x 25 x 1386	QS**KPLMS-5438-NN-___**	**805**
50 x 1 x 54⅝	1270 x 25 x 1386	QS**KPLMS-5450-NN-___**	**836**
62 x 1 x 54⅝	1575 x 25 x 1386	QS**KPLMS-5462-NN-___**	**865**

At the end of the product code add, in this order: trim color, laminate finish.

Laminate gallery panels with 6¹⁄₈" H glass, intersection, single



Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.


Is installed between two monolithic panels and serves as a return panel. Panel includes tempered glass screen and corner braces to fasten to the front of a surface. ***Note:*** *Two end-of-run trims of variable height KVETS-_ _ are required if the monolithic panels are taller than the intersection panel; refer to page 5.*

42¼" (1072 mm) H panel with 6¹⁄₈" (157 mm) H glass.			
22 x 1 x 48⅜	559 x 25 x 1229	QS**KPLMSG-4222-06-___**	**923**
26 x 1 x 48⅜	660 x 25 x 1229	QS**KPLMSG-4226-06-___**	**946**
32 x 1 x 48⅜	813 x 25 x 1229	QS**KPLMSG-4232-06-___**	**977**
38 x 1 x 48⅜	965 x 25 x 1229	QS**KPLMSG-4238-06-___**	**1,011**
50 x 1 x 48⅜	1270 x 25 x 1229	QS**KPLMSG-4250-06-___**	**1,064**
62 x 1 x 48⅜	1575 x 25 x 1229	QS**KPLMSG-4262-06-___**	**1,111**
48⅜" (1229 mm) H panel with 6¹⁄₈" (157 mm) H glass.			
22 x 1 x 54⅝	559 x 25 x 1386	QS**KPLMSG-4822-06-___**	**946**
26 x 1 x 54⅝	660 x 25 x 1386	QS**KPLMSG-4826-06-___**	**977**
32 x 1 x 54⅝	813 x 25 x 1386	QS**KPLMSG-4832-06-___**	**1,006**
38 x 1 x 54⅝	965 x 25 x 1386	QS**KPLMSG-4838-06-___**	**1,047**
50 x 1 x 54⅝	1270 x 25 x 1386	QS**KPLMSG-4850-06-___**	**1,100**
62 x 1 x 54⅝	1575 x 25 x 1386	QS**KPLMSG-4862-06-___**	**1,147**

At the end of the product code add, in this order: trim color, laminate finish, clear tempered glass finish (CG).

= ASSEMBLY REQUIRED

Laminate gallery panels with 12⅜" H glass, intersection, single




Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.

Is installed between two monolithic panels and serves as a return panel. Panel includes tempered glass screen and corner braces to fasten to the front of a surface. ***Note:*** *Two end-of-run trims of variable height KVETS-_ _ are required if the monolithic panels are taller than the intersection panel; refer to page 5.*

W x D x H (in)	W x D x H (mm)	Code	Price ($)
42¼" (1072 mm) H panel with 12⅜" (314 mm) H glass.			
22 x 1 x 54⅝	559 x 25 x 1386	QS**KPLMSG-4222-12-___**	**946**
26 x 1 x 54⅝	660 x 25 x 1386	QS**KPLMSG-4226-12-___**	**970**
32 x 1 x 54⅝	813 x 25 x 1386	QS**KPLMSG-4232-12-___**	**1,017**
38 x 1 x 54⅝	965 x 25 x 1386	QS**KPLMSG-4238-12-___**	**1,058**
50 x 1 x 54⅝	1270 x 25 x 1386	QS**KPLMSG-4250-12-___**	**1,123**
62 x 1 x 54⅝	1575 x 25 x 1386	QS**KPLMSG-4262-12-___**	**1,182**

At the end of the product code add, in this order: trim color, laminate finish, clear tempered glass finish (CG).

Laminate gallery panels, intersection, shared




Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.

Is installed between two monolithic panels and serves as a return panels. Panel includes corner braces to fasten to the front of a surface. ***Note:*** *Two end-of-run trims of variable height KVETS-_ _ are required if the monolithic panels are taller than the intersection panel; refer to page 5.*

42 x 1 x 42¼	1067 x 25 x 1072	QS**KPLMD-4242-NN-___**	**747**
50 x 1 x 42¼	1270 x 25 x 1072	QS**KPLMD-4250-NN-___**	**818**
62 x 1 x 42¼	1575 x 25 x 1072	QS**KPLMD-4262-NN-___**	**894**
74 x 1 x 42¼	1879 x 25 x 1072	QS**KPLMD-4274-NN-___**	**964**
98 x 1 x 42¼	2489 x 25 x 1072	QS**KPLMD-4298-NN-___**	**1,035**
42 x 1 x 48⅜	1067 x 25 x 1229	QS**KPLMD-4842-NN-___**	**776**
50 x 1 x 48⅜	1270 x 25 x 1229	QS**KPLMD-4850-NN-___**	**852**
62 x 1 x 48⅜	1575 x 25 x 1229	QS**KPLMD-4862-NN-___**	**935**
74 x 1 x 48⅜	1879 x 25 x 1229	QS**KPLMD-4874-NN-___**	**1,011**
98 x 1 x 48⅜	2489 x 25 x 1229	QS**KPLMD-4898-NN-___**	**1,088**
42 x 1 x 54⅝	1067 x 25 x 1386	QS**KPLMD-5442-NN-___**	**805**
50 x 1 x 54⅝	1270 x 25 x 1386	QS**KPLMD-5450-NN-___**	**888**
62 x 1 x 54⅝	1575 x 25 x 1386	QS**KPLMD-5462-NN-___**	**977**
74 x 1 x 54⅝	1879 x 25 x 1386	QS**KPLMD-5474-NN-___**	**1,058**
98 x 1 x 54⅝	2489 x 25 x 1386	QS**KPLMD-5498-NN-___**	**1,141**

At the end of the product code add, in this order: trim color, laminate finish.

Laminate gallery panels with 6⅛" H glass, intersection, shared




Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.

Is installed between two monolithic panels and serves as a return panels. Panel includes tempered glass screens and corner braces to fasten to the front of a surface. ***Note:*** *Two end-of-run trims of variable height KVETS-_ _ are required if the monolithic panels are taller than the intersection panel; refer to page 5.*

42¼" (1072 mm) H panel with 6⅛" (157 mm) H glass.			
42 x 1 x 48⅜	1067 x 25 x 1229	QS**KPLMDG-4242-06-___**	**1,105**
50 x 1 x 48⅜	1270 x 25 x 1229	QS**KPLMDG-4250-06-___**	**1,176**
62 x 1 x 48⅜	1575 x 25 x 1229	QS**KPLMDG-4262-06-___**	**1,252**
74 x 1 x 48⅜	1879 x 25 x 1229	QS**KPLMDG-4274-06-___**	**1,353**
98 x 1 x 48⅜	2489 x 25 x 1229	QS**KPLMDG-4298-06-___**	**1,476**
48⅜" (1229 mm) H panel with 6⅛" (157 mm) H glass.			
42 x 1 x 54⅝	1067 x 25 x 1386	QS**KPLMDG-4842-06-___**	**1,135**
50 x 1 x 54⅝	1270 x 25 x 1386	QS**KPLMDG-4850-06-___**	**1,212**
62 x 1 x 54⅝	1575 x 25 x 1386	QS**KPLMDG-4862-06-___**	**1,299**
74 x 1 x 54⅝	1879 x 25 x 1386	QS**KPLMDG-4874-06-___**	**1,400**
98 x 1 x 54⅝	2489 x 25 x 1386	QS**KPLMDG-4898-06-___**	**1,529**

At the end of the product code add, in this order: trim color, laminate finish, clear tempered glass finish (CG).

Laminate gallery panels with 12⅜" H glass, intersection, shared



Contrary to the pictograms above, panels over 50" (1270 mm) W have a horizontal wood grain rather than a vertical one.


Is installed between two monolithic panels and serves as a return panels. Panel includes tempered glass screens and corner braces to fasten to the front of a surface. ***Note:*** *Two end-of-run trims of variable height KVETS-_ _ are required if the monolithic panels are taller than the intersection panel; refer to page 5.*

W x D x H (in)	W x D x H (mm)	Code	Price ($)
42¼" (1072 mm) H panel with 12⅜" (314 mm) H glass.			
42 x 1 x 54⅝	1067 x 25 x 1386	QS**KPLMDG-4242-12-___**	**1,147**
50 x 1 x 54⅝	1270 x 25 x 1386	QS**KPLMDG-4250-12-___**	**1,223**
62 x 1 x 54⅝	1575 x 25 x 1386	QS**KPLMDG-4262-12-___**	**1,335**
74 x 1 x 54⅝	1879 x 25 x 1386	QS**KPLMDG-4274-12-___**	**1,440**
98 x 1 x 54⅝	2489 x 25 x 1386	QS**KPLMDG-4298-12-___**	**1,594**

At the end of the product code add, in this order: trim color, laminate finish, clear tempered glass finish (CG).

PANEL SCREENS

Privacy screens for panels




Privacy screen includes tempered glass screen and top trim. Is installed on top of a monolithic panel of equal width.

6⅛" (157 mm) H.			
23⅛ x 2 x 6⅛	593 x 51 x 157	QS**KPFG-0624-___**	**288**
29⅛ x 2 x 6⅛	745 x 51 x 157	QS**KPFG-0630-___**	**306**
35⅛ x 2 x 6⅛	897 x 51 x 157	QS**KPFG-0636-___**	**335**
41⅛ x 2 x 6⅛	1050 x 51 x 157	QS**KPFG-0642-___**	**365**
47⅛ x 2 x 6⅛	1202 x 51 x 157	QS**KPFG-0648-___**	**394**
12⅜" (314 mm) H.			
23⅛ x 2 x 12⅜	593 x 51 x 314	QS**KPFG-1224-___**	**318**
29⅛ x 2 x 12⅜	745 x 51 x 314	QS**KPFG-1230-___**	**353**
35⅛ x 2 x 12⅜	897 x 51 x 314	QS**KPFG-1236-___**	**389**
41⅛ x 2 x 12⅜	1050 x 51 x 314	QS**KPFG-1242-___**	**429**
47⅛ x 2 x 12⅜	1202 x 51 x 314	QS**KPFG-1248-___**	**465**

At the end of the product code add, in this order: trim color, clear tempered glass finish (CG).

PANEL COMPONENTS

L-junction kits, full height




Vertical trim, top cap and 90-degree junction connector included.

2 x 2 x 42¼	51 x 51 x 1072	QS**KVPL-42-___**	**230**
2 x 2 x 54⅝	51 x 51 x 1386	QS**KVPL-54-___**	**252**
2 x 2 x 66⅞	51 x 51 x 1700	QS**KVPL-66-___**	**263**

Specify trim color.

T-junction kits, full height




Vertical trim, top cap and 90-degree junction connectors included.

2 x 2 x 42¼	51 x 51 x 1072	QS**KVPT-42-___**	**140**
2 x 2 x 54⅝	51 x 51 x 1386	QS**KVPT-54-___**	**151**
2 x 2 x 66⅞	51 x 51 x 1700	QS**KVPT-66-___**	**162**

Specify trim color.

X-junction kits, full height







Top cap and 90-degree junction connectors included.



2 x 2 x 42¼	51 x 51 x 1072	QS**KVPX-42-___**	**140**
2 x 2 x 54⅝	51 x 51 x 1386	QS**KVPX-54-___**	**151**
2 x 2 x 66⅞	51 x 51 x 1700	QS**KVPX-66-___**	**162**



Specify trim color.

= ASSEMBLY REQUIRED




	W x D x H (in)	W x D x H (mm)	Code	Price ($)
End-of-run trims, full height	*End-of-run trim and top cap included. Required at end of each run of panels.*			
	2 x 1/2 x 42 1/4	51 x 13 x 1072	QS**KVET-42-___**	**194**
	2 x 1/2 x 54 5/8	51 x 13 x 1386	QS**KVET-54-___**	**206**
	2 x 1/2 x 66 7/8	51 x 13 x 1700	QS**KVET-66-___**	**217**
	Specify trim color.			
End-of-run trims, variable height	*Includes end-of-run trim and top caps. Required for an in-line change of height, a lower laminate gallery panel or with a stackable panel at a workstation end-of-run.*			
	2 x 1/2 x 6 1/8	51 x 13 x 156	QS**KVETS-6-___**	**166**
	2 x 1/2 x 12 3/8	51 x 13 x 314	QS**KVETS-12-___**	**177**
	2 x 1/2 x 18 1/2	51 x 13 x 472	QS**KVETS-18-___**	**183**
	2 x 1/2 x 24 3/4	51 x 13 x 628	QS**KVETS-24-___**	**188**
	Specify trim color.			
Alignment hardware for glass privacy screens	*For use with glass privacy screens (KPFG). To align the top of glass privacy screens in a straight line application (if required). Cannot join two glass privacy screens separated by a junction kit or a laminate intersection gallery panel. Pack of 4.*			
	5/8 x 3/4 x 60 3/4	17 x 19 x 1543	QS**KPFG-ALIGN-S-___**	**179**
	Specify trim color.			
Wall starter	*For connecting a run of panels to a structural wall. Includes wall starter and in-line junction connectors. Anchors not included. **Note:** Wall mounting bracket is shorter than total panel height in order to allow access to raceway.*			
	2 x 1/2 x 36	51 x 13 x 914	QS**KVWS-42-___**	**118**
	2 x 1/2 x 48 3/8	51 x 13 x 1228	QS**KVWS-54-___**	**130**
	2 x 1/2 x 60 3/4	51 x 13 x 1543	QS**KVWS-66-___**	**130**
	Specify trim color.			
Raceway covers – Chicago	*Enables a non-powered panel to be electrified to the standards of the Chicago Electric Code. Covers with cut-outs for duplex receptacles and communication plates. Pack of 1.*			
 With Chicago (H) cut-outs	24 x 1/4 x 5	610 x 6 x 127	QS**KVRC-24-H-___**	**183**
	30 x 1/4 x 5	762 x 6 x 127	QS**KVRC-30-H-___**	**194**
	36 x 1/4 x 5	914 x 6 x 127	QS**KVRC-36-H-___**	**206**
	42 x 1/4 x 5	1067 x 6 x 127	QS**KVRC-42-H-___**	**217**
	48 x 1/4 x 5	1219 x 6 x 127	QS**KVRC-48-H-___**	**230**
	Specify trim color.			
Covers for raceway cut-outs	*Required for unused duplex and communication receptacle cut-outs. Not compatible with Chicago (H) electrical cut-outs. Pack of 6.*			
	42 x 1/4 x 5	1067 x 6 x 127	QS**KVCP-6-___**	**78**
	Specify trim color.			

ELECTRICAL COMPONENTS – 3-CIRCUIT SYSTEM

Hardwire base feed	*Enables connection of electric system to the floor or wall. Connects to electric system at the location of the receptacle. **Note:** The housing exceeds the raceway by 1 1/2" (38 mm). Check the clearance required before installing storage units.*			
	72	1829	QS**KEB3-S-6**	**270**
Powered feed poles	*Enables connection of electric system and the running of communication cables to a ceiling with a maximum height of 12' (3657 mm). Includes pole, top caps, ceiling cover plate, power feed and a Y connector.*			
	To be installed on an L, T or X junction kit.			
 KET3-9	114	2895	QS**KET3-9-___**	**1,114**
	Specify trim color.			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Duplex receptacles, 15-amp	*Common ground. Pack of 10.*			
	3 1/2 x 1 3/8 x 1 1/2	88 x 35 x 45	QS**KER3-C_-W**	**335**
	Specify type of circuit (1, 2, 3). White (W) color.			
Power connectors for junctions	*Required only to power panels separated by a junction kit; refer to the Paradigm general price book. **Note:** Used as a complement to the electric connector supplied with each powered panel.*			
	*For L or Type S connection (includes a Y connector).*		QS**KEJ3-LS**	**66**
	For T connection (includes a Y connector and a junction connector).		QS**KEJ3-T**	**131**
	For X connection (includes two Y connectors and two junction connectors).		QS**KEJ3-X**	**160**
	For Type G connection (includes a junction connector).		QS**KEJ3-G**	**102**
Pass-thru jumper cables for non-powered panel	*Required only to connect two panels separated by one or several non-powered panel(s). Connector length is adjustable in order to enable a connection through a junction kit. **Note:** Connector length is 18" (457 mm) greater than the total width of the panel(s) to be crossed.*			
	24" (610 mm) W panel		QS**KEJL3-24**	**139**
	30" (762 mm) W panel		QS**KEJL3-30**	**146**
	36" (914 mm) W panel		QS**KEJL3-36**	**153**
	42" (1067 mm) W panel		QS**KEJL3-42**	**160**
	48" (1219 mm) W panel(s)		QS**KEJL3-48**	**168**
	60" (1524 mm) W panels		QS**KEJL3-60**	**183**
	66" (1676 mm) W panels		QS**KEJL3-66**	**206**
	72" (1829 mm) W panels		QS**KEJL3-72**	**225**
	78" (1981 mm) W panels		QS**KEJL3-78**	**244**
	84" (2134 mm) W panels		QS**KEJL3-84**	**263**
	90" (2286 mm) W panels		QS**KEJL3-90**	**282**
	96" (2438 mm) W panels		QS**KEJL3-96**	**301**

ELECTRICAL ACCESSORIES

Electrified receptacles for work surface	*Mounts to rear of work surface; no drilling necessary. Pale gray plastic face with anodized aluminum housing. 6' (1829 mm) white cable.*			
	*2 power outlets / 2 USB charging ports.*			
	5 1/2 x 3 x 3 3/8	140 x 78 x 85	QS**KLGC-PS1USB2P**	**600**
Grommet-mounted receptacle	*1 power outlet / 2 USB charging ports. Liquid-proof. Mounting screw included. Silver. 108" (2743 mm) black cable.*			
	3 3/4 x 2 1/4 x 3 1/8	95 x 57 x 79	QS**KLGC-PCQ1USB1P**	**635**
Electronic fluorescent tasklights	*Electronic tubes do not cause interference. T5 – 4100K electronic ballast. 19": 10W, 25": 14W, 37": 21W. Pivots with a 160-degree range to direct lighting. ETL certified (equivalent to UL/CSA). 108" (2743 mm) cable. Black.*			
	18 7/8 x 3 3/8 x 1	480 x 85 x 26	QS**KLGC-T5LE19**	**329**
	24 5/8 x 3 3/8 x 1	626 x 85 x 26	QS**KLGC-T5LE25**	**365**
	36 1/2 x 3 3/8 x 1	927 x 85 x 26	QS**KLGC-T5LE37**	**405**
Data faceplates for raceway	*Inserts into raceway communication cut-out. Accepts up to 4 interlocking QuickPort adapters and connectors for voice and data applications, sold separately. Also compatible with Keystone connectors. Pack of 2.*			
	3 1/8 x 1/2 x 2 5/8	80 x 11 x 42	QS**KEFC-2-W**	**112**
	White color (W).			
Junction box – Chicago	*Enables a non-powered panel to be electrified to the standards of the Chicago Electric Code. Junction boxes and mounting brackets included. Certain components must be supplied by electrician. To be used with Type H covers; refer to page 5. Pack of 2.*			
	4 3/4 x 1 1/2 x 2 1/2	121 x 39 x 65	QS**KEHB-2**	**246**

= ASSEMBLY REQUIRED

WORK SURFACE AND SUPPORTS


SURFACES

CODIFICATION

Series	Type of product	Surface dimension	Finish	Grommet	Finish Laminate
QSK	**UR** Rectangular surface		**1** Thermofused laminate 1" (25 mm)	**N** None **G** Rectangular grommet	

STANDARD WORK SURFACES

Standard rectangular surfaces



To be ordered separately: *supports and bases, refer to page 6.*


W x D x H (in)	W x D x H (mm)	Code	Price ($)
24" (610 mm) D surfaces.			
24 x 24 x 1	610 x 610 x 25	QS**KUR-2424-1-_-___**	**300**
30 x 24 x 1	762 x 610 x 25	QS**KUR-2430-1-_-___**	**329**
36 x 24 x 1	914 x 610 x 25	QS**KUR-2436-1-_-___**	**353**
42 x 24 x 1	1067 x 610 x 25	QS**KUR-2442-1-_-___**	**382**
48 x 24 x 1	1219 x 610 x 25	QS**KUR-2448-1-_-___**	**412**
54 x 24 x 1	1372 x 610 x 25	QS**KUR-2454-1-_-___**	**429**
60 x 24 x 1	1524 x 610 x 25	QS**KUR-2460-1-_-___**	**459**
66 x 24 x 1	1676 x 610 x 25	QS**KUR-2466-1-_-___**	**494**
72 x 24 x 1	1829 x 610 x 25	QS**KUR-2472-1-_-___**	**535**
78 x 24 x 1	1981 x 610 x 25	QS**KUR-2478-1-_-___**	**547**
84 x 24 x 1	2134 x 610 x 25	QS**KUR-2484-1-_-___**	**570**
90 x 24 x 1	2286 x 610 x 25	QS**KUR-2490-1-_-___**	**600**
96 x 24 x 1	2438 x 610 x 25	QS**KUR-2496-1-_-___**	**659**
30" (762 mm) D surfaces.			
24 x 30 x 1	610 x 762 x 25	QS**KUR-3024-1-_-___**	**329**
30 x 30 x 1	762 x 762 x 25	QS**KUR-3030-1-_-___**	**353**
36 x 30 x 1	914 x 762 x 25	QS**KUR-3036-1-_-___**	**382**
42 x 30 x 1	1067 x 762 x 25	QS**KUR-3042-1-_-___**	**412**
48 x 30 x 1	1219 x 762 x 25	QS**KUR-3048-1-_-___**	**459**
54 x 30 x 1	1372 x 762 x 25	QS**KUR-3054-1-_-___**	**476**
60 x 30 x 1	1524 x 610 x 25	QS**KUR-3060-1-_-___**	**494**
66 x 30 x 1	1676 x 610 x 25	QS**KUR-3066-1-_-___**	**535**
72 x 30 x 1	1829 x 610 x 25	QS**KUR-3072-1-_-___**	**577**
78 x 30 x 1	1981 x 610 x 25	QS**KUR-3078-1-_-___**	**600**
84 x 30 x 1	2134 x 610 x 25	QS**KUR-3084-1-_-___**	**624**
90 x 30 x 1	2286 x 610 x 25	QS**KUR-3090-1-_-___**	**647**
96 x 30 x 1	2438 x 610 x 25	QS**KUR-3096-1-_-___**	**688**

Surface type (1). Specify with grommets (G) or no grommets (N). Specify color.


WORK SURFACE SUPPORTS

Cantilever supports

Is inserted into lateral rails of panels to support the surfaces. Number of supports required may vary according to configuration; refer to the Paradigm general price book. Black. Pack of 2.



Left / right (P)



Shared (S), include 2 flat brackets

W x D x H (in)	W x D x H (mm)	Code	Price ($)
1½ x 16¾ x 7¼	38 x 427 x 183	QS**KACB-P-2**	**136**
3¾ x 16¾ x 7¼	95 x 427 x 183	QS**KACB-S-2**	**165**

Corner or end brackets

Is inserted into lateral rails of panels to support front or back of surfaces; refer to the Paradigm general price book. Black. Pack of 2 (pair).



W x D x H (in)	W x D x H (mm)	Code	Price ($)
3 x 4⅛ x 5	75 x 105 x 126	QS**KAPB-2**	**53**


Flat brackets

Is used to perpendicularly fasten one work surface to another. Black. Pack of 10.



W x D x H (in)	W x D x H (mm)	Code	Price ($)
5¾ x 1½ x ¼	147 x 38 x 6	QS**KLGC-FLP**	**106**

Wall tracks




Is used to fasten panel components to structural walls. 2 tracks are the equivalent of 1 panel. Anchor not included. Pack of 2 wall tracks.
Note: *Wall tracks may be cut at the installation site.*

W x D x H (in)	W x D x H (mm)	Code	Price ($)
⅝ x ¾ x 60¾	17 x 19 x 1543	QS**KAWT-66-2-___**	**177**

Spécifiez la couleur des moulures.

Work surface reinforcement bars




Recommended for certain applications; refer to the Paradigm general price book. Black.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
For 48" (1219 mm) W surfaces.			
43 x 1½ x 1½	1092 x 38 x 38	QS**KLGC-BAR43**	**188**
For 54" and 60" (1372 and 1524 mm) W surfaces.			
49 x 1½ x 1½	1245 x 38 x 38	QS**KLGC-BAR49**	**206**

WORK SURFACE BASES

Laminate end support panels




Is used to attach a surface to the panel. 2 universal flat brackets allow a left-hand, right-hand or centered installation.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
1 x 24 x 28	25 x 610 x 711	QS**KAEP-24-___**	**394**
1 x 30 x 28	25 x 762 x 711	QS**KAEP-30-___**	**441**

Specify color.

P-metal frames




L R

Is used to attach a surface to the panel. A Silver leg and a cross-bar are included.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
2 x 23⅝ x 28	51 x 600 x 711	QS**KAPL-24-_-_**	**318**
2 x 29⅝ x 28	51 x 752 x 711	QS**KAPL-30-_-_**	**324**

Specify installation on left (L) or right (R). Specify accent color for cross-bar: Silver (S) or Snow (W).

A-frames



2 Silver leg and a cross-bar included.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
2 x 23⅝ x 28	51 x 600 x 711	QS**KAAL-24-_**	**441**
2 x 29⅝ x 28	51 x 752 x 711	QS**KAAL-30-_**	**447**

Specify accent color for cross-bar: Silver (S) or Snow (W).

I-post, individual



Silver. Square.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
2½ x 2½ x 28	64 x 64 x 711	QS**KLGC-QTL1**	**212**

= ASSEMBLY REQUIRED

STORAGE UNITS

METAL STORAGE UNITS

CODIFICATION

Series	Type of product	Furniture dimension	Drawer option	Finish Metal color
QSK	**MPF** Modular pedestal **MPM** Mobile pedestal		**3** Box/box/file **1** Box/file	**P53** Snow **P44** Metallic Silver

LAMINATE STORAGE UNITS

CODIFICATION

Series	Type of product	Furniture dimension	Orientation	Finish Laminate	
QSK	**LSO** Overhead hutch with flipper door **LLF** Modular lateral file **LPW** Wardrobe **LSP** Storage unit with lateral opening compartment **LLS** Low storage module with drawer and open bookcase		**L** Left **R** Right	**A** Rest of product	**B** Front

METAL STORAGE FURNITURE

Modular pedestal



Box/box/file

Enables support of a surface with a depth greater than that of the pedestal. Lock. Suspension bar included with each file drawer.

Metal frame and fronts.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
15 1/4 x 21 7/8 x 27 5/8	386 x 556 x 701	QS**KMPF-1522-3-___**	**771**

Specify the metal finish color.

Mobile pedestal



Box/file

Lock. Suspension bar included with each file drawer. Can accept a cushion (KMCU-1522), refer to page 7.

Metal frame and fronts.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
15 1/4 x 21 7/8 x 21 1/8	386 x 556 x 536	QS**KMPM-1522-1-___**	**700**

Specify the metal finish color.

Cushion




Is installed on a mobile pedestal using self-adhesive strips. Prices shown apply to all Grade 1 and 2 United Chair® fabrics of the Lacasse QuickShip Program.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
15 1/4 x 21 7/8 x 7/8	387 x 556 x 22	QS**KMCU-1522-___**	**371**

Specify cushion upholstery.

LAMINATE STORAGE FURNITURE

Overhead hutches with flipper door



Lock. Laminate frame and flipper door. Hardware included.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
24 x 14 1/2 x 16 1/8	610 x 366 x 408	QS**KLSO-1624-___**	**955**
30 x 14 1/2 x 16 1/8	762 x 366 x 408	QS**KLSO-1630-___**	**998**
36 x 14 1/2 x 16 1/8	914 x 366 x 408	QS**KLSO-1636-___**	**1,042**
42 x 14 1/2 x 16 1/8	1067 x 366 x 408	QS**KLSO-1642-___**	**1,102**
48 x 14 1/2 x 16 1/8	1219 x 366 x 408	QS**KLSO-1648-___**	**1,155**

Specify laminate finishes A/B.

Modular lateral files



Is used to support a surface whose depth is equal to or greater than that of the file. Lock. Suspension bar included with each file drawer.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
29 1/2 x 20 x 28	748 x 508 x 711	QS**KLLF-2030-___**	**1,652**
35 3/8 x 20 x 28	898 x 508 x 711	QS**KLLF-2036-___**	**1,688**

Specify laminate finishes A/B.

Wardrobes




L R

Clothes hanger bar. Lock. Models 48" (1219 mm) H and greater have a fixed shelf.


W x D x H (in)	W x D x H (mm)	Code	Price ($)
12" (305 mm) W.			
12 x 24 x 41 5/8	305 x 610 x 1058	QS**KLPW-241242-_-___**	**1,840**
12 x 24 x 54	305 x 610 x 1372	QS**KLPW-241254-_-___**	**1,941**
12 x 24 x 66 3/8	305 x 610 x 1686	QS**KLPW-241266-_-___**	**1,988**
15" (381 mm) W.			
15 x 24 x 41 5/8	381 x 610 x 1058	QS**KLPW-241542-_-___**	**1,934**
15 x 24 x 54	381 x 610 x 1372	QS**KLPW-241554-_-___**	**2,046**
15 x 24 x 66 3/8	381 x 610 x 1686	QS**KLPW-241566-_-___**	**2,093**

Specify door opening: hinges on left (L) or hinges on right (R). Specify laminate finishes A/B.

Storage units with lateral opening compartment



L




R

Compartment with door and an adjustable shelf. Lock. Model 30" (762 mm) in depth includes a wardrobe space with a clothes hook. Models 54" (1372 mm) H have an additional fixed shelf.


W x D x H (in)	W x D x H (mm)	Code	Price ($)
12" (305 mm) W.			
12 x 24 x 41 5/8	305 x 610 x 1058	QS**KLSP-122442-_-___**	**2,399**
12 x 24 x 54	305 x 610 x 1372	QS**KLSP-122454-_-___**	**2,676**
12 x 30 x 41 5/8	305 x 762 x 1058	QS**KLSP-123042-_-___**	**2,558**
12 x 30 x 54	305 x 762 x 1372	QS**KLSP-123054-_-___**	**2,705**
15" (381 mm) W.			
15 x 24 x 41 5/8	381 x 610 x 1058	QS**KLSP-152442-_-___**	**2,535**
15 x 24 x 54	381 x 610 x 1372	QS**KLSP-152454-_-___**	**2,687**
15 x 30 x 41 5/8	381 x 762 x 1058	QS**KLSP-153042-_-___**	**2,623**
15 x 30 x 54	381 x 762 x 1372	QS**KLSP-153054-_-___**	**2,764**

Specify access side: left (L) or right (R). Specify laminate finishes A/B.

Low storage modules with drawers and open bookcase



L



R

1 box drawer and 1 file drawer. Suspension bar. Pencil tray. Lock. Open bookcase with back. Adjustable shelf. Can accept one or two cushions (KLCU-_ _20) ; refer to page 7.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
47 1/4 x 20 x 20 1/4	1200 x 508 x 513	QS**KLLS-204820-_-___**	**2,552**
59 x 20 x 20 1/4	1500 x 508 x 513	QS**KLLS-206020-_-___**	**2,600**
70 7/8 x 20 x 20 1/4	1800 x 508 x 513	QS**KLLS-207220-_-___**	**2,723**

Specify open side of bookcase: left (L) or right (R). Specify laminate finishes A/B.

Cushions for laminate low storage modules








Is installed on a low storage module using self-adhesive strips. Prices shown apply to all Grade 1 and 2 United Chair® fabrics of the Lacasse QuickShip Program.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
23 5/8 x 19 1/4 x 7/8	600 x 490 x 22	QS**KLCU-2420-___**	**376**
29 1/2 x 19 1/4 x 7/8	750 x 490 x 22	QS**KLCU-3020-___**	**394**
35 3/8 x 19 1/4 x 7/8	900 x 490 x 22	QS**KLCU-3620-___**	**412**

Specify cushion upholstery.

= ASSEMBLY REQUIRED


ACCESSORIES

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Accessory rails	*Is inserted into the lateral rails on a panel.*			
	23 5/8 x 1/2 x 1 1/2	593 x 11 x 38	QS**KKAR-24-___**	**224**
	29 3/8 x 1/2 x 1 1/2	745 x 11 x 38	QS**KKAR-30-___**	**235**
	35 3/8 x 1/2 x 1 1/2	897 x 11 x 38	QS**KKAR-36-___**	**241**
	41 3/8 x 1/2 x 1 1/2	1050 x 11 x 38	QS**KKAR-42-___**	**248**
	47 3/8 x 1/2 x 1 1/2	1202 x 11 x 38	QS**KKAR-48-___**	**259**
	Specify trim color.			
All-purpose trays	*Metal. Compatible with all Lacasse accessory rails. Pack of 2.*			
	12 x 3 3/4 x 1 1/8	305 x 96 x 30	QS**KKAT-RAS12-___**	**194**
	Specify trim color.			
Vertical paper trays	*Metal. Compatible with all Lacasse accessory rails. Pack of 2.*			
	11 3/4 x 2 5/8 x 8	300 x 68 x 203	QS**KKAT-RVPT11-___**	**306**
	Specify trim color.			
Horizontal paper trays	*Metal. Compatible with all Lacasse accessory rails. Pack of 2.*			
	*Letter format.*			
	12 x 9 7/8 x 2	305 x 251 x 50	QS**KKAT-RPT11-___**	**241**
	Specify trim color.			
Whiteboards	*Folded metal. Is inserted into a panel's lateral rails. High-gloss white finish for dry-erase markers. Magnetic.*			
	*12 3/8" (314 mm) H.*			
	23 5/8 x 3/8 x 12 3/8	593 x 10 x 314	QS**KKAMB-1224**	**212**
	29 3/8 x 3/8 x 12 3/8	745 x 10 x 314	QS**KKAMB-1230**	**224**
	35 3/8 x 3/8 x 12 3/8	897 x 10 x 314	QS**KKAMB-1236**	**253**
	41 3/8 x 3/8 x 12 3/8	1050 x 10 x 314	QS**KKAMB-1242**	**282**
	47 3/8 x 3/8 x 12 3/8	1202 x 10 x 314	QS**KKAMB-1248**	**488**
Modesty panels	*Provides a visual barrier beneath a work surface. Support has a Silver finish. Is fastened beneath a surface with a clearance equal to or greater than the width of the modesty panel.*			
	30 x 5/8 x 12	761 x 16 x 305	QS**KKML-1230-___**	**441**
	36 x 5/8 x 12	913 x 16 x 305	QS**KKML-1236-___**	**488**
	42 x 5/8 x 12	1065 x 16 x 305	QS**KKML-1242-___**	**564**
	Specify the laminate finish.			
Tray for metal pedestals	*Made of black plastic. Is placed along the sides of a box drawer. Compatible only with 15 1/4" (386 mm) W pedestals.*			
	*Model with 2 compartments.*			
	12 7/8 x 3 x 1	327 x 76 x 25	QS**KKPHU-3**	**41**
Divider for metal pedestals	*Made of black plastic. Is inserted between the sides of a file drawer. Compatible only with 15 1/4" (386 mm) W pedestals. Can also be used as a compressor.*			
	*Pour tiroir classeur.*			
	12 5/8 x 3/4 x 9 3/8	320 x 18 x 238	QS**KKDIV-10**	**76**

= ASSEMBLY REQUIRED

SUGGESTIONS


PARADIGM-PLAN41



Not shown in the Paradigm Brochure:

QS-KPLAN41						$51,541
2	**QS**KPMA-5436-NN	2	**QS**KVET-54	4	**QS**KACB-P-2	
10	**QS**KPMA-6636-NN	2	**QS**KVCP-6	8	**QS**KAPB-2	
6	**QS**KPMA-6648-3P	1	**QS**KEJ3-LS	4	**QS**KAPL-30-L-W	
2	**QS**KPMA-6648-NN	2	**QS**KEJL3-48	4	**QS**KAPL-30-R-W	
2	**QS**KPFG-1236	1	**QS**KER3-C1-W	2	**QS**KLGC-FLP	
1	**QS**KVPX-66	1	**QS**KER3-C2-W	8	**QS**KMPF-1522-3	
2	**QS**KVPT-66	1	**QS**KER3-C3-W	8	**QS**KLSO-1548	
2	**QS**KVETS-12	8	**QS**KUR-3072-1-G			
4	**QS**KVET-66	8	**QS**KUR-2466-1-N			


PARADIGM-PLAN42



Not shown in the Paradigm Brochure:

QS-KPLAN42						$31,058
2	**QS**KPMA-5448-NN	2	**QS**KVET-54	1	**QS**KLGC-FLP	
4	**QS**KPMA-6624-NN	1	**QS**KEJ3-LS	4	**QS**KMPM-1522-1	
4	**QS**KPMA-6648-3P	1	**QS**KER3-C1-W	4	**QS**KLSO-1548	
2	**QS**KPMA-6648-NN	2	**QS**KER3-C2-W			
2	**QS**KPFG-1248	4	**QS**KUR-2496-1-G			
1	**QS**KVPX-66	4	**QS**KUR-2472-1-N			
2	**QS**KVPT-66	4	**QS**KACB-P-2			
6	**QS**KVETS-12	4	**QS**KAEP-24			
4	**QS**KVET-66	6	**QS**KAPB-2			


PARADIGM-PLAN43



Not shown in the Paradigm Brochure:

QS-KPLAN43						$44,532
12	**QS**KPMA-5436-NN	2	**QS**KEJL3-48	4	**QS**KAPL-30-R-W	
6	**QS**KPMA-5448-3P	1	**QS**KER3-C1-W	2	**QS**KLGC-FLP	
2	**QS**KPMA-5448-NN	1	**QS**KER3-C2-W	8	**QS**KMPF-1522-3	
2	**QS**KPLMD-5498-NN	1	**QS**KER3-C3-W	8	**QS**KKAMB-1248	
1	**QS**KVPX-54	8	**QS**KUR-3072-1-G			
2	**QS**KVPT-54	8	**QS**KUR-2466-1-N			
6	**QS**KVET-54	4	**QS**KACB-P-2			
2	**QS**KVCP-6	8	**QS**KAPB-2			
1	**QS**KEJ3-LS	4	**QS**KAPL-30-L-W			

PARADIGM-PLAN44




Not shown in the Paradigm Brochure:

QS-KPLAN44						$44,951
3	**QS**KPMA-4236-3P	2	**QS**KEJL3-36	6	**QS**KLLF-2030	
15	**QS**KPMA-4236-NN	1	**QS**KER3-C1-B			
2	**QS**KPMA-4248-NN	1	**QS**KER3-C2-B			
18	**QS**KPFG-1236	6	**QS**KUR-2472-1-G			
2	**QS**KPFG-1248	6	**QS**KUR-2448-1-N			
3	**QS**KPFG-ALIGN-S	6	**QS**KACB-P-2			
2	**QS**KVPX-42	6	**QS**KAEP-24			
2	**QS**KVPT-42	3	**QS**KAPB-2			
8	**QS**KVET-42	2	**QS**KLGC-FLP			

SUGGESTIONS


PARADIGM-PLAN45



Not shown in the Paradigm Brochure:

QS-KPLAN45						$64,266
3	**QS**KPMA-6636-3P	2	**QS**KVPT-66	6	**QS**KLCU-2420	
15	**QS**KPMA-6636-NN	2	**QS**KVET-66			
2	**QS**KPMA-6648-NN	6	**QS**KVETS-12			
3	**QS**KPLES-5432-NN-L	2	**QS**KEJL3-36			
3	**QS**KPLES-5432-NN-R	1	**QS**KER3-C1-W			
18	**QS**KPFG-1236	1	**QS**KER3-C2-W			
2	**QS**KPFG-1248	6	**QS**D1NNN-RT2472GCK (Stad)			
3	**QS**KPFG-ALIGN-S	3	**QS**KLLS-204820-L			
2	**QS**KVPX-66	3	**QS**KLLS-204820-R			


PARADIGM-PLAN46



Not shown in the Paradigm Brochure:

QS-KPLAN46				$42,110
6	**QS**KPMA-5442-3P	8	**QS**KUR-2472-1-G	
2	**QS**KPMA-5442-NN	4	**QS**KACB-P-2	
2	**QS**KPLEDG-4262-12	4	**QS**KAPB-2	
1	**QS**KPLMDG-4262-12	4	**QS**KLSP-122454-L	
4	**QS**KVETS-12	4	**QS**KLSP-122454-R	
2	**QS**KVCP-6	8	**QS**KKAMB-1242	
2	**QS**KEJL3-42			
1	**QS**KER3-C1-W			
1	**QS**KER3-C2-W			


PARADIGM-PLAN47



Not shown in the Paradigm Brochure:

QS-KPLAN47				$42,419
4	**QS**KPMA-5436-3P	8	**QS**KLGC-PCQ1USB1P	
14	**QS**KPMA-5436-NN	8	**QS**KUR-3072-1-G	
8	**QS**KPFG-0636	8	**QS**KACB-P-2	
3	**QS**KVPX-54	4	**QS**KAPB-2	
2	**QS**KVPT-54	8	**QS**KMPF-1522-3	
10	**QS**KVET-54	8	**QS**KKAR-36	
3	**QS**KEJL3-36	4	**QS**KKAT-RAS12	
1	**QS**KER3-C1-W	4	**QS**KKAT-RPT11	
1	**QS**KER3-C2-W			

PARADIGM-PLAN48



Not shown in the Paradigm Brochure:

QS-KPLAN48						$25,664
2	**QS**KPMA-5448-3P	1	**QS**KER3-C1-W	3	**QS**KKAT-RAS12	
2	**QS**KPMA-5448-NN	1	**QS**KER3-C2-W	2	**QS**KKAT-RPT11	
2	**QS**KPMA-6648-3P	4	**QS**KUR-2496-1-G			
2	**QS**KPMA-6648-NN	4	**QS**KUR-2472-1-N			
4	**QS**KPLED-5450-NN	4	**QS**KACB-P-2			
4	**QS**KPFG-1248	6	**QS**KAPB-2			
1	**QS**KVPX-66	1	**QS**KLGC-FLP			
4	**QS**KVETS-12	4	**QS**KMPM-1522-1			
1	**QS**KEJ3-LS	4	**QS**KKAR-48			